Journal of
Polymer Science

Combined Subject Index to Volume 31

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. 31, 1993. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

A_nB_n star block copolymer, 661C
Ab initio molecular orbital method, 763C
ABA oligomer, 1309P
ABA oligomers, 1299P
Absorption coefficient, 1837P
Accordion polymers, 2899C
2-Acetamido-2-deoxy-D-glucopyranose, 749C
Acetolysis, 2393C
Acid effect, 1621C
Acid-catalyzed aromatization, 443C
Acid/ester copolymer, 2261C
Acidolysis of polymer, 443C
Acoustic properties, 505P
Acrylamide, 1099C
Acrylamide gel, 487P
Acrylate, 183C
Acrylate copolymers, 1729C
Acrylate monomers, 2197C, 2633C
Acrylates, 769C, 2407C
Acrylic acid, 2969C
Acrylic acid and fluoro polymers, 527C
Acrylonitrile grafted polyvinyl alcohol copolymer, 381C
Activation energy, 493C
Activation parameters, 107P
Active sites, 2541C
Added salts, 231P
Addition polymerization, 1697C
Addition reaction, 1659C
Addition-fragmentation chain transfer, 901C
Addition-fragmentation reaction, 1551C
Addition-type polyimides, 2271C
Additive effects of phosphorus compounds, 1453C
Adhesion, 1995P
Adhesive ligand, 1589C
Adipic acid-based polyesters, polyesterification, reaction of, 493C
Aflas™, 1629C
Aggregated, 1941P
Aggregation, 3P
Aging, 869P
Aging of PMMA, structural and mechanical changes in, 185P
AIBN, 2103C
Alginate, 51C
Alginates, 1147C
Alicyclic diamines, 2345C
Aliphaticamine, 1941C
Alkoxythiophene, 3339C
Alkyl halide, 581C, 3453C
Alkyl substituted phenol, 1941C
Alkylation of phenylacetone, 317C
Alkylthiophene, 3339C
All-*ortho* oligomer, 675C
Allyl carbamates, 2373C
Allyl ether, 619C
Allyloxy (or allyl carbonate) end-blocked oligomers, 2617C
Allyl-2-propenyl isomerizations, 1847C
Alternating copolymerization, 763C
Alternating equimolar copolymer, 2295C
Alternating ethylene carbon monoxide copolymer crystal structure melting, 1319P
Alternating nature, 1543C
Aluminoxanes, 2959C
Aluminum chloride, 1965P
Ambifunctional epoxy monomers, 3109C
Ambifunctional monomers, 3121C
Amide group, 1423C
Amide-activated nucleophilic displacement, 2179C
Amine chain end concentration, 2057C
Amine end groups, 1579C
Amine functional, 1645C
α-amino acid, 249C
Amino acid type chelating agents, 267C
2-Amino-2-deoxy-D-glucopyranose, 749C
(1*S*,2*S*)-(+)-2-amino-3-methoxy-1-phenyl-1-propanol, 1719C
3-amino-β,β′-dicyanostyrene, 1771C
4-(3′-aminophenoxy)phthalonitrile, 2319C
Amorphization under pressure, 125P
Amorphous, 1907C
Amphiphilic copolymer, 1959C
Amphiphilic copolymers, 365C
Amphiphilic elastomer, 2437C
Amphiphilic macromonomer, 123C
Amphiphilic polyelectrolytes, 789C
Amphiphilic polymer, 2513C
Amphoteric gel, 2647C
Anhydride-cured epoxy, 683C
Anhydrides, 1997C
Anionic, 847C
Anionic copolymerization, 135C
Anionic homopolymerization, 3239C
Anionic polymerization, 661C, 1075C, 2721C
Anionic polymerization of ethylene oxide, 1519C
Anionic polymerization of lactams, 1253C
Anionic ring-opening copolymerization, 2459C
Anisotropic, 1941P
Anisotropic correlation function of shear modulus, 1649P
Anisotropic degradation, 1019P
Anomalous diffusion, 699P
Anomalous transport, 1503P
Anthracene, 987C, 1915C
Anthracene-end-capped polyimides, 2271C
Antibacterial activity, 335C, 1441C, 2873C, 3003C, 3031C
Antioxidation properties, 2573C
Antipyrine acryloyl thiourea, 1335C
Antipyryl acrylamide, 1335C
Antithrombogenicity, 977C
$\chi^{(2)}$ and $\chi^{(3)}$ applications, 3155C
Aprotic solvent, 1965P
Aqueous hydroxypropyl cellulose solution, 1599C
Aqueous phase, 467C
Aqueous polymerization of acrylamide, 267C
Aqueous polymerizations of vinyl monomers, 3213C
Arborols, 641C

Aromatic copolyester, 971C
Aromatic dicarboxylic acids, 1513C
Aromatic diol monomers, 1013C
Aromatic groups, 1599P
Aromatic nucleophilic substitution, 853C
Aromatic nucleophilic substitution polymerization, 3439C
Aromatic polyamides, 1203C, 1383C, 2499C, 3265C
Aromatic polyester, 1759P
Aromatic polyesters, 1001C, 513P
Aromatic polyetherketone, 535C
Aromatic polyhydrazides, 1315C
Aromatic polyimides, 141C, 3273C
Aromatic tetracarboxylic dianhydrides, 293C
Aroyl xanthates, 653C
Aryl nucleophile incorporation, 3039C
Aryl substituents, 141C
Arylsilane, 177C
Arylsilane coatability, 521C
Arylsilanes, 521C
Association constant, 1293P
Asymmetric membrane, 881P
Asymmetric permeation, asymmetric structure, in composite membrane, 875P
1 atmosphere testing at 371°C, 1997C
Atomic displacement by stretching, 77P
Atomic force microscopy of extended chain polyethylene crystals, 93P
4 atm testing at 371°C, 1997C
Attenuated total reflection spectroscopy, 1099P
Autocatalysis, 395C
Autooxidation, 1069C
Azidostyrene, 977C
Azlactone, 865C
Azo initiator, 563C

Banded, 1253P
Banded texture, 229P
Barrier membranes, 403P
Battery, 1701C
1,4-Benzenedithiol, 457C
Benzobisthiazole, 723C
Benzocyclobutene, 2863C
Benzophenone, 91C
Benzophenone oxime, 2653C
Benzophenone-containing methylthiomethyl-substituted polyimides, 1195C
Benzyl bromide, 2877C
Benzyl sulfonium salt, 1023C
Benzylic cation, 1023C
Bifunctional condensing agent, 1301C
Bifunctional monomer, 2173C
Bilirubin oxidase, 2855C
Bimodel distribution, 99C
Biocompatibility, 275C
Biodegradability, 275C
Biodegradable polyester, 1825C
Biodegradable polyesters, 1973C
Biodegradable polymers, 1275C, 1759C
Biodegradation, 3159C
Biomass resource, 2393C
Biomaterial poly(ϵ-caprolactone), 275C
Biomaterials, 625C
Biopolymer, 2877C
Biosynthesized polymer, 563C, 3193C
Biphenol mesogen, 183C
Birefringence, 1041P, 1051P
Birefringence on deformation of polymer composites, 17P
2,6-bis(acrylamido)pyridine, 457C
1,5-bis(4-aminophenoxy)-naphthalene, 1571C, 2799C, 3081C
2,2-bis[4-(4-aminophenoxy)phenyl]-propane, 2995C
2,5-Bis(4-aminostyryl)pyrazine, 585C
1,2-bis(benzocyclobutenyl)ethane, 2747C
2,5-bis(4-chloro-1-naphthyl)biphenyl, 1087C
Bis(etherimide), 1233C
9,9-bis(4-hydroxyphenyl)fluorene, 2153C
Bis(imide)ether acid, 1233C
2,2′-Bis(*p*-aminophenoxy)-1,1′-binaphthyl, 3273C
2,2′-bis(*p*-aminophenoxy)biphenyl, 2499C
2,2-Bis(*p*-aminophenoxy)biphenyl, 3273C
2,2′-bis(*p*-aminophenoxy)-1,1′-biphthyl, 2499C
9,9-bis[4-(p-aminophenoxy)-phenyl]fluorene, 2153C
2,2′-Bis(*p*-carboxyphenoxy)-1,1′-binaphthyl, 3265C
2,2′-Bis(*p*-carboxyphenoxy)biphenyl, 3265C
Bis(*p*-hydroxyphenyl)dimethyl-silane, 2231C
1,4-Bis(*p*-phenylthio)benzene, 3485C
Bis(*p*-phenylthio)diphenyl-sulphone, 3485C
2,2′-bis(trifluoromethyl)-4,4′-diaminobiphenyl, 2081C
1,5-bis(4-trimellitimidophenoxy)-naphthalene, 3081C
Bis(vinylbenzyloxi)alkanes, 2305C
Bis(vinylphenyl)ethane, 2305C
Bisaryloxy-bisimido-bisphthalonitriles, 2319C
Bisimido-bisphthalonitrile, 797C
Bismaleimide composite, 1019P
Bisoxazolone, 817C, 1579C
Bisoxetane, 1639C
Bisphenol A, 2231C
Bisphenol A copolymers, 283C
Bisphenol A polycarbonate, 2785C
Bisphenol connector groups, 1599P
Bithiophene, 723C
Blend, 1253P
Blend/FT-IR spectroscopy, 325C
Blends, 2009C, 2039C, 2081C, 3167C, 1013P, 1299P
Blends of modified PEEK with aromatic polyimides, 821P
Blends of poly(ϵ-caprolactone) and poly(styrene-co-acrylonitrile) phase separation of, 719P
Blends of polycarbonate and syndiotactic polymethyl methacrylate thermoxidative reaction, 1641P
Blends, polyamide-polyester, amide-ester interaction in, 1109P
Block copolymer, 275C, 435C, 1531C, 2081C, 2775C, 3371C, 1075P
Block copolymer ionomer, 35C
Block copolymerization, 1505C
Block copolymers, 113C, 847C, 1253C, 1709C, 2009C, 2825C, 3387C, 37P
Blocked isocyanate, 2653C
Boron trichloride, 763C
Branching density distribution, 1363P
Brillouin scattering, 1477P
Brillouinspectroscopy, 505P
Brittle, 491P
Brittle fracture behavior, 1451P
Brominated poly(isobutylene-co-4-methylstyrene), 755C
Bulk reaction, 817C, 1579C
1-butene, 2177C
Butene, 2287C
Butyl isocyanate, 3205C
Butyl rubber, 2437C

Calibration, 749C
Calixarene, 1915C
Calorimetric monitoring, 2907C
Calorimetric study of heat capacity in isothermal cure of a thermoset, 199P
Calorimetry, 265P
Capillary pressure, 419P
Carbamoyl phosphonate monomers, 239C
Carbamoyl phosphonate polymers, 239C

Carbocationic, 1C
Carbocationic polymerization, 2825C
Carbon dioxide, 939C, 313P, 881P, 1213P
Carbon fiber, 1519P
Carbon monoxide, 309C
Carbon nitride, 2595C
Carbon whisker, 2459C
Carborane, 279C
Carbosilane polymers, 1789C
Carboxyl group, 3193C
Carboxylation, 1377C
Cardanol, 1069C, 3187C
Cardanyl acrylate, 1069C
Carrier generation, 2809C
Cascade polymers, 641C
Case II transport, 1503P
Cast, 1941P
Castor oil, 1287C
Catalysis, 209C, 691C, 1675C
Catalyst, 2419C
Catalyst/polymer morphology, 2507C
Catalytic activity, 193C
Catalytic effect, 939C
Catalytic organic reactions, 2915C
Catenate network, 441P
Cation, 1941P
Cationic biocide, 2873C
Cationic biocides, 3031C
Cationic disinfectant, 335C
Cationic initiator, 1023C, 1505C
Cationic photopolymerization, 1473C, 1483C, 1847C, 2663C, 3121C
Cationic polymerization, 581C, 1473C, 1505C, 1531C, 1741C, 1923C, 2143C, 2513C, 2789C, 2987C, 3193C, 3371C
Cationic polymerization of N-substituted lactam propagation center of, 1705P
Cationic salts, 1621C
Cationic starch, 2693C
Ce(IV) redox initiators, 267C
Ceiling temperature, 2407C
Cell adhesion, 1035C
Cellulose, 1187C
Cellulose, effect of N_2O_4 on crystallinity of, 567P
Cellulose ester fibers spun from liquid crystalline solutions, 1145P
^{13}C-enriched formaldehyde, 1625C
Chain coupling, 817C, 1579C
Chain diameter, 1809P
Chain entanglements and theory of rubberlike elasticity, 481P
Chain flexibility, 527P
Chain molar mass dependence of morphology, 1967C
Chain motion and microphases in segmented polyurethanes, 1163P
Chain segment mobility, 609P
Chain transfer agent, 1887C
Chain transfer reaction, 1887C
Chain transfer to polymer, 1363P
Characteristic ratio, 527P
Characterization, 1211C, 1675C, 1789C, 2115C
Characterization of kinetic parameters, 3213C
Charge density parameters, 373C
Charge density variation, 1687C
Charge transfer fluorescence, 1617P
Charge transfer polymers, 1859C
Charge-mosaic membrane, 1075P
Chelating type reductants, 3213C
Chemical amplification, 1C, 1895C
Chemical degradation, 741C
Chemical equilibrium, 691C
Chemiluminescence, 683C, 287P
Chemoselectivity, 2765C
Chiral hydroxyesters, 2887C
Chiral nematic polymer, 1179C
Chiral stationary phase, 2721C
Chitin, 749C
β-chitin, 485C, 2393C
Chitosan, 749C
Chlorination, 3039C
Chlorocarbonyl isocyanate, 1327C
Chlorofluorocyclopropanated polymers, 1789C
Chlorotriazinyl groups, 1633C
Cinnamate, 977C, 3299C
Cinnamic group, 27C
Circular dichroism spectra, 1719C
Cis content, 3151C
Clay, 983C, 1755C, 2493C
Cloud point, 1599C
Cloud point of copolymers in cosolvent systems, 429P
^{13}C-NMR, 1625C, 2319C
$^{13}CO_2$ in polystyrene, 447P
Coalescence, 419P
Coatings, 2197C, 971P
Cobalt Schiff base, 1457C
Coefficient of linear thermal expansion, 2081C
Coil collapse, 2019P
Coil-to-globule transition, 2019P
Cold plasma, 2671C
Cold-drawing, 1667P
Colloid titration, 2687C, 2693C
Color centers, 235P
Comb-branch liquid crystal, 1179C
Common ion salt, 2825C
Comonomer effect, 2541C
Compatability, 1627P
Compatibilizer, 1309P
Compatible, 2093C
Complex formation, 193C, 1323C, 3377C
Complexation, 1965P
Composite, 983C
Composites, 597C, 3251C
Composites, birefringence on stretching of, 17P
Computer simulation, 1677P, 1687P
Condensation, 1161C, 2057C
Condensation polymers, 1431C
Conducting polymer, 2123C, 2465C
Conducting polymers, 69C, 3339C
Conducting silicon polymer, 3281C
Conductivity, 2883C, 1425P, 1989P
Conductivity, ionic, of PEO-based polyelectrolytes, mixed-salt enhancement of, 157P
Conformational analyses, 169C
Conformational energy, 455P
Conformational parameters, 1725P
Conformational stability, 1243C
Conjugated double bonds, 971C
Conjugated polymer, 781C, 2977C
Constitutive function, 1667P
Contact angle, 1779C
Controlled-released biocides, 3003C
Cooling stresses, 1041P, 1051P
Coordinating compounds, 2617C
Coordination polymerization, 781C
Copoly(amide-ester), 731C
Copoly(vinylchloride-maleic anhydride), 1911C
Copolyester, 741C, 221P, 1067P
Copolyester-amides, composition/miscibility correlations in blends with aliphatic polyamides and copolyamides, 1109P
Copolyesters, 1301C
Copolyether-urethane-ureas, 1983C
Copolyimides, 2081C
Copolymer, 1233C, 1287C, 2049P
Copolymer composition, 3065C
Copolymer, ethylene-vinylacetate, permeation of gases in, 693P
Copolymer microstructure, 2951C
Copolymer solutions, cosolvency effects on, 429P
Copolymerization, 113C, 309C, 403C, 1323C, 1335C, 1339C, 1499C, 1543C, 2205C, 3065C
Copolymerization in emulsion, mathematical model, 1403C
Copolymerization reactions, 427C
Copolymers, 625C, 701C, 1261C, 537P
Copolymers containing 2-nitro-1,4-phenylenevinylene (NO_2-PV) units, synthesis and conductivity of, 87P
Copolymers, polycaprolactone-poly(dimethyl siloxane)-polycaprolactone triblock,

morphology and properties of, 115P
Copolyurethanes, 1983C
Core-shell rubber, 595P
Cotton, 1187C
Coumarin, 1589C
Coumarin dimer, 667C
Counterion condensation, 373C
CP MAS NMR, 1205P
Craze-like damage, 595P
Crazing, 1441P
Creep rupture, 1451P
Crosslinked, 183C
Crosslinked microspheres, 2473C
Crosslinked polymer, 1153C
Crosslinked polymers, 1771C, 2333C
Crosslinker, 1C
Crosslinking, 1083C, 1093C, 1187C, 1625C, 2747C
Crosslinking agents, 2941C
Crosslinking in polyethylene irradiated with acetylene present, 807P
Crosslinking of poly(tetrafluoroethylene), radiation-induced, 357P
Crown-ether, 2423C
Crystal, 1253P
Crystal orientation of UHMW polyethylene in drawn films, 255P
Crystal reorganization, 1845P
Crystal structure, 1713P, 1759P, 1923P
Crystal structure of poly-(*p*-benzamide), 1135P
Crystal thickness, 759P
Crystalline, 1907C
Crystalline polymer, 229P
Crystallinity, 485C, 1261C, 2015C, 2445C, 491P, 1331P
Crystallinity of cellulose, effect of N_2O_4 on, 567P
Crystallization, 265P, 735P, 901P, 917P, 1285P, 1383P, 1395P, 1407P, 1627P
Crystallization behavior, 3439C
Crystallization kinetics, 237P, 1677P, 1687P
Crystallization of cellulose-N_2O_4 systems, 567P
Crystallization of PET, microhardness study of, 557P
Cuprous chloride, 3093C
Cure monitoring, 841C, 609P
Curie transition, 1555P, 2027P
Curing, 2197C, 2663C
Curing kinetics, 619C, 299P
Curing mechanism, 633C
Cyanoacrylate, 199C
Cyanoimidazole, 351C
Cyano-substituted polymer precursors, 1771C
Cyclic acid anhydride, 2459C
Cyclic block, 2049P
Cyclic carbonate, 581C
Cyclic polyesters, 1013C
Cyclics, 1495P
Cycloaliphatic epoxide, 1825C
Cycloalkyl ester, 2531C
Cyclobutanedicarboxamide, 667C
Cyclochain polymers, 1725P
Cyclodehydration, 3351C
2-Cyclohexenone-4-yl ester, 443C
1,3-Cyclopentadiene, 309C
Cyclopolymerization, 169C, 345C
Cyclosiloxanes, 1697C
Cyclotriphosphazene, 2739C

Deacetylation, 485C
Deactivation, 831C
Deborah number, 1503P
Decamethylcyclopentasiloxane, 1697C
Decarboxylation, 581C, 1895C
1-Decene, 3447C
Decomplexation, 1965P
Defect growth, 1229P
Deformation, 491P, 1441P
Deformed heterogeneous networks, 1649P
Degenerate four-wave mixing, 723C
Degradability, 3141C
Degradation, 129C, 299C, 1629C, 2057C, 2403C, 2671C
Degree of *N*-acetylation, 749C
Deltacyclene polymers, 569C
Dendrimers, 641C
Dendritic polymers, 641C
Density, 183C, 515C
Density change determination for polymerizations with minimal volume change, 729P
Depletion measurement, 1941P
Depolymerization, 1697C, 2407C
Desorption, 805C
Deuterated PMMA, 3479C
Dextran, 1611P
Diacyl chloride, 1639C
Dialkyl fumarate, 2523C
Dialkyl maleate, 885C
Dialysis, 1941P
4,4′-diaminobiphenyls, 2929C
Diaminobutane, 575C
Diaminotriphenylphosphine, 1513C
Dianhydride monomers, 141C
Diaryliodonium salts, 1473C, 1483C, 2143C
Diblock macromonomers, 3073C
2,4-dibromophenyl allyl ether, synthesis of, 1171C
1,4-Dichlorobenzene chromium tricarbonyl, 923C
Dichroism, 1045C
Dichroism measurements, 579P
Dicyanovinyl substituents, 1013C
Dielectric, 3465C
Dielectric analysis, 609P
Dielectric loss, 1989P
Dielectric properties, 265P
Dielectric relaxation, 299P, 545P, 2027P
Diels-Alder addition polymers, 2271C
Dienes, 2419C
Diethyleneglycol-dimethacrylate, 2969C
Differential scanning calorimetry, 2027P
Differential scanning calorimetry (DSC) of blends of poly-(ϵ-caprolactone) and poly(styrene-co-acrylonitrile), 719P
Differential scanning calorimetry (DSC) of drawn polypropylene, 1089P
Diffusion, 1053C, 447P, 501P, 545P, 743P, 1083P, 1273P, 1471P, 1503P, 1785P
Diffusion coefficients, 859C
Diffusion in polymers, 537P
Diffusion of nonionic azo dyes in Nylon-6, 29P
Difunctional monomer, 3493C
Difunctional monomers, 2941C
α,ω-dihydrogen-functional oligopolydimethylsiloxanes, 2563C
1,5-dihydroxynaphthalene, 2855C
Dihydroxynaphthalene isomers, 1061P
Dilactone, 3141C
Dilation, 501P, 1545P
Dilatometry, 45C
Dilute solution light scattering, 1809P
Dimer, 207P
Dimer fatty acid, 1275C
Dimethacrylate resins, 1053C
Dimethacrylates, 2365C
Dimethylphenyl methacrylates, 45C
3,3-Dimethyl-1-phenyltriazene, 1093C
di-*N*-acetylchitobiose, 2393C
1,3-dioxolane, 1141C, 2173C
Dipolar dephasing experiments, 1205P
Dipole moment, 1591P
Dipole moments, 545P
Dipoles interaction, 45C
1,4-di(2-propyl-2-hydroxy)cyclohexane, 2387C
2D-IR, 1769P
Direct polycondensation, 1119C, 1125C, 1571C, 2995C, 3081C
Direct pyrolysis mass spectrometry, 13C
Direct resolution, 1719C

Directionality effects, 389P
Disclination domains, 1923P
Disiloxane-containing random copolyimides, 3425C
Dislocations, 759P
Disordering on cooling, 125P
Dispersibility, 2459C
Dispersion copolymerization, 3133C
Dispersion polymerization, 1393C, 2473C
Dissolution temperature, 2653C
Distribution functions, 2397C
1,1-disubstituted ethylene, 1551C
Disulfide anchors, 1729C
α,ω-di(tert-chloro)polyisobutylenes, 2387C
Divinylbenzene, 135C, 2473C, 3257C
Domain structure, 1327C
Donor, 2177C
Donor-acceptor interaction, 279C
Doolittle equation, 609P
Doping, 345C
Double ring-opened unit, 2659C
Double-notch four-point-bend technique, 595P
Drawing and thermal processes, 1873P
Drawn polyethylene, 743P
Dry/wet phase inversion process, 419P
DSC, 177C, 1053C, 1719C, 1395P
Dual mode, 447P
Dual-mode mobility model, 881P
Dual-mode model, 1545P
Dual-mode sorption, 859C
Dual-phase, 1701C
Ductile, 491P
Ductile matrix/brittle dispersed phase blend, 1347P
Dye binding, 365C
Dye-sensitized, 1347C
Dynamic mechanical behavior of HDPE, computer model for alpha relaxation in, 47P

E-beam, 1C
Effect of counter anion, 1441C
Effect of molecular weight, 1441C
Effects of sectioning, 1051P
Elastic constants, 1477P
Elastic modulus, 77P
Elastomer, 755C
Electrical conductivity, 345C, 2465C, 1799P
Electrical DC conductivity, 3307C
Electrical properties, 2081C
Electrical resistance, 2969C
Electric-current-sensitive polymers, 487P
Electroconductivity of poly(1,4-phenylenevinylene-co-2-nitro-1,4-phenylene-vinylene)s, 87P
Electron donor–acceptor complex, 1965P
Electron spin resonance, 2523C
Electron-donors, 2541C
Electronic absorption spectra, 2383C
Electrophilic crosslinking, 755C
Electropolymerization, 1105C
Elimination polymerization, 2173C
Ellipsometer, 319P
Emulsification, 2437C
Emulsion copolymerization, 123C, 2907C
Emulsion polymerization, 403C, 467C, 2103C, 2205C, 2397C
Emulsion polymerization, role of particle/water interface, 1403C
End-functionalization, 505C
End-linking reaction, 441P
Energy migration, 789C
Energy transfer, 987C
Enthalpy, 279P
Entropy, 279P
Enzymatic copolymerization, 2887C
Enzymatic polymerization, 1221C, 2855C, 2887C
Enzyme-catalyzed copolymerization, 1839C
Epitaxial growth, 1713P
Epoxide, 2459C
Epoxies, 2031C
Epoxy, 2249C, 3251C, 595P, 971P
Epoxy curing, 2031C
Epoxy monomers, 1741C, 3109C, 3121C
Epoxy resin, 3013C
Epoxy resins, 2333C, 2663C, 609P
Epoxy–amine reaction with etherification, 389P
Epoxy-imide resins, 1653C
EPR, 495P, 831P
Equilibrium constants, 2039C
Equilibrium degree, 515C
Equilibrium melting point, 1845P
Erosion, 2445C
ESCA, 1307C, 2601C, 3327C
ESR, 169C, 1417C
ESR spectroscopy, 2923C
Ester interchange, 1287C
Esterification, 1187C, 2313C, 2877C
Esterification of poly(methacrylic acid), 443C
Ether bond, 2365C
Etherification, 2313C
Etherification reaction, 535C
Ethoxylation, 1519C
Ethyl cellulose (EC), 3245C
Ethyl 3-oxo-4-pentenoates, 1323C
Ethylcellulose films, NMR relaxation measurements on, 671P
Ethylene, 209C, 219C
Ethylene copolymers, 759P
Ethylene polymerization, 1493C, 2923C
Ethylene/1-butene, 3447C
Ethylene-vinyl acetate, 403C, 2205C
Ethynyl-substituted cyclotriphosphazenes, 707C
Evaporation, 805C
Evolved gas analysis, 1807C
Exchange reactions, 13C
Excimer, 789C, 213P, 1187P
Exomethylene cyclic monomers, 949C
Exo-methylene cyclic monomers, 1895C
Exotherm, 1223P
Extinction, 663P
Extracellular matrix, 1589C

Factorial experiments, 2205C
Ferroelectric copolymers, 505P
Fiber, 1759P
Fiber-reinforced thermoplastic composites, 1677P, 1687P
Fibers, 887P, 1005P
Field-induced phase transition, 1555P
Film, 2081C, 1941P
Fire- and heat-resistant cyclomatrix resins, 707C
Five-membered cyclic carbonate, 2765C
Five-membered ring, 169C
Flame retardancy, 3187C
Flammability, 1355C
Flavin mononucleotide, 1293P
Flexibility, 1725P
Flexibility mechanism for polyamide chains in solution, 633P
Flexible spacer, 259C
Flocculant, 2693C
Flow birefringence of rigid-chain polymers in solutions, orientational deformational nature of, 795P
Fluorescence, 789C, 987C, 2687C, 207P, 213P, 1471P, 1611P
Fluorescence depolarization, 1187P
Fluorescence quenching, 789C
Fluorescence spectroscopy, 387C, 383P
Fluorescent probe, 1471P
Fluorescent probes, 841C
Fluorinated macrodiols, 2069C
Fluorinated polyimides, 1093C, 2271C
Fluorinated polyimides, solubility of CO_2 in, 1127P

Fluorinated polymers, 1431C
Fluorinated thiol, 2069C
Fluorination, 2671C
Fluorine, 2015C
Fluorine substitutents, 1907C
Fluoropolymers, 2039C, 3465C
Fluoro-substitution, 2015C
Formaldehyde, 1161C, 1625C
Fourier transform infrared microspectroscopy, 1099P
Fourier-transform infrared spectroscopy, 1013P
Fractal behaviour, 3P
Fracto-emission, 1229P
Fracture, 1229P
Fracture toughness, 1995P
Free quenching, 1041P
Free radical, 467C, 901C
Free radical copolymerization, 3433C
Free radical polymerization, 45C, 1053C, 1153C, 3387C, 3433C
Free radicals, 831P
Free volume, 501P, 609P, 869P, 971P, 991P, 1273P, 1577P
Free-radical, 847C, 1007C
Freestanding films, 1951P
Free-volume, 495P
Free-volume theories for solvent self-diffusion in polymer-solvent systems, 69P
Freezing point depression anomaly in swollen polyisoprene networks, 575P
Friedel–Craft, 1377C
Friedel–Crafts, 1233C
Friedel–Crafts mechanism, 755C
^{19}F solid-state NMR spectroscopy, 859C
FT-IR, 1769P
FTIR-ATR, 1487P
Fully aromatic polycarbonate, 2237C, 2711C
Functional aromatic polyesters, 1013C
Functional diblock copolymer, 661C
Functional polystyrene, 2915C
Functionalization, 2759C
Furan dienol derivatives, 1911C
Furfuryl acrylate, 625C

Gamma, 715C
Gamma radiation, 235P
Gas permeability, 547C, 2555C, 403P, 891P, 983P
Gas permeation, 113C, 991P, 1577P
Gas separation, 1457C, 1245P
Gas separation membranes, 909C
Gas separations, 83C
Gas solubility, 273P, 313P
Gas sorption, 537P, 1245P, 1577P
Gas transport, 501P, 743P
Gas transport properties, 1599P
Gel, 2647C, 2883C
Gel content, 1093C
Gelatinization, 1197P
Gelation, 1363P
Gelation mechanisms, 1819P
Geometric structure, 781C
Gibbs free energy, 107P
Gibbs function, 279P
Glass temperature, 1879C
Glass transition, 853C, 287P, 319P, 779P, 901P, 917P, 1851P, 1861P, 2027P
Glass transition temperature, 183C, 325C, 625C, 2261C, 2531C, 3433C
Glass-forming liquids, liquid-liquid transition in, 475P
Glassy polymers, 1373P, 1503P
Glassy polymers, structural changes on aging of, 185P
Glassy polymers, theories for penetrant self-diffusion coefficients in, 69P
Glycidyl epoxide, 1825C
Glycidyl phenyl ether, 1023C
Graft, 3405C
Graft copolymer, 381C
Graft copolymerization, 3181C
Graft copolymers, 153C, 1253C, 3181C
Graft polymer, 2437C, 2513C
Graft polymerization, 563C, 1035C
Graft terpolymer, 2863C
Grafting, 1519C
Graphite, 111P
Ground-state dimer, 1187P
Group 6 transition metal catalyst, 2555C
Growing radical end, 763C
Growth transitions, 1407P
Guest probe, 383P

H-abstraction initiators, 2365C
Haloform reaction, 1377C
HALS, 1499C
Hardener, 633C
Haze, 663P
Head-to-head copolymers, 3039C
Heat capacity, 279P
Heat capacity decrease in isothermal cure of a thermoset, 199P
Heating, 61P
Heat-resistant, 2739C
Heat-resistant polymers, 797C, 1315C
Heat-resistant resins, 1771C
Helix parameter of polymer chain, extension of Miyazawa's equations for, 249P
Henry's law, 273P
Heparin, 249C, 977C
Heptamethylcyclotetrasiloxane, 891C
Heteroaramide, 351C
Hexachlorocyclotriphosphazene, 3397C
Hexagonal structure of crystals, 1909P
3,4,5,6,7,8-Hexahydro-4a (2*H*)-hydroxymethyl-2-methylenenaphthalene, 3493C
3,4,5,6,7,8-Hexahydro-4a (2*H*)-hydroxymethyl-2-oxo-naphthalene, 3493C
3,4,5,6,7,8-Hexahydro-4a (2*H*)-methyl-2-oxo-naphthalene acetate, 3493C
Hexamethylcyclotrisiloxane, 1645C, 1697C
Hexene polymerization, 1747C
Hexosamine residue, 249C
High impact polystyrene, 1441P
High performance aromatic polyether, 3439C
High performance liquid chromatography, 2721C
High polymers, 2759C
High refractive index films, 1951P
High speed spinning, 1331P
High temperature, 831C, 1997C, 2815C
High temperature polymers, 1513C
High-density polyethylene, 1285P
High-glass transition temperature nonlinear optical polymer, 2899C
High-performance polymers, 3099C, 3465C
High-resolution electron microscopy, 1713P
High-speed spinning, 1339P
High-temperature polyimides, 2271C
High-temperature polymers, 933C, 1111C, 3099C
^{1}H-NMR, 2319C
Homologous series, 1053C
Homopolymer, 1233C
Homopolymerization, 1621C
Host-guest interaction, 1915C, 2513C
HPLC, 741C
Hybrid, 983C, 2493C
Hydrazine hydrochlorides, 1331C
Hydrazine monohydrochloride, 1453C
Hydroboration, 2759C
Hydrocyclotetrasiloxane, 2617C
Hydrodimerization, 2663C
Hydrodynamic properties, 1809P
Hydrodynamics, 1785P
Hydrogel, 977C, 1153C, 1589C, 3299C
Hydrogen bond interaction, 61C

Hydrogen bonding, 1543C, 2039C, 3377C, 537P
Hydrogen bonds, 675C
Hydrogen iodide/zinc iodide system, 2789C
Hydrogen-donor ability, 2365C
Hydrolysis, 1135C, 3141C
Hydrolytic stability, 2081C
Hydroperoxide, 1069C
Hydrophilicity, 2437C, 3141C, 3299C
Hydrophobic fluorescent probe binding, 365C
Hydroquinone, 259C
Hydrosilation, 891C, 1741C, 2563C, 2729C, 3109C, 3121C
Hydrosilylation, 2373C, 2697C
Hydrosilylation polymerization, 287C
Hydroxycinnamic acid dimer, 667C
Hydroxyethyl methacrylate, 625C
Hydroxylated polypropylene, 2759C
Hydroxyl-containing aromatic polyimides, 293C
3-hydroxy-6-methylpyridine, 2333C
α-Hydroxymethyl acrylates, 2941C
8-hydroxyquinaldine, 2333C
4-hydroxy-β,β'-dicyanostyrene, 1771C
Hygroscopicity, 485C
Hyperbranched, 619C
Hypercritical point, 895P

Ideal separation factor, 881P
Imidazole, 2583C
Imidazole amino acids, 351C
Imidazolinone, 817C, 1579C
Imide, 667C, 2583C
Imidization, 1045C
Imino sulfonate, 451C
Immiscibility loop, 1641P
Immobilization, 2601C
Immobilized biocides, 1467C
Impurities, 2815C
In dispersion polymerization, 1393C
Indoleacetate, 1293P
Infrared, 1807C, 2751C
Infrared analysis, 797C
Infrared spectra, 1983C
Infrared spectroscopy, 769C, 1187C, 3167C, 579P, 1555P
Inifer, 1923C
Inifer efficiency (I_{eff}), 2387C
Initiator, 3193C
Inorganic and organometallic photoinitiator, 199C
In-situ direct polycondensation, 597C
Instrumented impact testing, 1347P
Integrally-skinned asymmetric membranes, 419P
Interaction of dyes with polyelectrolytes, 959P
Interaction parameter, 1845P
Interfacial tension, 221P
Interference microscopy, 1995P
Interlamellar segregation, 1845P
Interpenetrating polymer networks, 515C, 2481C, 2633C
Intra- and intermolecular micelles, 387C
Intramolecular interactions, 1013P
Intrinsic birefringence, 1477P
Intrinsic viscosity, 675C, 527P
Intrinsic viscosity of poly-(p-phenylene terephthalamide) and poly(m-phenylene isophthalamide) of equal molecular weights, temperature dependence of, 633P
Inverted hexagonal structure, 339P
Iodine-doped poly(4BCMU) in polydimethylsiloxane, 3307C
Ion conductor, 2883C
Ion implantation, 1799P
Ion mobility, 609P
Ionic concentration gradient, 487P
Ionic conductivity, 2643C, 2809C, 609P, 1941P
Ionomer, 35C, 1223P, 1309P, 1431P
Ionomers, 129C, 327P, 1299P
IPN, 3479C
IPN's, 2165C
Irradiation, 505P, 1075P, 1095P, 1989P
Isatoic anhydride-Br_2, 1007C
Isobutene, 1141C, 2177C
Isobutylene, 1923C, 2387C
Isocyanato ethylmethacrylate, 239C
Isomer effects, 1245P
Isomeric 4,4‴-dichloroquaterphenyls, 877C
Isomerization of allyl ethers, 1473C
Isomers, 2177C
Isoprene, 1561C
Isotachophoresis, 467C
Isotactic polypropylene, 77P, 1285P, 1383P, 1395P, 1407P
Isothermal tests, 1997C
Isotropic, 1941P
Isotropic-smectic transition, 773P

Joint confidence limits, 3417C

Ketene acetal, 3159C
Keto-enol isomerization, 443C
Keto-ether, 1141C
Ketones, 2245C
Kinetic model, 2103C
Kinetic models, 389P
Kinetic parameter, 3317C
Kinetic studies, 209C
Kinetics, 45C, 51C, 249C, 395C, 403C, 505C, 691C, 831C, 949C, 1007C, 1053C, 1105C, 1147C, 1449C, 1879C, 1895C, 2205C, 2815C, 2839C, 3387C, 3405C, 3453C, 773P
Kinetics and parameters, 267C
Kinetics and thermodynamic, 1457C
Kinetics of formation, 1567P
Kinetics of solvent swelling, 515C
Kinetics of thermal decomposition, 3187C
Kuhn length, 1809P

Lactonization, 667C
Ladder polymer, 1799P
Lamella, 1253P
Lamellae, 1923P
Lamellar structures, 1197P
Lamellar thickening, 61P
Langmuir–Blodgett, 3361C
Langmuir-Blodgett film formation by polymethacrylates with nonlinear optical side chains, 165P
Lanthanides, 2419C
Laser flash photolysis, 653C
Laser light scattering, 2019P, 2035P
Laser spectroscopy, 2245C
Laser-induced processes in conducting polymer precursors, 959P
Laser-initiated polymerization, 841C
Latent catalyst, 1083C
Latex, 589C, 1701C
Lattice expansion, 1459P
Length of dehydrochlorination chain, 75C
Leucoemeraldine, protonation of, 395P
Lewis acid, 2915C, 3151C, 1965P
Lewis base, 1965P
Light scattering, 1649P, 2003P, 2049P
Light scattering and phase separation from polyelectrolyte solutions, 587P
Light scattering from swollen textured polymer network composites, 1695P
Lignin, 1839C
Linear copolyacrylate, 2609C
Linear copolystyrene, 2609C
Lineshape analysis, 1205P
Liquid crystal, 183C, 1067P
Liquid crystal copolymers, 1179C
Liquid crystal polymer, 2249C

Liquid crystal polymers, 1001C, 1851P, 1861P
Liquid crystal polymers, viscosities, comparison of capillary and slit die results for, 347P
Liquid crystal thermoset, 2249C
Liquid crystalline, 2249C
Liquid crystalline polyesters, 283C
Liquid crystalline polymer, 2115C, 2977C
Liquid crystalline polymers, 283C, 1609C, 773P
Liquid crystalline polymers PBZT, rheological optical and x-ray study of relaxation of, 141P
Liquid crystalline solutions of cellulose acetate/butyrate, morphology of fibers spun from, 1145P
Liquid crystals, 3251C, 2003P
Liquid-crystal copolyesters, 933P
Liquid-crystalline polymer, 2423C, 2775C, 1099P
Liquid-crystalline polymers, 1859C
Liquid-liquid equilibria, 895P
Liquid–liquid transition in polymers and glass-forming liquids, 475P
Lithium perchlorate, 2643C
Lithography, 959P
Living carbocationic polymerization, 35C, 2387C
Living cationic polymerization, 1709C
Living polymerization, 505C, 995C, 1531C, 2513C, 2555C, 2789C, 2825C, 2987C
Long period, 1519P
Long-chain branches, 1363P
Low temperature, 1417C
Lyotropic polyamide, 2775C

Macro-azoinitiator, 435C
Macrolactones, 1221C
Macromolecular nomenclature, 2881C
Macromonomer, 287C, 2313C, 3133C
Macromonomers, 2789C, 3073C
Macroporous polymer particle, 1171C
Main chain, 3031C
Mainchain chromophore, 2899C
Main-chain liquid crystalline polymers, 1211C, 3223C, 3231C
Malachite Green vinyl polymer, 2809C
Maleated thermoplastic elastomer, 3405C
Maleic anhydride, 3405C
Maleic anhydride copolymers, 691C
Maleimido terminated, 2739C
m-Aminophenol, 1105C
Mannich reaction, 1941C, 1959C
Manning's theory, 373C
Mark-Houwink-Sakurada equation, 527P
MAS, 2835C
Mass spectrometry, 1807C
Mass spectroscopy, 2319C, 1441P
Mathematical model, 1363P
Mathematical model, vinyl acetate/reactive surfactant emulsion copolymerization, 1403C
Mathematical models, 75C
MBA, 1449C
Mechanical criterion, 1667P
Mechanical properties, 933P
Mechanical property, 983C, 1755C
Mechanical strength, 1383C, 2305C
Mechanism, 505C, 2419C, 2445C, 3213C
Mechanisms, 2839C
Mechanisms kinetics, 3049C
Mediated solubilization, 1965P
Melt birefringence, 2237C, 2711C
Melt polymerization, 3397C
Melt spinning of poly(vinylidene fluoride), on-line X-ray study of, 371P
Melting, 61P, 901P, 1383P, 1407P
Melting behavior of drawn polypropylene, 1089P
Melting behavior of PEEK/PEI blends, 1845P
Melting point depression, 1845P
Melt-spinning, 933P
Membrane, 1567P
Memory-dependent source/sink terms, 699P
Mesophase, 2423C
Mesophase transition, 2237C
Metal oxidants, 3213C
Metallocene catalysts, 3447C
Metallocene catalysts, supported, 2959C
Metathesis catalyst, 781C, 2977C
Metathesis polymerization, 69C, 547C, 1079C, 1887C
Methacrylate dimers, 3417C
Methacrylic acid, 1339C, 3291C
Methacrylonitrile, 2951C
Methane, 313P
Method of moments, 1363P
Methoxy ethoxy ethylmethacrylate (MEEMA), 2643C
Methyl acrylate, 3181C
α-Methyl glucoside, 1611P
Methyl iodide, 2877C
Methyl methacrylate, 653C, 763C, 2815C
Methyl methacrylate in alcohols, 1393C
Methyl orange, 365C
Methylene, 1909P
4-methylene-4*H*-1,3-benzodioxin-2-one, 1895C
3-Methylene-5,5′-dimethyl-2-pyrrolidinone, 949C
4-methyl-6-phenylcyclooctene, 1079C
Micellar structure, 2035P
Micelle formation, 957C
Micellization, 2049P
Michael addition, 457C
Microelectronics, 959P
Microhardness study of transitions and crystallization in PET, 557P
Micron size, 1393C
Microphase separation, 933C, 37P
Microphase-separated structure, 661C
Microstructure, 2445C
Microstructures, 2419C
Microvoids, 699P
Miscibility, 325C, 2039C, 3167C, 1431P, 1641P
Miscibility in blends of aliphatic polyesters, polyamides, and their copolymers, 1109P
Miscibility of blends of modified PEEK with aromatic polyimides, 821P
Miscibility of copolymers in cosolvent systems, pressure–temperature relations for, 429P
m-isopropenyl-α,α-dimethylbenzyl carbamate, 1499C
Miyazawa equations for helical chain, extension of, 249P
MNDO, 1759C
Mobile-proton tautomerizm, 1911C
Mobility, 2031C
Mode of copolymerization, 2935C
Model compounds, 3049C, 1617P
Model surface, 2671C
Modes of precipitation, 231P
Modified membrane, 381C
Modulus, 1759P
Moisture sorption, 611C
Molecular architecture, 619C
Molecular composite, 1755C, 2775C
Molecular dynamics, 1909P, 1975P
Molecular imaging, 1713P
Molecular mobility, 1029P
Molecular modeling, 1759C
Molecular motions, 1885P
Molecular orientation, 505P, 1041P, 1051P, 1099P

Molecular orientation effect, 1799P
Molecular structure, 633C
Molecular structure effect, 1799P
Molecular weight, 219C, 2057C, 1941P
Molecular weight distribution, 1363P, 2019P
Molecular weight effect, 3231C
Monodisperse, 1393C, 2697C, 3257C
Monodisperse particles, 1393C
Monodisperse polymer particles, 3133C
Monoesterification, 691C
Monoisocyanates, 3205C
Monomer reactivity ratio, 2523C
Monomer reactivity ratios, 427C, 949C, 1895C
Monomer sequences polyesterification, 1301C
Monomer-isomerization polymerization, 885C
Mono-substituted polyacetylene, 2977C
Monte Carlo method, 1363P
Montmorillonite, 983C, 2493C
Morphology, 1983C, 767P, 901P, 1253P, 1407P, 1819P, 1923P
Morphology of cellulose acetate/butyrate fibers spun from liquid crystalline solutions, 1145P
Morphology of neodymium acetate-PEO system, 647P
Morphology of unsaturated polyester toughened with reactive rubber, 619P
m-TMI, 239C
Multi-armed monomer, 61C
Multibilayer, 339P
Multiblock copolymers, 1327C
Multifractal analysis of morphology of multicomponent polymer systems, 655P
Multifunctional aryl 2-propenes, 1847C
Multifunctional coupling agent, 1531C
Multi-step swelling and polymerization method, 2129C
Mutarotation, 193C
Mutual irradiation technique, 3291C

N-acetylchitooligosaccharide, 2393C
Nafion, 953P, 1223P
Naive statistical models, 389P
N-allylmethacrylamide derivatives, 169C
^{23}Na-NMR, 1687C
Naphthalene, 789C
Nascent UHMWPE, 2011P
Natural rubber, 769C
2.5-NBD-carboxylic acid, 1659C
N-benzoyl-8-octanelactam, propagation center in cationic polymerization of, 1705P
Near infrared spectroscopy, 749C
Necking shoulder, 1667P
Nematic, 2115C, 2249C, 3251C, 383P
Nematic melt, 3021C
Nematic phase, 279C, 2423C
Network, 2011P
Network composites, textured and swollen, light scattering from, 1695P
Network interlock, 2093C, 3317C
Network polymers, 2941C
Network structure, 2697C
Networks, 1053C, 2249C
Networks, interpretation of elastic moduli of, 481P
Networks of PDMS, NMR free induction decay in, 241P
Networks of swollen polyisoprene, anomalous freezing point depression in, 575P
Networks with stepwise and chainwise chemistries, 389P
Neutron scattering (SANS) study of microstructure of poly(siloxaneimide) copolymers, 467P
Neutrons, 1989P
New phosphorus condensing agent, 1301C
n-Heptane, 3447C
Ni(0) homocoupling, 923C
Ni(0)-catalyzed homocoupling, 1087C
Ni(0)-catalyzed oligomerization, 877C
N-isopropylacrylamide, 2647C
Nitrile-pendent aromatic polyether, 3439C
Nitrobenzene, 971P
4′-nitro-4-biphenoxyethyne, 3155C
Nitromethane, 1965P
NMR, 177C, 2835C, 1005P, 1459P
NMR analysis, 2617C
NMR characterization, 1923C, 1941C
NMR microscopy, 159C
NMR sequence analysis, 3021C
NMR, solubility, 1383C
Nomenclature, 641C
Noncrystalline polymers, 1891P
Nonideal, 1007C
Non-isothermal crystallization, 61P
Nonlinear free-radical polymerization, 1363P
Nonlinear optical, 723C
Non-linear optics, 1365C
Nonlinear optics, 3155C
Nonlinearity, 461P
Norbornene polymer, 569C
Novel behavior, 1911C
N-Phenoxyphenylphthalimide, 2751C
N,S-analogs of aryl- and alkaryl-SOCs, 1667C
N-substituted diphenimides, 3199C
Nuclear magnetic resonance, 1567P
Nuclear magnetic resonance (NMR) free induction decay in polydimethylsiloxane networks, 241P
Nuclear magnetic resonance (NMR) of MDI-based polyurethanes, 1163P
Nuclear magnetic resonance (NMR) of model living oligomers, 1705P
Nuclear magnetic resonance (NMR) of poly(N-benzoyl-8-octanelactam), 789P
Nuclear magnetic resonance (NMR) of relaxations in ethylcellulose films, 671P
Nuclear magnetic resonance (NMR) study of linear and branched polyethylenes, 175P
Nucleating additives, 1395P
α nucleation, 1407P
Nucleation, 1395P
N-vinylacetamide, 1153C
N-vinylcarbazole, 3193C
N-vinyl-2-pyrrolidone, 3193C
Nylon 266, 701C
Nylon 4T copolymer, 575C
Nylon 6, 983C, 1755C
Nylon 6 fiber, increase of dynamic modulus of, 803P
Nylon 6,6, 159C
Nylon 66, 701C
Nylon-12, 265P
Nylon-6, diffusion of nonionic azo dyes in, 29P

O-alklyaniline, 2123C
o-Cresol novolac epoxy, 633C
Octamethylcyclotetrasiloxane, 1645C
Oil-soluble initiator, 2103C
Olefin copolymerization, 227C
Oligo(oxyethylene), 2313C
Oligocyclosiloxanes, 891C
Oligoester, 741C
Oligoethylene oxide, 3433C
Oligomer, 467C
Oligomers, 3339C
One-handed helical conformation, 2681C

One-step polyimide synthesis, 141C
Onium salts, 2245C
Optical anisotropy, 1951P, 1983P
Optical data storage, 1915C
Optical polymers, 235P
Optical resolution, 2721C
Optical transmission, 1229P
Optically active polyesters, 2887C
Optically active polymer, 2721C
Optically-active poly(urea-urethane), 1719C
D-optimal design, 3065C
Optimal design of membrane valve, 875P
Optimal laminate membrane, 875P
Order parameters, 383P
Ordered comonomer sequence, 259C
Organic carboxylate polymer, 2353C
Organic solvents, 1221C, 1839C, 2887C
Organized polymerization, 661C
Organophosphorus polymers, 239C
Organotin (IV) compounds, 3397C
Orientation, 1045C, 3361C, 513P, 743P
Orientation of nonlinear optical moieties in Langmuir-Blodgett films of substituted polymethacrylates, 165P
Orientational order, 1005P
Oriented polymers, 1477P
Ortho-substituted aromatic diamines, 909C
Osmotic pressure difference, 487P
Outdoor weathering, 2231C
Oxazolidone, 1543C
Oxetane, 3371C
Oxidation, 51C, 1147C, 2057C, 287P
γ-oxidation, 603C
Oxidation products, 715C
Oxidation state, 831C
Oxidative stability, 2081C
Oxirane, 939C
Oxoaminium salt, 1505C
Oxydiphthalic dianhydride, 2081C
Oxygen inhibition, 2365C
Oxygen/nitrogen separation, 909C
Ozone oxidation, 1035C

p(HEMA-co-MAANa), 1687C
PAAm, 2869C
Palladium catalyst, 309C
Paracyanogen, 2595C
Para-formaldehyde, 1941C
Paramagnetic resonance, 1885P
Partial hydrosilylation, 2617C
Partial molar volume, 1373P
Particle nucleation, 2103C
Particle size control, 1393C
Partition coefficient, 1293P
Partitioning phenomena, 1621C
PBA, 3205C
PBT copolymer, 575C
p-chloromethylstyrene (CMS), 3073C
p-chlorophenyl acrylamide, 427C
PCU, 2165C
PCU, 3479C
Pd catalyzed ethylene—CO alternating copolymerization, 2879C
PDMSM chain, 455P
PDP-MSA, 1449C
PEEK, 61P
PEKK, 237P
Pendant azo group, 563C
Pendant carboxyl group, 563C
Pendant chloromethyl group, 1639C
Pendant vinyl ether group, 91C
Pendent groups, 1203C, 1383C
Penetrant self-diffusion in polymer solutions and glassy polymers, free-volume theories for, 69P
2,3,4,5,6-pentafluorostyrene, 135C
1,2,2,6,6-pentamethyl-4-piperidinyl, 1499C
Penultimate model, 3065C
PEO, 2601C
Perfluorocyclobutane polymers, 3465C
Perfluorohexane, 1779C
Perfluorosulfonate ionomers, 953P
Permanganate, 51C, 1147C
Permeability, 909C, 2493C, 339P, 881P
Permeability of gases in 6FDA polyimides, 939P
Permeability of O_2 in oriented polypropylene, 641P
Permeation, 1273P
Permeation of high-pressure gases in poly(ethylene-co-vinyl acetate), 693P
Permselectivity, 2969C
Peroxidase, 1839C
Peroxide, 1035C
Persistence length, 1809P
PET, 207P
β phase, 1407P
Phase behavior, 2039C
Phase mixing, 1083P
Phase morphology, 3479C
Phase separation, 963C, 461P, 1627P
Phase separation and morphology of segmented polyurethanes, 853P
Phase separation of crystalline and miscible polymer blends, 719P
Phase separation of polyelectrolyte mixtures, 587P
Phase separation temperature, 957C
Phase stability, 1099C
Phase transfer, 1377C
Phase transfer catalysis, 1377C
Phase transition, 383P
Phase-transfer catalyst, 1799C
Phase-transitions, 3021C
Phenol, 3361C
Phenol-formaldehyde resin, 675C
Phenoxides, 923C
Phenoxy, 1299P, 1309P
α-(phenoxymethyl)acrylate, 1551C
Phenylene diphenyl dicarbonates, 2711C
Phenylhydroquinone copolyesters, 283C
Phenylphosphonic dichloride, 1331C, 1453C
5-phenylsulfonylisophthalic acid, 1383C
2-phenyl-3-vinyloxiranes, 3489C
Phenyl[bis(2-pyridyl)]methyl methacrylate, 2721C
Phosphinic acid derivatives, 2987C
Phosphonium biocides, 3003C
Phosphoric acid derivatives, 2987C
Phosphorous oxychloride, 1301C
Phosphorouspentoxide/methanesulphonic acid (PPMA), 3485C
Phosphorus-containing poly(isophthalamide)s, 1355C
Photo degradation, 2785C
Photoacid generator, 451C
Photoactive silicon polymer, 3281C
Photochemical addition reaction, 91C
$\pi 2s + \pi 2s$ Photochemical cycloaddition, 3493C
Photochemical and photophysical properties, 2187C
Photochemical valence isomerization, 1659C
Photochemistry of dyes, 1347C
Photochromic, 3493C
Photoconductivity, 1165C
Photocrosslinking, 1C, 27C, 971C, 987C, 1589C, 2633C
Photodevice, 1915C
Photodimerization, 1589C
Photoelasticity of textured composites, 17P
Photofixation, 3299C
Photofragmentating initiators, 2365C
Photo-Fries rearrangement, 2785C
Photogelation, 977C
Photogeneration, 3013C
Photoinduced anionic polymerization, 199C

Photoinduced catalytic hydrosilation reaction, 199C
Photoinduced switching, 2809C
Photoinitiated cationic polymerization, 1083C, 3109C
Photoinitiation, 715C
Photoinitiator, 653C
Photoirradiation, 1125C
Photooxidation, 83C
Photophysical process, 1617P
Photopolymerization, 153C, 183C, 199C, 653C, 1007C, 1347C, 2143C, 2245C
Photoresist, 1C, 987C
Photosensitive polymer, 451C
Photosensitivity, 1195C
Photosensitizer, 91C
pH-sensitive merocyanine dye, 373C
Phthalocyanine polymer, 1165C
Phthalocyanine siloxane, 1713P
Physical and thermal characteristics, 1873P
Plasma polymers, 1205P
Plasma treatment, 1779C
Plasma-induced graft copolymerization, 1307C, 2601C, 3327C
Plasticity, 759P
Plasticization, 327P, 1273P
Plasticizer, 1885P
Plasticizer effect, 1915C
PMDA-ODA Polyimide, 1951P
PMMA, 3479C, 327P
p-nitrophenyl acrylamide, 427C
Poisson's ratio, 1477P
Polarizing microscopy, 229P
Poling, 1365C
Poly(1,2,4-oxadiazole)s, 3351C
Poly(1,5-dihydroxynaphthalene), 2855C
Poly(1,4-phenylene-2,5 benzobisthiazole) (PBZT), relaxation of nematic phase in polyphosphoric acid solutions of, 141P
Poly(2,b-dimethyl 1,4-phenylene oxide), 1431P
Poly(2,6-diphenyl-1,4-phenylene ether), 1907C
Poly(2,6-diphenylphenylene ether), 2015C
Poly(2,6-diphenylphenylene oxide), 1261C
Poly(4,4′-oxybibenzoate), 1923P
Poly(L-proline), 3377C
Poly(acrylic acid-co-acrylamide), 373C
Poly(3-alkylthiophene), 735P
Poly(amic acid), 2799C, 3167C
Poly(amide oxime)s, 3351C
Poly(amide-imide)s, 2995C, 3081C
Poly(aryl ether amide), 2179C
Poly(aryl ether ketones), 901P, 917P
Poly(aryl ether sulfone), 1093C
Poly(aryl ether)s, 1907C
Poly(arylene ether)s, 3099C
Poly(benzimidazobenzophenanthroline), 1799P
Poly(butene-1-sulfone), 1837P
Poly(butoxycarbonyloxystyrene), 451C
Poly(butylene terephthalate)/PBT, 741C
Poly(chloroprene), 2165C
Poly(cyclohexyl acrylate), relation between mechanical and dielectric relaxations in, 711P
Poly(diallyldimethylammonium bromide), 1471P
Poly(dichlorophosphazene), 3397C
Poly(dimethylsilazane), 1591P
Poly(dimethylsiloxane), 1633C, 1645C
Poly(dimethylsiloxane-urethane), 2481C
Poly(dimethylsilylene-co-diphenylsilylene), 2383C
Poly(diphenylacetylene), 547C
Poly(diphenyl-o-tolylmethyl methacrylate), 2681C
Poly(dipropargyl sulfoxide), 345C
Poly(di-t-Butyl fumarate), 395C
Poly(dodecyl acrylate-co-acrylic acid), 99C
Poly(ester-imide)s, 279C
Poly(ether imide), 901P, 917P
Poly(ether sulfone), 853C
Poly(ether sulfone)–aramid block copolymers, 1111C
Poly(ether sulfone)–polyimide block copolymers, 933C
Poly(ether-ester), 27C
Poly(etherimide ketone), 1233C
Poly(ethyl acrylate), 1253P
Poly(ethylene glycol), 3299C
Poly(ethylene oxide), 2261C, 2437C
Poly(ethylene oxide) doped with neodymium acetate, thermal behavior and morphology of, 647P
Poly(ethylene terephthalate), 1287C, 207P, 1331P, 1339P
Poly(ethylene terephthalate), laser-treated, surface characterization by optical profilometry and scanning tunneling microscopy of, 23P
Poly(ethylene terephthalate), microhardness study of transitions and crystallization in, 557P
Poly(ethylene terephthalate)/PET, 741C
Poly(ethylene terethphalate) (PET), 1873P
Poly(ethyleneimine), 1633C
Poly(2-ethyl-2-oxazoline), 1709C
Poly(fumaric acid), 885C
γ-Poly(glutamic acid), 563C, 3193C
Poly(glycidyl methacrylate), 1659C
Poly(4-hydroxybenzoic acid), 3021C
Poly(hydroxybutyrate), 1779C
Poly(hydroxyurethane), 2765C
Poly(imidazoleamide), 351C
Poly(imide-benzoxazole), 1029C
Poly(isobutyl vinyl ether), 2825C
Poly(itaconate ester), 2261C
Poly(methacrylic acid), 2403C
Poly(methoxy ethoxy ethylmethacrylate), 2643C
Poly(methyl methacrylate), 563C, 2481C, 1779P
Poly(methyl methacrylate), mechanical deformation and positron annihilation study of, 185P
Poly(methyl methacrylate) particles, 1393C
Poly(methyl vinyl ether); poly(butyl vinyl ether), 1709C
Poly(methylhydrosiloxane), 2373C
Poly(3-methylthiophene), 1529P
Poly(N_1-methylbenzimidazole), 553C
Poly(N_1,N_3-dimethylbenzimidazolium) salt, 553C
Poly(N-arylene benzimidazole)s, 3099C
Poly(N-benzoyl-8-octanelactam), NMR of, 789P
Poly(*N*-isopropylacrylamide), 957C, 963C
Poly(*N*-*n*-butylitaconimide), 527P
Poly(o-alklyaniline), 2123C
Poly(2-oxazoline), 123C, 3133C
Poly(oxyethylene-oxypropylene-oxyethylene), 2035P
Poly(*p*-2,5 dihydroxy)phenylene benzobisimidazole), 1799P
Poly(*p*-2,5 dihydroxy)phenylene benzobisoxazole), 1799P
Poly(*p*-2,5 dihydroxy)phenylene benzobisthiazole), 1799P
Poly(*p*-benzamide), crystal structure of, 1135P
Poly(phenyl methacrylate), 495P
Poly(4-phenyl-1-butyne), 781C
Poly(phenylene sulphide), 3485C
Poly(phenylenesulfide), 1951P
Poly(*p*-hydroxystyrene), 1C
Poly(*p*-phenylene benzobisoxazole), 1799P
Poly(*p*-phenylene benzobisthiazole), 1799P

Poly(*p*-phenylene terephthalamide) powder, 1633C
Poly(*p*-phenylene) oligomer, 1975P
Poly(*p*-phenylenebenzobisthiazole), 1965P
Poly(propylene glycol), 1633C
Poly(siloxaneimide) copolymers, response of microstructure to processing in, 467P
Poly(sodium-L-glutamate-tyrosine), 279P
Poly(styrene), 113C
Poly(styrene-butadiene-4-vinylpyridine), 1075P
Poly(styrene-co-acrylamide), 1519C
Poly(styrene-co-acrylonitrile), 1013P
Poly(styrene-co-2-vinylnaphthalene), 325C
Poly(styrene-graft-ethylene oxide), 1519C
Poly(tetrafluorethylene), 3291C
Poly(tetrafluoroethylene), 2019P
Poly(tetrafluoroethylene), radiation-induced crosslinking of, 357P
Poly(thioether amide)s, 457C
Poly(vinyl acetate), 1885P
Poly(vinyl chloride), 75C
Poly(vinyl methyl ether) (PVME), 325C
Poly(vinylamine), 1153C
Poly(4-vinyl-2-hydroxypyridine), 193C
Poly(vinylidene fluoride), 1253P
Poly(vinylidene fluoride), on-line X-ray study during melt spinning of, 371P
Poly(vinylpyrene), 2187C
Poly(vinylpyridines), 3453C
Poly(vinyltrimethylsilane) membranes, 113C
Poly(ε-caprolactone), 1825C, 1013P
Poly(ε-caprolactone-co-D,L-lactide), 1825C
Poly(γ-glutamic acid), 2877C
Poly(L-lysine · HBr-alanine), 279P
Poly(L-lysine · HBr-phenylalanine), 279P
Poly(L-proline-glycine-proline), 279P
Polyacid, 1903C
Polyacrylamide, 1625C, 1807C
Polyacrylonitrile, 1459P, 1519P
Polyacyanogen, 2595C
Polyaddition, 1639C, 3093C, 3141C
Polyaddition reaction, 199C
Polyalkylfluorene, 2465C
Polyamic acid models, 2839C
Polyamic acid, pyromellitic dianhydride/oxydianiline, thermal curing of, 677P
Polyamidation, 1331C
Polyamide, 611C, 3141C
Polyamide 6, 2057C
Polyamide chains in solution, thermal flexibility of, 633P
Polyamide copolymers, 1253C
Polyamide-12, 817C
Polyamide-azomethine-ether, polyazomethine, 1423C
Polyamides, 1571C, 1609C, 2153C
Polyamphiphiles, 387C
Polyanhydride, 1275C, 2445C
Polyanhydrides, 1973C
Polyaniline, 1425P
Polyanilines, spectroscopic studies of protonation of, 395P
Polyanions, 373C
Polyarylate, 435C, 1067P
Polyarylates, 521C, 3465C
Polybenzimidazole, 3167C
Polybenzimidazole (PBI), 553C
Polybenzimidazolium salt, 553C
Polybenzyl-like polymer, 1075C
Polybithiophene, 1529P
Polybutadiene, 3039C, 779P, 1029P
Polybutadiene in crosslinked networks, theory of elasticity of, 481P
Polycaprolactone in triblock copolymers with poly(dimethyl siloxane mid-block), properties of, 115P
Polycarbonate, 581C, 991P, 1041P, 1051P, 1229P
Polycarbonates, 1431C, 2231C, 1599P
Polycascade polymer, 61C
Polycation, 1099C
Polycondensation, 611C, 1135C, 1383C
Polycondensation kinetics, 493C
Poly-C-Vinyltetrazoles, 1903C
Polydimethylsiloxane, 3387C
Polydimethylsiloxane, crosslinked, theory of NMR free induction decay in, 241P
Polydimethylsiloxane–polyimide block copolymers, 3425C
Polyelectrolyte, 553C, 1099C
Polyelectrolyte complexes, 1471P
Polyelectrolyte gel, 1471P
Polyelectrolyte titration, 2687C, 2693C
Polyelectrolytes, 1147C, 2687C, 2693C, 231P
Polyelectrolytes, PEO-based, conductivity enhancement by mixed salts in solutions of, 157P
Polyelectrolytes, weakly charged, phase separation and stability of solutions of, 587P
Polyene formation in irradiation of polyethylene with acetylene present, 807P
Polyester, 1135C, 2459C, 3003C, 213P, 1309P
Polyester preparation, reaction order of, 493C
Polyester, unsaturated, IR study with reactive rubber toughening agent in, 619P
Polyesteramide, 575C
Polyesters, 1001C, 1221C, 1301C, 1431C, 2333C, 3251C, 1245P
Polyesters, catalyzed and uncatalyzed reactions of, 493C
Polyether, 987C, 1579C
Polyether sulphone, 221P
Polyether-block-polyamide, 1579C
Polyetherimide, 1567P
Polyethersulfone, 881P
Polyethylenamine, 1959C
Polyethylene, 2969C, 77P, 759P, 767P, 1005P, 1095P, 1769P, 1819P
Polyethylene fibers, gel-spun, thermal conductivity of, 365P
Polyethylene, high density, computer model for alpha relaxation in, 47P
Polyethylene in extended chain crystals, atomic force microscopy of, 93P
Polyethylene, linear and branched, X-ray diffraction and ^{13}C-NMR characterization of, 175P
Polyethylene, polyene formation on irradiation with acetylene present in, 807P
Polyethylene, semicrystalline HMW, 99P
Polyethylene, UHMW, crystal orientation in drawn films of, 255P
Polyethyleneglycol bis(4-carboxyphenyl)ether, 2929C, 2935C
Polyethylene/polymethyl methacrylate blends, 1347P
Polyethylenes, 603C
Polyfunctional amine, 3013C
Poly-1-hexene-co-7-methyl-1,6-octadiene, 2863C
Polyhydrazides, 1331C, 1453C
Polyimide, 585C, 1029C, 1093C, 1675C, 2493C, 2583C, 2751C, 3167C, 831P
Polyimides, 83C, 909C, 1997C,

2153C, 2271C, 2345C, 3049C, 545P, 1617P
Polyimides, 6FDA, permeation of gases in, 939P
Polyimides, fluorinated, sorption of CO_2 in, 1127P
Polyisobutylene, 35C, 1959C, 2825C, 1213P
Polyketone, 309C
Polyketones, 983P
Polylactide, 505C
Polymer, 869P, 1229P
Polymer blend, 461P, 1431P
Polymer blends, 13C, 1973C, 1425P
Polymer demixing, 895P
Polymer electrolytes, 2573C
Polymer microspheres, 3257C
Polymer mixture, 1495P
Polymer morphology, 1677P, 1687P
Polymer orientation, 579P
Polymer reaction, 381C
Polymer reactions, 3039C
Polymer solid electrolyte, 2643C
Polymer solution, 1495P
Polymer-bearing NBD moiety, 1659C
Polymer-bound dyes, 2609C
Polymeric biocide, 335C, 1441C
Polymeric complexed membrane, 1457C
Polymeric disinfectant, 2873C
Polymeric emulsifier, 99C
Polymeric phosphonium salts, 335C, 1441C, 1467C, 3031C
Polymeric photoinitiators, 153C
Polymeric photosensitizers, 2609C
Polymeric porogen, 2129C
Polymeric Relaxations, 1989P
Polymeric sulfonium salts, 2873C
Polymeric ultrathin films, 1729C
Polymer-inclusion complexes, 805C
Polymerization, 209C, 219C, 769C, 1029C, 1543C, 1561C, 1879C, 2197C, 1923P
Polymerization, gel-free, 1449C
Polymerization kinetics, 199C, 2633C
Polymerization of alkenes, 995C
Polymerization of ethylene, 831C
Polymerization separation, 2177C
Polymer-metal complexes, 527C
Polymer-supported catalyst, 317C, 2915C
Polymer-supported onium salt catalyst, 939C
Polymer–surfactant complex formation, 957C, 963C
Polymethacrylate films by Langmuir-Blodgett technique, configuration of nonlinear optical substituents in, 165P
Poly-4-methyl-entene-1, 125P
Polynorbornenes, 1273P
Polyolefin catalysis, 2507C
Polypeptide, 275C
Polyphenylene ethers, 1577P
Polyphosphates, 3187C
Polyphosphoric acid, 1029C
Polypropylene, 715C
Polypropylene, drawn, melting behavior of, 1089P
Polypropylene, hard elastic, SAXS of, electron micrograph of, density of, 1179P
Polypropylene, isotactic, with crossed lamellae, bimodal structure of, 843P
Polypropylene, oriented and O_2 permeation in, 641P
Polysaccharides, 51C
Polysilane, 299C, 2009C, 2383C, 3361C
Polysiloxane, 1253C, 383P
Polysilylene, 299C, 3361C
Polysioprene, 779P
Polystyrene, 435C, 805C, 2009C, 2305C, 2863C, 1441P, 1451P, 1819P, 1891P
Polystyrene copolymer, 1431P
Polystyrene derivatives, 1859C
Polysulfone, 3093C, 891P
Polysulfones, 983P, 1061P, 1599P
Polythiophene, 3339C
Polytrithiocarbonate, 1799C
Polyurethane, 3223C, 3231C, 1083P
Polyurethane oligomer, 3013C
Polyurethane, segmented, multiphase structure of, 853P
Polyurethanes, 1211C, 1365C, 1431C, 2333C
Polyurethanes, MDI-based, solid-state NMR of, 1163P
Polyvinyl pyrrolidone, 287P
Polyvinylcarbazole, 1165C
Polyvinylhalides, 77P
Polyvinylidene fluoride, 2027P
Poly-γ-benzylglutamate, 275C
Poly[(disilanylene)phenylene], 3281C
Poly[(*o*-hydroxyphenyl)acetylene], 1895C
Poly[1-(trimethylsilyl)-1-propyne], 1545P
Poly[N,N′-bis(phenoxyphenyl)-pyromellitimide], 2751C
Positron, 869P
Positron annihilation, 971P, 1529P
Positron annihilation spectroscopy of PMMA, 185P
Positron lifetime, 971P
Positronium inhibition, 971P
Postannealing ageing time, 1451P
Potassium carbonate, 535C
Potassium carboxylate group, 2459C
Potato starch, 3181C
PP/EPDM blends, 1487P
p-Phenylene diacrylic group, 1119C
p-Phenylenediamines, 2929C, 2935C
PPS, 237P
Prediction methods, 2397C
Preparation, 2595C
Pressure-volume temperature-measurements, 779P
Prism coupling, 1951P
Processing, 1965P
Processing of poly(siloxaneimide copolymers), response of microstructure to, 467P
Propagating species, 2987C
Propagation, 2531C
Propane, 313P
Propeller–propeller transition, 2681C
2-propenyl ether analogues, 1847C
Propenyl ether monomers, 1473C, 1483C
Propenyl ethers, 2143C
Properties, 527C
Properties of polyimide, 2799C
Propylene carbonate, 1459P
Protein adsorption, 1035C
Pruitt-Baggett adduct, 3205C
PS, 3479C
Pseudo-cyclic conformation, 675C
Pseudo-IPN, 1967C, 3479C
Pseudo-IPNs, 2869C, 3307C
p-Sexiphenyl, 1975P
PSP polymers, 2333C
PT phase diagram, 125P
Pt-catalyzed, 2617C
p-tolyl acrylamide, 427C
PVA, 381C
PVC membrane, 1915C
PVME gels, 1897P
PVP, 3479C, 287P
PVT equations of state, 779P
Pyrene, 789C, 1471P
Pyrolysis, 885C
Pyromellitic dianhydride, 2081C

Quasitransparent core-shell particles, 663P
Quaternary ammonium salt, 1639C
Quaternary ammonium sulfonate, 129C
Quaternization, 3453C
Quinone methides preparation, 3239C

Radel A, 891P
Radiation degradation, 1779P, 1837P
Radiation grafting, 527C, 1621C
Radiation-induced graft polymerization, 3291C

Radiation-induced loss, 1989P
Radiation-sensitive, 1C
Radical complex, 763C
Radical copolymerization, 1551C, 2295C, 2523C
Radical double ring-opening polymerization, 2659C
Radical photoinitiators, 2245C
Radical polymerization, 61C, 885C, 949C, 1347C, 1895C, 2173C, 2407C, 2523C, 2531C, 2815C, 3489C
Radical ring-opening polymerization, 3159C, 3489C
Radical telomerization, 2069C
Radicals, 1417C
Radicals per particle, 2397C
Radio-chemical grafting, 2969C
Raman, 2751C
Raman spectra of semicrystalline polyethylene, temperature dependence of, 99P
Raman spectroscopy of thermal curing of PMDA/ODA polyamic acids, 677P
Rare earth metal salt $Nd(Act)_3$ as dopant in PEO, 647P
Rate constants, 2531C
Reactive polymer, 2765C
Reactive polymer blends, 1347P
Reactive polymers, 387C
Reactivity, 2031C
Reactivity ratio estimation, 3065C
Reactivity ratios, 113C, 2951C, 3417C
Reactor cables, 1989P
Reactor design, 403C, 2205C
Real time FT-IR spectroscopy, 199C
Real-time infrared spectroscopy, 1483C
Recyclable, 865C
Redox initiators, 3213C
Reduction, 1147C
Refractive index, 457C, 319P
Regioselective catalysts, 1741C
Regioselective hydrosilation, 2563C, 2729C
Regiospecificity, 3339C
Relaxation, 869P, 1591P
Relaxation of flow birefringence for rigid-chain polymer solutions, 795P
Relaxation of nematic PBZT solutions, rheological, optical and x-ray study of, 141P
Relaxations, 107P
Relaxations, mechanical and dielectric, in poly(cyclohexyl acrylate), 711P
Resorcinol-formaldehyde resin, 1871C
Reversible, 865C
Reversible bending, 487P
Rheology, 619C, 609P
Rheo-optical characterization, 1769P
Ribonucleic acid, 2869C
Rigid rod A–B polymer, 2583C
Rigid rod polymer, 1759P
Rigid-chain polymers in solutions, flow birefringence and relaxation of, 795P
Rigid-rod polymer, 1799P, 1941P
Rigid-rod polymers, 1975P
Rigid-rod pseudo-ladder polymer, 1799P
Ring opening, 3371C
Ring opening metathesis polymerization and copolymerization, 569C
Ring polymer, 1495P
Ring-opening, 3141C
Ring-opening crosslinking, 1083C
Ring-opening polymerization, 581C, 1079C, 1141C, 1741C, 2173C
RIS model, 513P
RMN solid-state rayons X, 2839C
Rod-like polymers, 141C
Rodlike texture, 1649P
Roll-casting, 37P
Rotating disc voltametry, 1105C
Rotational isomeric state theory, 213P, 455P
Rubber elasticity, 441P
Rubber, reactive, as toughening agent for unsaturated polyester resin, 619P
Rubbery composites, 1029P

(*S*)-(+)-1-(2-pyrrolidinylmethyl)-pyrrolidine, 2721C
Saccharic acid, 3141C
SALS, 229P
Sample influence, 1045C
SBR rubber, 2747C
SBS triblock copolymer, 1457C
Scanning electron microscopy, 2165C
Scanning tunneling microscopy, 111P
Second harmonic generation, 1365C, 1983P
Segmental mobility, 495P
Segmented polybiurets, 1327C
Segmented polyester, 731C
Segmented polymers, 731C
Selective polymerization, 2177C
Selective reflection colors, 1179C
Selectivity, 403P
Selectivity of 6FDA polyimides for gas separations, 939P
Self-assembling films, 1729C
Self-crosslinkable polymer, 1069C
Self-nucleation, 1383P
Self-polyaddition, 287C
Self-sterilizing materials, 3003C
Semi-batch emulsion, 403C, 2205C
Semi-IPN, 1627P
Separation media, 2129C
Sequence controlled copolymer, 1079C
Sequence-regulated oligomers, 2789C
Sequence/sequential analysis, 741C
Series-aggregate model, 1339P
Series-parallel model, 1339P
Side-chain, 2423C
Side-chain liquid, 229P
Side-reaction mechanism, 2373C
SiH-containing oligomers, 2617C
Silane coatings, 521C
Silane elastomer, 177C
Silane esters, 521C
Silane polymers, 177C
Silane thermal stability, 177C
Silanes, 521C, 2835C
Silica, 1493C, 2923C
Silicon containing polymer, 287C
Silicon-containing monomers, 1741C
Silicone hydrides, 199C
Silicone polymers, 313P
Silicone-epoxides, 2563C
Silicon-epoxy monomers, 3109C
Siloxane redistribution, 891C
Siloxydeltacyclene polymer, 569C
Silyl method, 1327C
Silyl perchlorates, 1697C
Silylated diaminophenol, 293C
Simultaneous interpenetrating polymer network (SIN), 3317C
Single alkaline metal ion conductors, 2573C
Single crystals, 1923P
Single polyalkylthiophene molecules, 111P
Single ring-opened unit, 2659C
Single-crystal texture, 37P
Single-ion conductor, 2313C
Single-ionic, 2809C
Singlet oxygen, 2609C
SIN's, 2093C
Size, 2019P
Size exclusion chromatography, 1809P
Size monodisperse particles, 2129C
Si—H functional epoxides, 2729C
Skin layer formation, 419P
Slow fracture, 767P
Slow melting/dissolution, 2011P
Small angle x-ray scattering, 1197P
Small angle x-ray scattering (SAXS) of distorted lamellar structures, 1179P
Small angle x-ray scattering studies, 3P

Small-angle x-ray scattering, 901P, 1519P, 2035P
Smectic, 183C, 2249C, 3251C
Smectic mesophases, 1609C
Smectic phase, 2423C
Sodium dodecyl sulfate, 957C, 963C, 1471P
Sodium sulfonate group, 853C
Soft x-ray, 1779P
Solid polymer electrolyte, 589C
Solid polymer electrolytes, 1701C
Solid state NMR, 513P
Solid-phase reaction mechanism, 395C
Solubility, 293C, 1111C, 1195C, 1203C, 2499C, 3265C, 3273C
Solubility behavior, 3425C
Solubility parameters, 273P
Soluble aramids, 1513C
Soluble conducting polymers, 3P
Soluble polyarylenes, 1087C
Solution properties, 1519C
Solvated crystallites, 1459P
Solvent effect, 61C, 1323C
Solvent effects, 1591P
Solvent interactions, 971P
Solvolysis, 2721C
Sonochemistry, 299C
Sorption, 805C, 991P, 1273P, 1545P
Sorption of CO_2 in fluorinated polyimides, 1127P
Sound velocity, 1477P
Spacer length effect, 3223C
Specific binding, 1687C
Spectra, IR and UV, of blends of modified PEEK with aromatic polyimides, 821P
Spectroscopic evidence, 1965P
Spectroscopic evidence for radiation-induced crosslinking of PTFE, 357P
Specular reflection spectroscopy, 1099P
Spherulite, 1253P
Spherulite structure in segmented polyurethanes, 853P
Spherulitic growth, 1677P, 1687P
Spin probes, 1273P, 1885P
Spin relaxation, 447P, 1213P
Spin-cast polymer film, 1983P
Spinodal decomposition, 461P
Spin-polarized neutrons, 1891P
Spiroorthocarbonate monomers, 1667C
Spiro-orthocarbonates, expansion polymerization density change determination for, 729P
Splaying, 1253P
Squid pens, 485C
Stability, 2595C
Stability of the complex, 1965P
Stabilization, 1519P
Star-branched PS, 1897P
Starburst polymers, 641C
Starch, 1197P
Star-shaped polymer, 1531C, 2513C
Statistics of network formation, 389P
Step-scan interferometry, 1769P
Stereospecific polymerization, 2287C
Steric effect, 2407C, 2523C
Steric hindrance, 3453C
Storage stability, 2617C
Stress field, 887P
Stress relief, 1051P
Stress-strain relationships in networks of high plateau modulus polybutadiene, 481P
Stretched B matrix, 77P
Stretched Cartesian coordinate, 77P
Structural assignment, 2319C
Structural changes, 1965P
Structural relaxation, 1223P
Structure, 1315C, 2595C
Structure characterization, 3245C
Structure correlations, 267C
Structure-property correlation, 891P
Styrene, 467C, 901C, 1339C, 1377C, 2103C, 2951C
Styrene derivatives, 1543C
Styrene-butadiene, 1701C
Styrene-butadiene block copolymers aromatic polyester, 597C
Styrene-butadiene copolymer, 589C
Styrene-oxirane graft copolymers, 1519C
Substituted acetylene, 1887C
2-substituted acrylic ester, 3433C
Substituted polyacetylene, 2555C
Substituted polymethylene, 885C
Substitution, 2187C
Substitution effects, 1261C
Sulfonate, 2313C
Sulfonated poly(ethylene terethphalate) (SPET), 1873P
Sulfonation, 35C
Sulfonium salt, 1083C
Sulfur-containing polymer, 1799C
Sulphur dioxide copolymerization, 1417C
Supported $TiCl_3$, 1747C
Surface antibacterial activity, 1467C
Surface characterization, 1779C
Surface characterization of laser-treated PET, 23P
Surface composition and surface order, 1487P
Surface fixation, 977C
Surface grafting, 1633C, 2459C
Surface modification, 83C, 1307C, 1633C, 3327C, 887P
Surface morphology, 887P
Surface photografting, 1467C
Surface properties hydroxyl terminated polybutadiene, 2069C
Surface tension, 419P
Surfactant, 1599C, 2883C, 1471P
Surfactant film, 339P
Swelling behavior, 2647C
Synchrotron, 773P
Synchrotron radiation, 3021C
Syndioregic, 2899C
Synthesis, 701C, 707C, 797C, 983C, 1203C, 1211C, 1315C, 1675C, 1755C, 1789C, 1983C, 2081C, 2115C, 2663C, 3387C
Synthesis of cyclic carbonate, 939C

T_g, 1261C
T_m, 1261C
Tactic PHEMA, 1243C
Tacticity, 2531C
Tait equation, 779P
Tantalum catalyst, 547C
TDI, 2653C
Teflon, 2019P
Tefzel®, 1629C
Telechelic, 35C, 1645C
Telechelic polymers, 129C
Telechelics, 2387C
Telomerization, 169C
TEM, 2869C
Temperature effects, 1053C
Temperature-sensitive conformation, 963C
Template, 1339C
Tensile, 491P
Tensile properties, 933C, 1111C, 2081C, 3425C
Terbium(III), 1611P
Terephthalic acid, 259C
Terminal model, 3065C
Termination, 467C, 2531C
Terpolymerization of ethylene, 3447C
Tert-butylacetylene, 3151C
Terthiophene, 723C, 3339C
Tetracarboxylic dianhydrides, 2319C
Tetrafluorobenzene derivatives, 1431C
Tetrafluoroethylene/propylene copolymer, 1629C
Tetrahydrofuran, 1135C, 3371C
Tetrahydropyran ring, 611C
Tetrakisamine, 2739C
2,3,4,6-tetramethyl-α-D-glucose, 193C
Textured polymer materials, 1649P
TGA, 177C, 1449C, 1719C

TGA/FTIR, 1629C, 2403C
Theoretical equations of state for polymers, 779P
Theory, 1293P
Thermal, 715C
Thermal analysis, 707C, 797C, 1315C, 1807C, 2739C, 1383P, 1407P
Thermal and mechanical properties, 1203C
Thermal behavior, 933C, 1111C, 1513C, 2499C, 3265C, 3273C, 3425C, 3439C
Thermal conductivity of gel-spun polyethylene fibers, 365P
Thermal curing reaction, 3013C
Thermal decomposition, 395C, 2531C
Thermal degradation, 13C, 75C, 667C, 853C
Thermal expansion, 2493C, 319P, 1095P, 1975P
Thermal initiators, 2365C
Thermal latency, 1023C
Thermal oxidation, 683C
Thermal polymerization, 2815C, 3397C
Thermal properties, 435C, 611C
Thermal resistance, of new epoxy-imide polymers, 1653C
Thermal stability, 129C, 293C, 521C, 547C, 1195C, 1355C, 1633C, 1789C, 2345C, 3187C, 953P
Thermally stable polymers, 2333C
Thermally stimulated currents, 917P, 1851P, 1861P
Thermally-polymerizable monomers, 2319C
Thermally-stable polymers, 1261C
Thermodynamic anomalies, 125P
Thermodynamics, 1495P
Thermogravimetric analysis, 2653C
Thermogravimetry, 1807C, 1019P
Thermooxidative stability, 1997C
Thermo-oxidative stability, 2271C
Thermoplastic, 3251C
Thermopower, 1425P
Thermoreversible, 865C
Thermoreversible gels, 1459P
Thermoset, 2249C, 299P
Thermoset curing, 1879C
Thermosets, 609P
Thermosetting, 707C, 797C, 3251C
Thermosetting polymer, calorimetric determination of vitrification time and heat capacity of, 199P
Thermosetting polymers, 2739C
Thermostimulated current, 2027P
Thermotropic, 1211C, 2249C, 3223C, 3231C, 221P, 1759P
Thermotropic aromatic co-polyester, 1809P
Thermotropic copolyamides, 2935C
Thermotropic copolyesters, 259C, 283C
Thermotropic liquid crystalline, 27C, 1119C, 1125C, 1423C
Thermotropic liquid crystalline polycarbonate, 2237C, 2711C
Thermotropic liquid crystalline polyester, 1187P
Thermotropic liquid-crystalline, 971C
Thermotropic polyamides, 2929C
Thermotropic polyesters, 1001C, 2115C
Thermotropic thermoplastics, 3021C
Theta condition, 2049P
Thin film, 3361C
Thin films, 319P
Thin-film chemistry, 1C
Thioether bond, 2365C
Thiol compound, 91C
Thionine, 2609C
Thiophene, 723C
Third-order interaction approximation, 455P
Thiuram disulfide, 3387C
Three dimensional properties, 1951P
Ti(IV) chloride, 2915C
$TiCl_3$-$Al(C_2H_5)_2Cl$ catalyst, 2177C
$TiCl_4/AlClEt_2$, 1561C
Time-dependent population, 2397C
Time-resolved vibrational spectroscopy, 1769P
Titanium, 1493C, 2923C
Titanium catalyst, 2287C
Titanium catalysts, 2541C
Titanium isopropoxide, 1135C
Titanium tetrachloride, 2825C
Tomography, 2507C
Toughening mechanism, 1347P
Toughening mechanisms, 595P
Tracer diffusion, 1897P
Transesterification, 1067P
Trans-etherification, 535C
Transformation polymerization, 847C
Transient electric birefringence, 2035P
Transition metal catalyst, 345C, 1887C
Transition metal catalysts, 569C
Transition temperature, 2015C
Transitions, 1923P
Transparent blends, 663P
Transport properties, 1785P
Transverse heterogeneity, 1331P
Trialkoxysilanes, 3121C
Triarylsulfonium salt, 1C
Triarylsulfonium salts, 1473C, 1483C, 2143C
2,4,6-trichloro-1,3,5-triazine, 1633C
Tricritical behavior, 895P
Triglyceride oil, 1287C
Trimerization, 3205C
[*o*-(trimethylgermyl)phenyl]-acetylene, 2555C
Trimethylvinylsilane, 1887C
Tri-*n*-butyltin acrylate, 427C
Tri-*n*-butyltin methacrylate, 427C
2,4,6-trinitrobenzenesulfonic acid, 249C
Triphase catalysis, 317C, 1171C
Triphenyl phosphite, 2995C
Trisubstituted ethylenes, 2295C
Trithiane hexaoxide, 1161C
Trithiocarbonate anion, 1799C
Tungsten carbene complex, 3151C
Turbidity, 1599C
Twisting, 1253P
Two-phase reaction, 1799C
Two-stage modeling, 237P

Ultimate repeating unit, 741C
Ultrasound, 299C
Ultra-thin films, 1045C
Ultraviolet irradiation, 83C
Unsaturated end group, 1551C
Unstable plastic deformation, 1667P
Urethane, 177C
UV, 1C
UV absorbance, 2057C
UV radiation, 769C, 2197C
UV-F_2-excimer laser, 887P

Vanadium, 831C
Vanadium catalysts, 2541C
VDF/TrFE copolymer, 1555P
Vernonia oil, 1287C
Viable cell counting method, 335C, 1441C, 1467C, 2873C, 3031C
Vibrational spectra, 279P
Video enhanced microscopy, 387C
Vinyl acetate, emulsion copolymerization, 1403C
Vinyl chloride copolymers, 3039C
Vinyl ester group, 123C
Vinyl ether, 1083C, 1141C, 2987C
Vinyl ethers, 2295C, 2789C
Vinyl monomers, 1505C
4-Vinyl pyridine, 1323C
Vinyl silicones, 199C
1-vinyl-4,7-dioxaspiro[2.4]-heptane, 2659C
1-vinyl-4,9-dioxaspiro[2.6]nonane, 2659C
Vinylcyclopropanone cyclic acetal, 2659C

Viologen group, 3245C
Viscoelasticity measurement and increase in modulus of nylon 6, 803P
Viscometric behavior, 1599C
Viscometry, 1809P
Viscosity, 963C, 609P
Viscosity increase, 2093C
Viscosity of melts by capillary and slit die methods, 347P

Water absorption, 159C, 971P, 2081C
Water soluble, 1099C
Water sorption, 545P
Water uptake, 1383C
Water-induced micelles, 2035P
Wavelength effect, 2785C
Whiskers, 735P
Wide-angle x-ray diffraction, 1083P
Wilkinson's catalyst, 2563C, 2729C
Wood adhesive RF resins, 1871C

X-ray, 1C, 1459P
X-ray absorption, 1837P
X-ray diffraction, 2115C, 773P, 1529P
X-ray diffraction of isotactic polypropylene with perpendicularly crossed lamellae, 843P
X-ray diffraction of linear and branched polyethylenes, 175P
X-ray diffraction study of crystal orientation in drawn films of UHMW polyethylene, 255P
X-ray photoelectron spectroscopy study of protonation of leucoemeraldine, 395P
X-ray scattering, 1941P
X-ray scattering during melt spinning of poly(vinylidene fluoride), 371P

Yielding, 759P

Ziegler-Natta, 209C, 219C, 831C, 2835C
Ziegler-Natta catalyst, 227C, 781C, 1493C, 2923C, 2977C
Ziegler–Natta catalyst, polymer-supported, 1561C
Ziegler-Natta catalysts, 1747C
Zinc halide, 2987C
Zirconocene, 1747C
Zirconocene, 1747C

Journal of
Polymer Science

Combined Author Index to Volume 31

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. 31, 1993. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

Abbey, K. J.
—; Trumbo, D. L.; Carlson, G. M.; Masola, M. J.; Zander, R. A.: Synthesis and Copolymerization Behavior of Methacrylate Dimers, 3417C
Abd El-Ghaffar, M. A. See Hegazy, E.-S. A., 527C
Abd-El-Aziz, A. S. See Lautens, M., 569C
Abe, A. See Sasanuma, Y., 1179P
Abhiraman, A. S. See Tzou, D. L., 1005P
Acevedo, M.
—; Fradet, A.: Study of Bulk Chain Coupling Reactions. I. Reaction between Bisoxazolones and Amine-Terminated Polyamide 12, 817C
—; Fradet, A.: Study of Bulk Chain Coupling Reactions. II. Reaction between Bisoxazolones and Amine-Terminated Polyether: Synthesis of Polyether-block-Polyamides, 1579C
Adams, P. M. See Mallon, J. J., 2249C
Adams, W. W. See Socci, E. P., 1975P
Adisson, E.
—; Deffieux, A.; Fontanille, M.: Polymerization of Ethylene at High Temperature by Vanadium-Based Heterogeneous Ziegler–Natta Catalysts. I. Study of the Deactivation Process, 831C
Aerts, J. See Lommerts, B. J., 1319P
Agrawal, U. See Behari, K., 1449C
Aguilar-Vega, M.
—; Paul, D. R.: Gas Transport Properties of Polycarbonates and Polysulfones with Aromatic Substitutions on the Bisphenol Connector Group, 1599P
—; Paul, D. R.: Gas Transport Properties of Polyphenylene Ethers, 1577P
—; Paul, D. R.: Gas Transport Properties of Poly(2,2,4,4-tetramethyl Cyclobutane Carbonate), 991P
Ahmad, A. F. See Pyriadi, T. M., 3199C
Ahn, M. K.
—; Stringfellow, T. C.; Fasano, M.; Bowles, K. J.; Meador, M. A.: Electron Paramagnetic Resonance Spectroscopic Studies of Thermally Generated Free Radicals in PMR-15 Polyimide Resins, 831P
Ahn, S.-H.
—; An, J. H.; Lee, D. S.; Kim, S. C.: Compatibility and Crystallization in Poly(ethylene oxide)-Poly(methyl methacrylate) Semi-Interpenetrating Polymer Network, 1627P
Ahn, T. O.
—; Kim, J. H.; Lee, J. C.; Jeong, H. M.; Park, J.-Y.: Polyarylate–Polystyrene Block Copolymer from Macro-Azoinitiator: Synthesis and Its Thermal Properties, 435C
Aitken, C. L.
—; Paul, D. R.; Mohanty, D. K.: Gas Transport Properties of Poly(arylether bissulfone)s and Poly(arylether bisketone)s, 983P
Aitkin, C. L.
—; Paul, D. R.: Gas Transport Properties of Polysulfones Based on Dihydroxynaphthalene Isomers, 1061P
Aizawa, M. See Wang, L., 2855C
Ajayaghosh, A.
—; Das, S.; George, M. V.: S-Benzoyl O-Ethyl Xanthate as a New Photoinitiator: Photopolymerization and Laser Flash Photolysis Studies, 653C
Ajbani, H. See Kharas, G. B., 2295C
Akagi, K. See Oh, S.-Y., 781C, 2977C
Akashi, M.
—; Saihata, S.; Yashima, E.; Sugita, S.; Marumo, K.: Novel Nonionic and Cationic Hydrogels Prepared from *N*-Vinylacetamide, 1153C
Akashi, S. See Hamazu, F., 1023C
Alario, A. F. See Soares, S. De A., 1611P
Albalak, R. J.
—; Thomas, E. L.: Microphase Separation of Block Copolymer Solutions in a Flow Field, 37P
Alexander-Katz, R.
Haze and Extinction for a Composite Medium with Quasi-Transparent Optically Stratified Particles, 663P
Alig, I.
—; Johari, G. P.: Relaxations in Thermosets. XIX. Dielectric Effects During Curing of Diglycidyl Ether of Bisphenol-A with a Catalyst and the Properties of the Thermoset, 299P
Alyürük, K. See Yilmaz, O., 3205C
Amat-Guerri, F.
—; Botija, J. M.; Sastre, R.: Soluble Polymers with Pendant Thionine Groups: Synthesis and Evaluation as Singlet Oxygen Photosensitizers, 2609C
Ameduri, B.
—; Boutevin, B.; Nouiri, M.: Synthesis and Properties of Fluorinated Telechelic Macromolecular Diols Prepared by Radical Grafting

of Fluorinated Thiols onto Hydroxyl-Terminated Polybutadienes, 2069C
Amis, E. J.
Editorial, 1P
—; Hodgson, D. F.; Wu, W.: Matched Ring Diblock and Linear Triblock Copolymers in Dilute Solution, 2049P
Ammerdorffer, J. L. See Morrison, B. R., 467C
Amos, L. W. See Kim, M. G., 1871C
An, J. H. See Ahn, S.-H., 1627P
Andrzejewska, E.
—; Andrzejewski, M.: Sulfur-Containing Polyacrylates. IV. The Effect of —S— and —O— Linkages on the Photo- and Thermally Induced Polymerization of Dimethacrylates, 2365C
Andrzejewski, M. See Andrzejewska, E., 2365C
Annenkov, V. V.
—; Kruglova, V.: Poly-C-Vinyltetrazoles: A New Type of Polyacid, 1903C
Annis, B. K.
—; Reffner, J. R.; Wunderlich, B.: Atomic Force Microscopy of Extended-Chain Crystals of Polyethylene, 93P
Antony R.
Synthesis, Characterization, and Thermal Studies of Cardanol-Based Polyphosphate Esters, 3187C
Aoi, K. See Okada, M., 1135C
Aoki, S. See Yamada, B., 3433C
Aoki, T. See Oikawa, E., 457C
Arai, K.
Preparation of Poly(4-Vinyl-2-hydroxypyridine) and Its Catalytic Activity on Mutarotation of 2,3,4,6-Tetramethyl-α-D-glucose, 193C
—; Matsunaga, A.; Yoneyama, M.; Takigami, S.; Nakamura, Y.; Edwards, H. E.; Phillips, G. O.: Amino Acid End-Group in Commercial Heparin. III. Determination of the Number of Amino Groups of Amino Acid and Hexosamine Residues per Heparin Molecule, 249C
Ariga, T.
—; Takata, T.; Endo, T.: Alkyl Halide-Initiated Cationic Polymerization of Cyclic Carbonate, 581C
Arnaud, R. See Tidjani, A., 603C
Arnold, F. E. See Dang, T. D., 1941P; Wang, C. S., 1799P
Arnold, J. C.
The Influence of Physical Ageing on the Creep Rupture Behavior of Polystyrene, 1451P
Asahi, Y. See Masuda, S., 1323C
Asano, T. See Baltá Calleja, F. J., 557P
Asua, J. M. See Urretabizkaia, A., 2907C
Atobe, I.
—; Takata, T.; Endo, T.: Synthesis and Radical Polymerization of Vinyl Monomers Having Oxazolidone Moiety, 1543C
Attard, G. S. See Schleeh, T., 1859C
Audouin, L. See Tcharkhtchi, A., 683C
Auer, J. See Pratt, L., 1759C
Avakian, P. See Sauer, B. B., 1851P
Avci, D.
—; Küsefoğlu, S. H.: Functionalization and Crosslinking Reactions of Ethyl-α-hydroxymethylacrylate, 2941C
Aziz, S. See Benmouna, M., 587P
Azuma, J.-I. See Kimura, T., 671P

Babb, D. A.
—; Ezzell, B. R.; Clement, K. S.; Richey, W. F.; Kennedy, A. P.: Perfluorocyclobutane Aromatic Ether Polymers, 3465C
Baddour, R. F. See Rein, D. H., 403P
Bahners, T. See Kesting, W., 887P
Bai, S. J. See Dang, T. D., 1941P
Baker, G. R. See Newkome, G. R., 641C
Baker, W. E. See Liu, T. M., 1347P
Balakrishnan, T.
—; Hari Babu, S.; Shabeer, T. K.: Triphase Catalysis. II. Alkylation of Phenylacetone with 1-Bromobutane Catalyzed by Aqueous NaOH and Polystyrene-Supported Benzyltriethyl Ammonium Chloride, 317C
Balchin, G. A. See Dotrong, M., 723C
Ballauff, M. See Steuer, M., 1609C
Baltá Calleja, F. J.
—; Santa Cruz, C.; Asano, T.: Physical Transitions and Crystallization Phenomena in Poly(Ethylene Terephthalate) Studied by Microhardness, 557P
Bandis, A.
—; Cauley, B. J.; Inglefield, C. E.; Wen, W.-Y.; Inglefield, P. T.; Jones, A. A.; Melc'uk, A.: A Dual-Mode Interpretation of Nuclear Spin Relaxation for $^{13}CO_2$ Sorbed in Polystyrene, 447P
Bandis, A. See Dong, Z. P., 1213P
Banerjee, A. N. See Som, P. K., 1007C
Barakat, I.
—; Dubois, Ph.; Jérôme, R.; Teyssié, Ph.: Macromolecular Engineering of Polylactones and Polylactides. X. Selective End-Functionalization of Poly(D,L)-Lactide, 505C
Barbari, T. A.
On the Amount of Free Volume in Gas–Polymer Mixtures, 501P
Barbari, T. A. See Reimers, M. J., 537P
Barnes, E. E. See Kim, M. G., 1871C
Barren, E. See Chao, H. S.-I., 1675C
Barrett, L. W.
—; Ferguson, G. S.; Sperling, L. H.: Bond Interchange Reactions in Functionalized Triglyceride Oil/Poly(ethylene Terephthalate) Compositions, 1287C
Bashir, Z. See Herbert, I. R., 1459P
Batich, C. See Bodalia, R., 2123C
Battista, O. A.
Review of *Chemically Modified Carbon Fibers and Their Applications*, 297C
Bauman, D. See Wolarz, E., 383P
Bazuin, C. G.
—; Rancourt, L.; Villeneuve, S.; Soldera, A.: Miscibility of Blends of Poly(2,6-dimethyl 1,4-phenylene oxide) With Polystyrene-Based Ionomers and Copolymers, 1431P
Beamson, G.
—; Brennan, W. J.; Clayden, N. J.; Jennings, R. C. K.: Characterization of Amorphous Carbon Films by ^{13}C CP MAS NMR Spectroscopy, 1205P

Beaucage, G.
—; Composto, R.; Stein, R. S.: Ellipsometric Study of the Glass Transition and Thermal Expansion Coefficients of Thin Polymer Films, 319P
Beckerbauer, R. See Sauer, B. B., 1861P
Behari, K.
—; Agrawal, U.; Das, R.: Intra–Intermolecular Gel-Free Cyclopolymerization of Nonconjugated Diene with Peroxodiphosphate/Different Activators Redox Pairs, 1449C
Belfield, K. D.
—; Wang, A.: Synthesis of Novel Difunctional Monomers with Photochromic Potential, 3493C
Bell, B. See Dais, V. A., 901C
Benmouna, M.
—; Aziz, S.; Vilgis, T. A.: Scattering Properties, Stability Analysis, and Phase Separation of Polyelectrolyte Mixtures, 587P
Bera, S.
—; Jedlinski, Z.: Block/Segmented Polymers. A New Method of Synthesis of Copoly(Amide-Ester)–Ester Polymer, 731C
Berezina, E. M. See Filimoshkin, A. G., 1911C
Berko, S. See Hasan, O. A., 185P
Bernes, A. See Teyssedre, G., 2027P
Bertotti, E. See Martuscelli, E., 619P
Bhowmik, P. K.
—; Lenz, R. W.: Fully Aromatic Thermotropic Liquid Crystalline Polyesters of Substituted 4,4′-Biphenols. IV. Homopolyesters with Terephthalic Acid and Copolyesters with Terephthalic Acid and 4-Hydroxybenzoic Acid, 2115C
Bhowmik, P. K. See Garay, R. O., 1001C
Bi, D. See Crivello, J. V., 2563C, 2729C, 3109C, 3121C
Bidstrup, S. A. See Simpson, J. O., 609P
Bielski, R.
—; Fréchet, J. M. J.; Fusco, J. V.; Powers, K. W.; Wang, H. C.: Electrophilic Aromatic Substitution in the Curing of Brominated Poly(isobutylene-co-4-Methylstyrene): A Mechanistic Model Study with Zinc Salts, 755C
Bigger, S. W. See Scheirs, J., 287P
Billingham, N. C. See Scheirs, J., 287P
Blacher, S.
—; Brouers, F.; Fayt, R.; Teyssié, P.: Multifractal Analysis. A New Method for the Characterization of the Morphology of Multicomponent Polymer Systems, 655P
Blanton, T. See Twomey, C. J., 647P
Blinkovsky, A. M.
—; Dordick, J. S.: Peroxidase-Catalyzed Synthesis of Lignin-Phenol Copolymers, 1839C
Bodalia, R.
—; Stern, R.; Batich, C.; Duran, R.: Synthesis and Polymerization of 2-Alkylanilines, 2123C
Bodö, P. See Lacaze, E., 111P
Boileau, S. See Yu, J. M., 2373C
Bondar, V. I.
—; Kukharskii, YU. M.; Yampol'skii, YU. P.; Finkelshtein, E. SH.; Makovetskii, K. L.: Permeation and Sorption in Polynorbornenes with Organosilicon Substituents, 1273P
Bonnerup, C.
—; Gatenholm, P.: Physical Modifications of Propylene/Ethylene–Propylene–Diene–Monomer Rubber Surfaces. I. Determination of Surface Composition and Surface Order by Fourier Transform Infrared–Attenuated Total Reflectance, 1487P
Bontems, S. L.
—; Stein, J.; Zumbrum, M. A.: Synthesis and Properties of Monodisperse Polydimethylsiloxane Networks, 2697C
Bosch, P. See Mateo, J. L., 153C
Botija, J. M. See Amat-Guerri, F., 2609C
Bourbon, D. See Naito, Y., 693P
Boutevin, B. See Ameduri, B., 2069C
Bower, D. I. See Webb, J. A., 743P
Bowles, K. J. See Ahn, M. K., 831P
Boyce, M. C. See Hasan, O. A., 185P; Li, X. S., 869P
Braun, H.-G. See Janiak, C., 2959C
Bremer, J. See Wold, E., 579P
Brennan, W. J. See Beamson, G., 1205P
Briber, R. M.
—; Khoury, F.: The Morphology of Poly(Vinylidene Fluoride) Crystallized from Blends of Poly(Vinylidene Fluoride) and Poly(Ethyl Acrylate), 1253P
Brock, P. See Lucas, M., 2179C
Bromps, W. See Lin, L.-T. W., 3239C
Brooks, B. W. See Li, B.-G., 2397C
Brosse, J.-C. See Poncin-Epaillard, F., 2671C
Brouers, F. See Blacher, S., 655P
Brown, N. See Lu, X., 767P
Bruhn, C. See Kricheldorf, H. R., 279C
Bruss, J. M.
—; Sahyun, M. R. V.; Schmidt, E.; Sharma, D. K.: Photophysics of a Polyether Containing Tetramethylanthracene Units, 987C
Buese, M. A. See Chang, P.-S., 891C
Bulay, A. See Zaldívar, D., 625C
Burgoyne, W. F. See Langsam, M., 909C
Burke, A. L.
—; Duever, T. A.; Penlidis, A.: Revisiting the Design of Experiments for Copolymer Reactivity Ratio Estimation, 3065C
Burkett, J. See Wang, C. S., 1799P
Burlinson, N. E. See Fyfe, C. A., 159C
Byerley, T. J. See Millich, F., 729P, 1667C

Cabasso, I. See Ignatious, F., 239C
Cakmak, M.
—; Teitge, A.; Zachmann, H. G.; White, J. L.: On-Line Small-Angle and Wide-Angle X-Ray Scattering Studies on Melt-Spinning Poly(vinylidene Fluoride) Tape Using Synchrotron Radiation, 371P
Cam, D. See Cinquina, P., 1809P
Cameron, R. E.
—; Donald, A. M.: A Small-Angle X-Ray Scattering Study of Starch Gelatinization in Excess and Limiting Water, 1197P

Cann, K. J. See Karol, F. J., 2541C
Cardew, P. T. See Webb, J. A., 743P
Carlin, C. M. See Saini, A. K., 2751C
Carlson, G. M. See Abbey, K. J., 3417C
Carlsson, D. J. See Lacoste, J., 715C
Carter, A. M. See Crivello, J. V., 2663C
Caspers, M. L.
Review of *Frontiers in Supramolecular Organic Chemistry and Photochemistry*, 593C
Cassettari, M.
—; Salvetti, G.; Tombari, E.; Veronesi, S.; Johari, G. P.: Calorimetric Determination of Vitrification Time and Heat Capacity of a Thermosetting Polymer, 199P
Castellani, L. See Gallazzi, M. C., 3339C
Catalina, F. See Mateo, J. L., 153C
Cauley, B. J. See Bandis, A., 447P; Dong, Z. P., 1213P
Černošková, E. See Věčorek, P., 2923C
Cha, C. Y. See Hardaker, S. S., 1951P
Chaklanobis, S. See Selvaraj, I. I., 2643C
Chan, W. H. See Leung, L. M., 1799C
Chandrasekhar, V. See Selvaraj, I. I., 2643C
Chang, J.-H. See Jin, J.-I., 259C
Chang, K.-Y.
—; Lee, Y.-D.: Molecular Composite. I. Novel Block Copolymers of Liquid-Crystalline Polyamide and Amorphous Polyimide: Synthesis and Characterization, 2775C
Chang, P.-S.
—; Hughes, T. S.; Zhang, Y.; Webster, G. R., Jr.; Poczynok, D.; Buese, M. A.: Synthesis and Characterization of Oligocyclosiloxanes via the Hydrosilation of Vinylsilanes and Vinylsiloxanes with Heptamethylcyclotetrasiloxane, 891C
Chang, T.-C.
—; Li, C.-H.: Studies on Thermotropic Liquid Crystalline Polymer. XI. Effect of Amide Group on Thermotropic Liquid Crystalline Polymer Properties, 1423C
Chang, T.-C. See Hsu, K.-Y., 971C; Li, C.-H., 27C, 1119C, 1125C; Sun, S.-J., 2237C, 2711C
Chang, W. L.
—; Karalis, T.: Polyesterification Reactions of Adipic Acid-Based Polyesters, 493C
Chao, D. See Itsuno, S., 287C
Chao, H. S.-I.
—; Barren, E.: Synthesis and Evaluation of Polyimides Derived from Spirobisindane Dietheranhydride, 1675C
Chao, J. L. See Gregoriou, V. G., 1769P
Chapoy, L. L. See Cinquina, P., 1809P
Charlier, P.
—; Jérome, R.; Teyssié, P.; Prud'Homme, R. E.: Thermal Stability of Modified Telechelic Polystyrenes, 129C
Chaumont, P. See Clouet, G., 2815C
Chen, C. See Ren, C., 2721C
Chen, C.-J. See Kuo, P.-L., 99C
Chen, C.-Y. See Chien, G.-P. C., 2423C; Hsu, W.-C., 267C, 3213C; Wu, C.-J., 3405C
Chen, G. P. See Millich, F., 729P
Chen, H.
—; Wang, M.; Feng, L.; Yang, S.: Synthesis and Photoconductivity Study of Phthalocyanine Polymers. II. PVK-co-CuPc $(COOH)_3$, 1165C
Chen, H.-L.
—; Porter, R. S.: Melting Behavior of Poly(ether ether ketone) in Its Blends with Poly(ether imide), 1845P
Chen, S. H. See Twomey, C. J., 647P
Chen, W.-T. See Yang, C.-P., 1571C, 2799C, 3081C
Chen, X. See Frisch, H. L., 2869C, 3307C; Gonsalves, K. E., 701C
Chen, Y.
—; Tseng, H.-H.: Synthesis, Characterization, and Chiroptical Property of Optically Active Poly(urea-urethane)s, 1719C
Chen, Y. M. See Takahashi, T., 165P
Cheng, H.-P. See Li, C.-H., 1125C
Cheng, R. See Liu, M., 3181C
Chern, R. T. See Ghosal, K., 891P; Witchey-Lakshmanan, L. C., 1545P
Chiang, W.-Y.
—; Huang, C.-C.: Studies of Reactions with Polymers. VII. The Reaction of Acrylonitrile-Grafted Polyvinyl Alcohol Copolymer (PVA-g-AN) with NaOH/HCHO Aqueous Solution, 381C
—; Mei, W.-P.: Synthesis and Characterization of Photosensitive Polyimides from Methylthiomethyl-Substituted 4,4′-Diaminodiphenylmethanes and 3,3′,4,4′-Benzophenonetetracarboxylic Dianhydride, 1195C
Chiba, M. See Iwahara, T., 2617C
Chida, K. See Kunugi, T., 803P
Chien, G.-P. C.
—; Kuo, J.-F.; Chen, C.-Y.: Synthesis and Characterization of Terminally Carboxyl Ethylene Glycol Monomethyl Ethers-Substituted Side-Chain Liquid-Crystalline Polysiloxanes, 2423C
Chien, J. C. W.
—; Gong, B. M.: Hexene-1 Polymerization by Homogeneous Zirconocene and Heterogeneous-Supported $TiCl_3$ Catalysts, 1747C
—; Nozaki, T.: Ethylene-Hexene Copolymerization by Heterogeneous and Homogeneous Ziegler–Natta Catalysts and the "Comonomer" Effect, 227C
Chin, W.-K. See Shau, M.-D., 1653C
Ching, T. Y. See Lin, L.-T. W., 3239C
Chiu, Y.-S. See Hsiue, G.-H., 3371C
Cho, H.-N. See Jin, S.-H., 69C
Cho, I.
—; Hwang, K. M.: Ring-Opening Metathesis Polymerization of 4-Methyl-6-Phenylcyclooctene, 1079C
Cho, W. J. See Ryou, J. H., 325C
Cho, Y.
—; Sohn, Y. S.; Jun, M.-J.: Melt Polymerization of Hexachlorocyclotriphosphazene in the Presence of Organotin (IV) Compounds, 3397C
Choi, S.-K. See Gal, Y.-S., 345C; Jin, S.-H., 69C
Cholińska, M. See Szczepaniak, B., 3231C

Choy, C. L.
—; Fei, Y.; Xi, T. G.: Thermal Conductivity of Gel-Spun Polyethylene Fibers, 365P
Chu, A. See Pratt, L., 1759C
Chu, B.
Scattering Experiments on Polymer Solutions, 2019P
Chu, B. See Li, Y., 853P; Wu, G., 2035P
Chu, C. See Pratt, L., 1759C
Chu, C. C. See Pratt, L., 1759C
Chu, T.-Y. See Li, C.-H., 1125C
Chum, S. P. See Khan, M. N. I., 2353C
Chuman, H. See Enomoto, S., 77P
Chung, P. H.
—; Crivello, J. V.; Fan, M.: The Use of Platinum and Rhodium Catalysts for the Preparation and Cationic Ring-Opening Polymerization of Silicon-Containing Epoxides, 1741C
Chung, T. C.
—; Rhubright, D.: Functionalization of Polypropylene by Hydroboration, 2759C
Cibulsky, M. J. See Reimers, M. J., 537P
Cinquina, P.
—; Cam, D.; Tampellini, E.; Chapoy, L. L.: On the Solution Characterization of an All-Aromatic Liquid-Crystalline Copolyester, 1809P
Città, V. See La Mantia, F. P., 933P
Clarotti, G. See Flösch, D., 1779C
Clayden, N. J.
—; Jones, P. J. V.: Silanes on Magnesium Chloride Studied by Solid-State ^{29}Si-NMR Spectroscopy, 2835C
Clayden, N. J. See Beamson, G., 1205P
Clecak, N. See Fahey, J. T., 1C
Clement, K. S. See Babb, D. A., 3465C
Clouet, G.
—; Chaumont, P.; Corpart, P.: Studies on Bulk Polymerization of Methyl Methacrylate. I. Thermal Polymerization, 2815C
—; Kayser, D.: Macrothiuram Disulfide for the Free Radical Synthesis of PDMS–Vinyl Triblock Copolymers. I. Syntheses and Polymerization Kinetics, 3387C
Cohen, R. E. See Rein, D. H., 403P
Coleman, M. M.
—; Yang, X.; Zhang, H.; Painter, P. C.; Scherer, K. V., Jr.: Equilibrium Constants and the Prediction of Miscibility Windows for Polymer Blends Containing Poly(tetrafluoroethylene-alt-vinyl alcohol), 2039C
Collot, J. See Penelle, J., 2407C
Coltrain, B. K.
—; Ferrar, W. T.; Salva, J. M.: Synthesis and Characterization of Poly(itaconate ester)s with Etheric Side Chains, 2261C
Composto, R. See Beaucage, G., 319P
Connell, J. W. See Smith, J. G., Jr., 3099C
Conner, W. C. See Ferrero, M. A., 2507C
Cook, W. D.
Photopolymerization Kinetics of Oligo(ethylene Oxide) and Oligo(methylene) Oxide Dimethacrylates, 1053C
Cooper, S. L. See Okamoto, D. T., 1163P
Corpart, P. See Clouet, G., 2815C
Cowie, J. M. G.
—; Hunter, H. W.: Optically-Active Comb-Branch Liquid Crystalline Polymers Having the Chiral Center in the Flexible Spacer Unit. III. Copolymers of (*S*)-2-(4′-Cyano-4-biphenylyloxy)-1-methylethoxy Ethyl Methacrylate and Di[6-(4-methoxy-4′-oxybiphenyl)Hexyl]-2-methylene Butane-1,4-dioate, 1179C
Crivello, J. V.
Review of *Heterosiloxanes, Volume 3: Derivatives of Oxygen and Sulphur*, 2414C
—; Bi, D.: Regioselective Hydrosilations. I. The Hydrosilation of α,ω-Dihydrogen Functional Oligopolydimethylsiloxanes with 3-Vinyl-7-oxabicyclo[4.1.0]heptane, 2563C
—; Bi, D.: Regioselective Hydrosilations. II. The Synthesis of Silicon–Hydrogen Functional Compounds, 2729C
—; Bi, D.: Regioselective Hydrosilations. III. The Synthesis and Polymerization of Ambifunctional Silicon-Containing Epoxy Monomers, 3109C
—; Bi, D.: Regioselective Hydrosilations. IV. The Synthesis and Polymerization of Monomers Containing Epoxy and Alkoxysilane Groups, 3121C
—; Carter, A. M.: Photochemical Synthesis and Cationic Photopolymerization of α,ω-Diepoxyalkanes, 2663C
—; Jo, K. D.: Propenyl Ethers. I. The Synthesis of Propenyl Ether Monomers, 1473C
—; Jo, K. D.: Propenyl Ethers. II. Study of the Photoinitiated Cationic Polymerization of Propenyl Ether Monomers, 1483C
—; Jo, K. D.: Propenyl Ethers. III. Study of the Photoinitiated Cationic Polymerization of Propenyl Ether Monomers, 2143C
—; Suh, D.-H.: Synthesis and Characterization of Novel Photopolymerizable Multifunctional 2-Propenyl Ether Analogues, 1847C
Crivello, J. V. See Chung, P. H., 1741C
Crudden, C. M. See Lautens, M., 569C

Dai, L.
—; White, J. W.: Aggregation in Conducting Copolymer Solutions, 3P
Dais, V. A.
—; Priddy, D. B.; Bell, B.; Sikkema, K. D.; Smith, P.: Investigation of the Free Radical Polymerization of Styrene in the Presence of Several 1,1-Disubstituted Ethylenes, 901C
Damman, S. B.
—; Mercx, F. P. M.: Liquid Crystalline Main Chain Polymers with a Poly(p-Phenyleneterephthalate) Backbone. II. Fiber Spinning and Mechanical Properties of Polyesters with Alkoxy Side Chains, 1759P
Dang, T. D.
—; Bai, S. J.; Heberer, D. P.; Arnold, F. E.; Spry, R. J.: Ionic Conductivity of Conjugated Water-Soluble Rigid-Rod Polymers, 1941P
Darras, O.
—; Séguéla, R.: Tensile Yield of

Polyethylene in Relation to Crystal Thickness, 759P
Das, R. See Behari, K., 1449C
Das, S. See Ajayaghosh, A., 653C
D'Asseza, G. See Krüger, J. K., 505P
Davé, V.
—; Glasser, W. G.; Wilkes, G. L.: Cellulose-Based Fibers from Liquid-Crystalline Solutions. II. Processing and Morphology of Acetate/Butyrate Esters, 1145P
Davis, R. M. See Liu, Q., 1709C
De Abajo, J. See Lozano, A. E., 1203C, 1383C
De Bruin, J. G. See Wimberger-Friedl, R., 1041P, 1051P
De Haan, J. L. See Gaymans, R. J., 575C
De La Campa, J. G. See Lozano, A. E., 1203C, 1383C
de Mahieu, A.-F. See Demoustier-Champagne, S., 2009C
Debigaré, J. See Lafrance, C.-P., 255P
Decker, C. See Le Xuan, H., 769C; Moussa, K., 2197C, 2633C
Dedier, J. See Rusig, I., 595C
Deeken, J. S.
—; Farona, M. F.: Synthesis of a Polyolefin–Polystyrene Graft Terpolymer, 2863C
Deffieux, A. See Adisson, E., 831C
Degée, Ph.
—; Dubois, Ph.; Jérôme, R.; Teyssié, Ph.: Synthesis and Characterization of Biocompatible and Biodegradable Poly(ϵ-Caprolactone-b-γ-Benzylglutamate) Diblock Copolymers, 275C
Dekoninck, J. M. See Marechal, Ph., 2057C
Delmas, G.
Irreversible Formation of a Network During Melting/Dissolution of Nascent PE, 2011P
Demoustier-Champagne, S.
—; de Mahieu, A.-F.; Devaux, J.; Fayt, R.; Teyssie, Ph.: Synthesis and Characterization of Polymethylphenylsilane-Polystyrene Block Copolymers, 2009C
Deng, G.
—; Sakaki, T.; Shinkai, S.: Light-Switched Chromophoric Device Designed from an Ionophoric Calix[4]arene, 1915C
Desai, P. See Tzou, D. L., 1005P
Dessouki, A. M. See Hegazy, E.-S. A., 527C
Devaux, J. See Demoustier-Champagne, S., 2009C
Diakoumakos, C. D.
—; Mikroyannidis, J. A.: Polyesters, Polyurethanes and Epoxy Resins Derived from 2,2′-(1,4-Phenylenedivinylene)bis-8-hydroxyquinaldine and 6-(4-Hydroxystyryl)-3-hydroxypyridine, 2333C
Diao, J.
—; Wu, Q.; Lin, S.: Stereospecific Polymerization of Butene-1 with Supported Titanium Catalyst, 2287C
Dias, A. R. See Marques, M. M. V., 209C, 219C
Diaz-Calleja, R.
—; Gargallo, L.; Radić, D.: Secondary Viscoelastic Relaxations in Poly(dicyclohexyl itaconate), 107P
Díaz-Calleja, R.
—; Riande, E.; San Román, J.: Interconversion Between Mechanical and Dielectric Relaxations for Poly(cyclohexyl Acrylate), 711P
Díaz-Calleja, R. See Salom, C., 1591P
Dickinson, J. T.
—; Jensen, L. C.; Langford, S. C.; Dion, R. P.: Ar Atom Emission as a Probe of Craze Formation and Craze Growth in Polystyrene, 1441P
Dickinson, J. T. See Zimmerman, K. A., 1229P
Dimonie, V. L. See Urquiola, M. B., 1403C
Ding, M. See Yu, B., 2681C
Dion, R. P. See Dickinson, J. T., 1441P; Zimmerman, K. A., 1229P
Dipaolo, N. V. See Sauer, B. B., 1851P
Djurasović, N. See Vrhovac, L., 45C
Dodd, L. R.
Review of *Computational Modeling of Polymers*, 2413C
Dodge, R. W.
—; Mattice, W. L.: Conformation of the Ground-State Dimer in Poly(ethylene terephthalate), 207P
Domb, A. J.
Degradable Polymer Blends. I. Screening of Miscible Polymers, 1973C
—; Maniar, M.: Absorbable Biopolymers Derived from Dimer Fatty Acids, 1275C
Donald, A. M. See Cameron, R. E., 1197P; James, S. G., 221P
Dong, L. See Hill, D. J. T., 2951C
Dong, Z. P.
—; Cauley, B. J.; Bandis, A.; Mou, C. W.; Inglefield, C. E.; Jones, A. A.; Inglefield, P. T.; Wen, W.-Y.: Nuclear Spin Relaxation Dynamics of $^{13}CO_2$ Sorbed in Polyisobutene Rubber, 1213P
Dordick, J. S. See Blinkovsky, A. M., 1839C
Döring, V. See Kricheldorf, H. R., 3021C
Dörr, M. See Kawatsuki, N., 1013C
Dotrong, M.
—; Mehta, R.; Balchin, G. A.; Tomlinson, R. C.; Sinsky, M.; Lee, C. Y.-C.; Evers, R. C.: Synthesis, Processing, and Third-Order Nonlinear Optical Properties of Benzobisthiazole Polymers Containing Thiophene Moieties, 723C
Dowrey, A. E. See Gregoriou, V. G., 1769P
Doyle, M. J. See van Broekhoven, J. A. M., 2879C
Drent, E. See van Broekhoven, J. A. M., 2879C
Dreyfuss, M. P. See Hahn, S. F., 3039C
Dubois, Ph. See Barakat, I., 505C; Degée, Ph., 275C
Dubrovina, L. V. See Pavlova, S. S. A., 1725P
Duever, T. A. See Burke, A. L., 3065C
Duran, R. See Bodalia, R., 2123C
Dworjanyn, P. A. See Nho, Y. C., 1621C

East, A. J. See Liu, J., 1923P
Edwards, H. E. See Arai, K., 249C
Eick, J. D. See Millich, F., 729P, 1667C
Eiselt, P. See Giesa, R., 141C
Eisenberg, A. See Hird, B., 1377C
El-Aasser, M. S. See Shen, S., 1393C; Urquiola, M. B., 1403C; Urretabizkaia, A., 2907C

El-Hamouly, S. H.
—; Mansour, O. A.: Studying the Effect of Structure on the Copolymerization Parameters of *N*-Antipyryl Acrylamide and Antipyrine Acryloyl Thiourea with Different Vinyl Monomers, 1335C
El-Hamouly, S. H. See Tawfik, S. Y., 427C
Ellis, T. S.
Polyamide-Polyester Blends: An Estimation of the Amide-Ester Interaction, 1109P
El-Sawy, N. M.
—; Fagal, G. A.; El-Shobaky, G. A.: Physicochemical and Catalytic Investigations of Grafted Poly(tetrafluoroethylene) Complexed with Some Transition Metal Nitrates, 3291C
El-Sawy, N. M. See Hegazy, E.-S. A., 527C
El-Shobaky, G. A. See El-Sawy, N. M., 3291C
Endo, K.
—; Tsujimoto, M.; Otsu, T.: Separation of Olefin Isomers by Polymerization. II. Polymerization of Isobutene/1-Butene Mixture with $TiCl_3$-$(C_2H_5)_2AlCl$ Catalyst, 2177C
Endo, T. See Ariga, T., 581C; Atobe, I., 1543C; Hamazu, F., 1023C; Kanazawa, A., 335C, 1441C, 1467C, 2873C, 3003C, 3031C; Kihara, N., 2765C; Koizumi, T., 3489C; Kubota, H., 2877C; Park, J., 1083C, 1141C; Sanda, F., 2659C; Sugiyama, J.-I., 2173C; Tsubokawa, N., 563C, 3193C; Yoshida, E., 1505C
Engen, P. T. See Factor, A., 2231C
Engle, L. P. See Wagener, K. B., 865C
Enoki, M. See Yamagishi, T., 675C
Enomoto, S.
—; Chuman, H.; Kurihara, A.: Elastic Modulus and Atomic Displacements of Skeleton and Side Groups in Stretching of a Polymer Chain, 77P
Ermakov, I. V.
—; Yashin, V. V.; Litmanovich, A. D.; Platé, N. A.: Thermal Decomposition of Glassy Poly(di-t-Butyl Fumarate) as a Topochemical Reaction, 395C
Erman, B. See Hsu, Y.-H., 481P
Errede, L. A.
—; Henrich, P. J.; Pearson, R.; Van Bogart, J. W. C.: Polymer Drying. VIII. Molecular Interpretations of Desorption from Polystyrene–Liquid Systems, 805C
Evers, R. C. See Dotrong, M., 723C
Ezaki, R. See Oh, S.-Y., 2977C
Ezzell, B. R. See Babb, D. A., 3465C

Fackler, J. P., Jr. See Khan, M. N. I., 2353C
Factor, A.
—; Engen, P. T.: The Synthesis, Characterization, and Weathering Behavior of Polycarbonates Derived from Bis(*p*-hydroxyphenyl)dimethylsilane (BPSi), 2231C
Fagal, G. A. See El-Sawy, N. M., 3291C
Fahey, J. T.
—; Shimizu, K.; Fréchet, J. M. J.; Clecak, N.; Willson, C. G.: Resist System Based on the Cationic Photocrosslinking of Poly(4-Hydroxystyrene) and Polyfunctional Electrophiles, 1C
Failla, M. See Mandelkern, L., 491P
Fan, M. See Chung, P. H., 1741C
Farmer, B. L. See Socci, E. P., 1975P
Farona, M. F. See Deeken, J. S., 2863C; Fishback, T. L., 2747C
Farrington, G. C. See Yang, H., 157P
Fasano, M. See Ahn, M. K., 831P
Fayt, R. See Blacher, S., 655P; Demoustier-Champagne, S., 2009C
Fei, Y. See Choy, C. L., 365P
Feijoo, J. L. See Odell, J. A., 141P
Feld, W. A. See Stern, S. A., 939P
Feldheim, D. L.
—; Lawson, D. R.; Martin, C. R.: Influence of the Sulfonate Countercation on the Thermal Stability of Nafion® Perfluorosulfonate Membranes, 953P
Feldman, D.
Review of *Two-Phase Polymer Systems*, 297C
Review of *Handbook of Polymeric Foams and Foam Technology*, 899P
Feng, L. See Chen, H., 1165C
Ferguson, G. S. See Barrett, L. W., 1287C
Ferrar, W. T. See Coltrain, B. K., 2261C
Ferrero, M. A.
—; Sommer, R.; Spanne, P.; Jones, K. W.; Conner, W. C.: X-Ray Microtomography Studies of Nascent Polyolefin Particles Polymerized over Magnesium Chloride-Supported Catalysts, 2507C
Filimoshkin, A. G.
—; Terentieva, G. A.; Berezina, E. M.; Pavlova, T. V.; Gossen, L. P.: A Novel Behavior of Copoly(vinylchloride-maleic anhydride), 1911C
Filliatre, C. See Rusig, I., 595C
Fillon, B.
—; Lotz, B.; Thierry, A.; Wittmann, J. C.: Self-Nucleation and Enhanced Nucleation of Polymers. Definition of a Convenient Calorimetric "Efficiency Scale" and Evaluation of Nucleating Additives in Isotactic Polypropylene (α Phase), 1395P
—; Thierry, A.; Wittmann, J. C.; Lotz, B.: Self-Nucleation and Recrystallization of Polymers. Isotactic Polypropylene, β Phase: β-α Conversion and β-α Growth Transitions, 1407P
—; Wittmann, J. C.; Lotz, B.; Thierry, A.: Self-Nucleation and Recrystallization of Isotactic Polypropylene (α Phase) Investigated by Differential Scanning Calorimetry, 1383P
Finkelshtein, E. SH. See Bondar, V. I., 1273P
Fishback, T. L.
—; Farona, M. F.: Crosslinking of Styrene–Butadiene Rubber with 1,2-Bis(benzocyclobutenyl)ethane, 2747C
Flösch, D.
—; Clarotti, G.; Geckeler, K. E.; Göpel, W.: Controlled Modification of Poly(hydroxybutyrate) Surfaces by a Perfluorohexane Plasma: ESCA and Contact Angle Studies, 1779C
Fong, D. W.
—; Kowalski, D. J.: An Investigation of the Crosslinking of Polyacrylamide with Formaldehyde Using ^{13}C Nuclear Magnetic Resonance Spectroscopy, 1625C

Fontanille, M. See Adisson, E., 831C
Fouassier, J.-P.
—; Ruhlmann, D.; Takimoto, Y.; Harada, M.; Kawabata, M.: New Three-Component Initiation Systems in UV Curing: A Time-Resolved Laser-Spectroscopy Investigation, 2245C
Fradet, A. See Acevedo, M., 817C, 1579C
Fréchet, J. M. J.
Review of *Polymers for Electronic and Photonic Applications*, 2668C
Fréchet, J. M. J. See Bielski, R., 755C; Fahey, J. T., 1C; Hosoya, K., 2129C
Freeman, B. D. See Ghosal, K., 891P
Frisch, H. L.
—; Chen, X.: Electrical DC Conductivity in Iodine-Doped Pseudo-IPNs of Conjugated Polymer Network (C-PDMS/L-P4BCMU), 3307C
—; Xu, Q.: Copolymerization of Styrene and Methacrylic Acid in the Presence of Poly(2-Vinyl Pyridine) with Different Molecular Weights, 1339C
—; Xue, Y.; Chen, X.: Crosslinked Ribonucleic Acid as Seen in RNA/PAAm Pseudo-Interpenetrating Polymer Networks by Electron Microscopy, 2869C
—; Zhou, P.: Phase Behavior of Pseudo-IPN's of Polycarbonate-urethane and Polystyrene, 1967C
Frisch, H. L. See Rogovina, L., 515C; Toscano, P. J., 859C; Xue, Y., 2165C; Zhou, P., 2481C, 3479C
Frisch, K. C. See Penczek, P., 1211C; Szczepaniak, B., 3223C, 3231C
Fu, D. See Ran, R., 2915C
Fueki, K. See Torikai, A., 2785C
Fujimoto, K.
—; Takebayashi, Y.; Inoue, H.; Ikada, Y.: Ozone-Induced Graft Polymerization onto Polymer Surface, 1035C
Fujita, K. See Nomura, M., 2103C
Fukawa, I.
—; Tanabe, T.: Formation of Aromatic Polyetherketone and Trans-Etherification of Aromatic Polyetherketone, 535C
Fukuda, M.
—; Sawada, K.; Yoshino, K.: Synthesis of Fusible and Soluble Conducting Polyfluorene Derivatives and Their Characteristics, 2465C
Fukuda, W. See Nishikubo, T., 939C
Fukui, H.
—; Sawamoto, M.; Higashimura, T.: Multifunctional Coupling Agents for Living Cationic Polymerization. I. Sodiomalonate Anions for Vinyl Ethers, 1531C
Furukawa, H. See Yamagishi, T., 675C
Fusco, J. V. See Bielski, R., 755C
Fyfe, C. A.
—; Randall, L. H.; Burlinson, N. E.: Water Penetration in Nylon 6,6: Absorption, Desorption, and Exchange Studied by NMR Microscopy, 159C

Gabryś, B.
—; Schärpf, O.; Peiffer, D. G.: Short-Range Order in Noncrystalline Polymers Examined with Spin-Polarized Neutrons, 1891P
Gal, Y.-S.
—; Choi, S.-K.: Synthesis and Properties of Poly(dipropargyl Sulfoxide), 345C
Galeski, A. See Piorkowska, E., 1285P
Gallazzi, M. C.
—; Castellani, L.; Marin, R. A.; Zerbi, G.: Regiodefined Substituted Poly(2,5-thienylene)s, 3339C
Galli, G.
—; McNamee, S. G.; Ober, C. K.: An Investigation of the Smectic-Isotropic Transition in a Side-Chain Liquid Crystal Polymer by Synchrotron Radiation X-Ray Diffraction, 773P
Galotti, D. See Takahashi, T., 165P
Garaud, J.-L. See Gineste, J.-L., 2969C
Garay, R. O.
—; Bhowmik, P. K.; Lenz, R. W.: Thermotropic Copolyesters of a Series of Aromatic Diols with Phenylterephthalic Acid and 4,4′-Oxybisbenzoic Acid, 1001C
Garbarz, J. See Lacaze, E., 111P
Garcia-Meitin, E. I. See Sue, H.-J., 595P
Gargallo, L. See Diaz-Calleja, R., 107P
Garnett, J. L. See Nho, Y. C., 1621C
Garrett, P. D. See Janarthanan, V., 1995P
Gatenholm, P. See Bonnerup, C., 1487P
Gaymans, R. J.
—; De Haan, J. L.; Van Nieuwenhuize, O.: Copolymers of PBT and Nylon 4T, 575C
Gaynor, J. F. See Harmon, J. P., 235P
Geckeler, K. E. See Flösch, D., 1779C
Geil, P. H. See Liu, J., 1923P
Gelbaum, L. T. See Venkatasubramanian, N., 1965P
Gelerinter, E. See Krishnan, P., 1885P
George, M. V. See Ajayaghosh, A., 653C
German, A. L. See Morrison, B. R., 467C
Gert, E. V.
—; Torgashov, V. I.; Shishonok, M. V.; Sinyak, S. I.; Kaputskii, F. N.: The Effect of N_2O_4 on the Crystalline Structure of Cellulose, 567P
Ghosal, K.
—; Chern, R. T.; Freeman, B. D.: Gas Permeability of Radel A Polysulfone, 891P
Giesa, R.
—; Keller, U.; Eiselt, P.; Schmidt, H.-W.: Synthesis and Thermal Properties of Aryl-Substituted Rod-Like Polyimides, 141C
Gilberd, P. W. See Subramaniam, C. K., 1425P
Gilbert, R. G. See Morrison, B. R., 467C
Gillard, M. See Grenier-Loustalot, M.-F., 2839C
Gineste, J.-L.
—; Garaud, J.-L.; Pourcelly, G.: Synthesis and Characterization of Polyethylene Film Grafted with Acrylic Acid and Diethyleneglycol-dimethacrylate, 2969C
Ginzburg, B. M. See Kandakov, A. V., 249P
Glasser, W. G. See Davé, V., 1145P
Gnanou, Y. See Mougin, N., 1253C
Godhino, M. H. See Rusig, I., 595C

Godovsky, Y. K.
Review of *Two-Phase Polymer Systems*, 1921C
Goh, S. H. See Lau, W. W. Y., 1499C
Goldbeck-Wood, G.
Polymer Crystallization and Reorganization During Heating: Simulation with the Sadler/Gilmer Model, 61P
Gong, B. M. See Chien, J. C. W., 1747C
Gonsalves, K. E.
—; Chen, X.: Copolymers of Nylon 266 and Nylon 66: Synthesis and Characterization, 701C
González-Orozco, J. A.
Computer Simulation of the Mechanical Alpha Relaxation in Isothermally Crystallized High-Density Polyethylene, 47P
Göpel, W. See Flösch, D., 1779C
Göpferich, A.
—; Langer, R.: The Influence of Microstructure and Monomer Properties on the Erosion Mechanism of a Class of Polyanhydrides, 2445C
Gossen, L. P. See Filimoshkin, A. G., 1911C
Goto, T. See Sato, K., 763C
Goulet, L. See Smith, P., 327P
Grainger, D. W. See Sun, F., 1729C
Granata, R. D. See Macqueen, R. C., 971P
Gravalos, K. G.
Synthesis and Flammability of Copoly(isophthalamide)s. II. With Pendant Phosphorus Groups, 1355C
Gray, D. G. See Kimura, T., 671P
Gregoriou, V. G.
—; Noda, I.; Dowrey, A. E.; Marcott, C.; Chao, J. L.; Palmer, R. A.: Dynamic Rheo-optical Characterization of a Low-Density Polyethylene/Perdeuterated High-Density Polyethylene Blend by Two-Dimensional Step-Scan FTIR Spectroscopy, 1769P
Grenier, P. See Grenier-Loustalot, M.-F., 2839C, 3049C
Grenier-Loustalot, M.-F.
—; Gillard, M.; Joubert, F.; Grenier, P.: Ring Dehydration Mechanisms and Kinetics of Polyamic Acid Models in Solution and in the Solid State, 2839C
—; Joubert, F.; Grenier, P.: Mechanisms and Kinetics of Polymerization of Thermoplastic Polyimides. II. Study of "Bridged" Dianhydride/Aromatic Amine Systems, 3049C
Grobler, J. H. A.
—; McGill, W. J.: Anomalous Freezing Point Depression of Solvents in a Swollen Homogeneous Rubber Network, 575P
Guan, H. W. See Wang, C. H., 1983P
Guo, X. A.
—; Hunter, A. D.: Polyesters, Polycarbonate, and Polyurethanes from a Novel Monomer: $\alpha,\alpha,\alpha',\alpha'$-Tetramethyl-1, 4-tetrafluorobenzenedimethanol, 1431C
Gupta, A. D. See Kumar, D., 707C, 797C, 2319C, 2739C
Gutman, A. L. See Knani, D., 1221C

Ha, C. S. See Ryou, J. H., 325C
Hahn, S. F.
—; Dreyfuss, M. P.: Novel Polymeric Structures via the Chlorination of *cis*-1,4-Polybutadiene in the Presence of Acryl Nucleophiles, 3039C
Hamamoto, S. See Tsutsumi, H., 2883C
Hamazu, F.
—; Akashi, S.; Koizumi, T.; Takata, T.; Endo, T.: Cationic Polymerization with *p*-Substituted Benzyl *p*-Hydroxyphenyl Methyl Sulfonium Salts: Effect of Substituents and Mechanistic Aspects of Initiation Reaction, 1023C
Hamielec, A. E. See Wu, X. Y., 957C
Han, B. J. See Lovinger, A. J., 115P
Hansen, R.
Review of *Handbook of Polymeric Foams and Foam Technology*, 1344C
Harada, M. See Fouassier, J.-P., 2245C
Hardaker, S. S.
—; Moghazy, S.; Cha, C. Y.; Samuels, R. J.: Quantitative Characterization of Optical Anisotropy in High Refractive Index Films, 1951P
Hardy, B. J. See Shah, V. M., 313P
Hari Babu, S. See Balakrishnan, T., 317C
Harmon, J. P.
—; Gaynor, J. F.: The Effect of Gamma Irradiation on Color Center Formation in Optical Polymers, 235P
Hasan, O. A.
—; Boyce, M. C.; Li, X. S.; Berko, S.: An Investigation of the Yield and Postyield Behavior and Corresponding Structure of Poly(methyl methacrylate), 185P
Hasch, B. M.
—; Meilchen, M. A.; Lee, S.-H.; McHugh, M. A.: Cosolvency Effects on Copolymer Solutions at High Pressure, 429P
Hasegawa, M.
—; Shindo, Y.; Sugimura, T.; Ohshima, S.; Horie, K.; Kochi, M.; Yokota, R.; Mita, I.: Photophysical Processes in Aromatic Polyimides. Studies with Model Compounds, 1617P
Hasegawa, M. See Hashimoto, H., 1187P; Yonezawa, N., 667C
Hashimoto, H.
—; Hasegawa, M.; Horie, K.; Yamashita, T.; Ushiki, H.; Mita, I.: Fluorescence Study of Thermotropic Liquid-Crystalline Polyesters, 1187P
Hashimoto, K.
—; Wibullucksanakul, S.; Matsuura, M.; Okada, M.: Macromolecular Synthesis from Saccharic Lactones. Ring-Opening Polyaddition of D-Glucaro- and D-Mannaro-1,4:6,3-dilactones with Alkylenediamines, 3141C
Hassan, R. M.
Alginate Polyelectrolyte Ionotropic Gels. XIV. Kinetics and Mechanism of Formation of Intermediate Complex during the Oxidation of Alginate Polysaccharide by Alkaline Permanganate with a Spectrophotometric Evidence of Manganate (VI) Transient Species, 51C
Hassan, R. M.
Alginate Polyelectrolyte Ionotropic Gels. XVII. Oxidation of Alginate Polysaccharide by Potassium Permanganate in Alkaline Solutions: Kinetics of Decomposition of Intermediate Complex, 1147C

Hay, A. S. See Yang, H., 1261C, 1907C, 2015C
Hayakawa, T. See Okada, M., 611C
Hayase, S. See Nakano, Y., 3361C
Heberer, D. P. See Dang, T. D., 1941P
Hedrick, J. L. See Lucas, M., 2179C
Hegazy, E.-S. A.
—; Dessouki, A. M.; El-Sawy, N. M.; Abd El-Ghaffar, M. A.: Radiation-Induced Graft Polymerization of Acrylic Acid onto Fluorinated Polymers. II. Graft Copolymer–Metal Complexes Obtained by Radiation Grafting onto Poly(Tetrafluoroethylene-Ethylene) Copolymer, 527C
Heinemann, H.
Review of *Metal-Surface Reaction Energetics*, 593C
Heller, J. P. See Pratap, G., 2387C
Hellmuth, E. W. See Millich, F., 729P
Henrich, P. J. See Errede, L. A., 805C
Henry, R. A. See Stenger-Smith, J. D., 2899C
Herbert, I. R.
—; Tipping, A.; Bashir, Z.: NMR and X-ray Studies on the Morphology of Thermoreversible Polyacrylonitrile Gels, 1459P
Hergenrother, P. M. See Smith, J. G., Jr., 3099C
Hernández-Fuentes, I. See Salom, C., 1591P
Heyding, R. D. See McFaddin, D. C., 175P
Hickey, T. P. See Storey, R. F., 1825C
Higashi, F.
—; Kobayashi, A.; Shimazaki, H.: Direct Polyesterification by Use of Phosphorus Oxychloride and LiCl in Pyridine, 1301C
—; Lee, Y.-N.: Direct Polyamidation of Dicarboxylic Acids with Hydrazine Hydrochlorides Using Phenylphosphonic Dichloride in Pyridine, 1331C
—; Lee, Y.-N.: Preparation of High Molecular Weight Polyhydrazides from Hydrazine Monohydrochloride Using Phenylphosphonic Dichloride and Phosphorus Compounds as Additives, 1453C
—; Nakajima, K.; Watabiki, M.; Zhang, W. X.: Thermotropic Liquid Crystalline Polyamides from Polyethyleneglycol Bis(4-carboxyphenyl)ethers, 2929C
Higashi, F. See Zhang, W. X., 2935C
Higashimura, T. See Fukui, H., 1531C; Kamigaito, M., 2987C; Kanaoka, S., 2513C; Kouzai, H., 1887C; Minoda, M., 2789C; Mizumoto, T., 2555C; Tsuchihara, K., 547C
Higuchi, Y. See Morishima, Y., 373C
Hill, D. J. T.
—; Dong, L.; O'Donnell, J. H.: Microstructural Analysis of Methacrylonitrile–Styrene Copolymers to Obtain Reactivity Ratios, 2951C
Hiraguri, Y.
—; Tokiwa, Y.: Synthesis of Copolymers Composed of 2-Methylene-1,3,6-trioxocane and Vinyl Monomers and Their Enzymatic Degradation, 3159C
Hirai, H. See Sato, K., 763C
Hiratani, K. See Taguchi, K., 339P
Hird, B.
—; Eisenberg, A.: *p*-Carboxylation of Linear High Molecular-Mass Polystyrene, 1377C
Hoagland, D. A.
Review of *Radiation Processing of Polymers*, 3502C
Hodgson, D. F. See Amis, E. J., 2049P
Holeček, J. See Věčorek, P., 2923C
Honda, M. See Ueda, M., 949C
Honda, Y. See Uyama, H., 123C
Hoover, J. M. See Stenger-Smith, J. D., 2899C
Hopfenberg, H. B. See Witchey-Lakshmanan, L. C., 1545P
Horie, K. See Hasegawa, M., 1617P; Hashimoto, H., 1187P; Jin, Q., 2345C
Hormi, O. O. E. See Sundell, M. J., 2305C
Hörth, M. See Steuer, M., 1609C
Hosokawa, T. See Takagishi, T., 365C
Hosoya, K.
—; Fréchet, J. M. J.: Influence of the Seed Polymer on the Chromatographic Properties of Size Monodisperse Polymeric Separation Media Prepared by a Multi-Step Swelling and Polymerization Method, 2129C
Hsiao, B.
Some Comments on Modeling of Two-Stage Crystallization Kinetics, 237P
Hsiao, B. S.
—; Sauer, B. B.: Glass Transition, Crystallization, and Morphology Relationships in Miscible Poly(Aryl Ether Ketones) and Poly(Ether Imide) Blends, 901P
Hsiao, B. S. See Sauer, B. B., 917P
Hsiao, S.-H. See Yang, C.-P., 2995C
Hsieh, Y.-L. See Timm, D. A., 1873P
Hsiue, G.-H.
—; Liu, Y.-L.; Chiu, Y.-S.: Tetrahydrofuran and 3,3-Bis(chloromethyl)oxetane Triblock Copolymers Synthesized by Two-End Living Cationic Polymerization, 3371C
—; Yang, J.-M.: Polymeric Complexed Membranes Used as Oxygen Carrier: Axial and In-Plane Ligand Effects, 1457C
Hsiue, G.-H. See Wang, C.-C., 1307C, 2601C, 3327C
Hsu, K. Y. See Li, C.-H., 27C
Hsu, K.-Y.
—; Chang, T.-C.; Li, C.-H.: Studies on Thermotropic Liquid-Crystalline Polymers: Part X. Synthesis and Properties of Crosslinkable Aromatic Copoly(ester)s Containing Conjugated Double Bonds, 971C
Hsu, K.-Y. See Li, C.-H., 1119C
Hsu, S. L. See Kim, K. J., 1555P
Hsu, W.-C.
—; Kuo, J.-F.; Chen, C.-Y.: Aqueous Polymerization of Acrylamide Initiated by Cerium(IV)-Amino Acid Chelating Agent Redox Initiators, 267C
—; Kuo, J.-F.; Chen, C.-Y.: Study on Aqueous Polymerizations of Vinyl Monomers Initiated by Metal Oxidant–Chelating Agent Redox Initiators, 3213C
Hsu, Y.-H.
—; Mark, J. E.; Erman, B.: Moduli of Model Elastomeric Networks Prepared from

Polymer Chains Having a High Plateau Modulus, and Their Interpretation in Terms of the Constrained-Chain Model, 481P
Hu, G. H.
—; Lindt, J. T.: Monoesterification of Styrene–Maleic Anhydride Copolymers with Alcohols in Ethyl Benzene: Catalysis and Kinetics, 691C
—; Wang, W.: A Kinetic Model for Steric Hindrance Effects on Quaternization of Poly(vinylpyridines), 3453C
Hu, M.
—; Pearce, E. M.; Kwei, T. K.: Modification of Polybenzimidazole: Synthesis and Thermal Stability of Poly(N_1-Methylbenzimidazole) and Poly(N_1,N_3-Dimethylbenzimidazolium) Salt, 553C
Huang, B. T. See Ren, Q., 847C
Huang, C.-C. See Chiang, W.-Y., 381C
Huang, K.-Y. See Lin, M.-S., 3317C
Huang, T. H. See Tzou, D. L., 1005P
Hudec, P. See Salajka, Z., 1493C
Hudson, S. M. See Rathke, T. D., 749C
Hughes, T. S. See Chang, P.-S., 891C
Hult, A. See Johansson, M., 619C
Hunderi, O. See Wold, E., 579P
Hunter, A. D. See Guo, X. A., 1431C
Hunter, H. W. See Cowie, J. M. G., 1179C
Hwang, J. S.
—; Tsonis, C. P.: Radicals in the Synthesis of Sulphur Dioxide-Based Copolymers, 1417C
Hwang, K. M. See Cho, I., 1079C

Ichino, T.
—; Matsumoto, M.: New Solid Polymer Electrolytes Prepared from Styrene-Butadiene Copolymer Latices, 589C
—; Matsumoto, M.; Rutt, J. S.; Nishi, S.: Dual-Phase Solid Polymer Electrolytes Prepared from Styrene-Butadiene Copolymer Latices, 1701C
Ignatious, F.
—; Sein, A.; Cabasso, I.; Smid, J.: Novel Carbamoyl Phosphonate Monomers and Polymers from Unsaturated Isocyanates, 239C
Ihn, K. J.
—; Moulton, J.; Smith, P.: Whiskers of Poly(3-alkylthiophene)s, 735P
Ikada, Y. See Fujimoto, K., 1035C
Ikariyama, Y. See Wang, L., 2855C
Ikeda, T. See Kanazawa, A., 335C, 1441C, 1467C, 2873C, 3003C, 3031C; Park, J., 1083C
Ikeda, Y. See Yamashita, S., 2437C
Ikoma, J. See Nomura, M., 2103C
Ilzawa, T.
—; Nishiyama, K.; Nishikubo, T.: Synthesis of Poly(2-Cyclohexenone-4-yl Methacrylate) and Acidolysis of Pendant Protecting Groups in the Polymer, 443C
Imai, Y. See Liou, G.-S., 2499C, 3265C, 3273C; Nakata, S., 3425C; Oishi, Y., 293C, 933C, 1111C; Yamashita, M., 1513C
Imrie, C. T. See Schleeh, T., 1859C
Inagaki, M. See Tsubokawa, N., 563C, 3193C
Inglefield, C. E. See Bandis, A., 447P; Dong, Z. P., 1213P
Inglefield, P. T. See Bandis, A., 447P; Dong, Z. P., 1213P
Inomata, H. See Wada, N., 2647C
Inoue, H. See Fujimoto, K., 1035C
Inoue, K.
—; Nakahara, H.; Tanigaki, T.: Solvent Effects on the Polymerization of Multi-Armed Vinyl Biphenyl Derivatives Containing Pendant Oligo(oxyethylene)-cyclotriphosphazenes, 61C
Inui, M. See Yamagishi, T., 675C
Isa, K. See Kodaira, T., 169C
Ishida, S. See Yamagishi, T., 675C
Ishii, M. See Ishikawa, M., 3281C
Ishii, S. See Kurita, K., 485C, 2393C
Ishikawa, M.
—; Sakamoto, H.; Ishii, M.; Ohshita, J.: Polymeric Organosilicon Systems. XVII. Synthesis and Photochemical and Conducting Properties of Poly[*o*- and *m*-(disilanylene)phenylene]s, 3281C
Ishitani, A. See Sasanuma, Y., 1179P
Ishiwatari, T.
—; Itoh, F.; Ohbayashi, M.; Mitsuishi, M.: Theoretical Prediction of Maxima in Association Constants for Complex Formation Between Flavin Mononucleotide and Indoleacetate in the Presence of Polyelectrolytes, 1293P
Ishizu, K.
—; Kuwahara, K.: Organized Polymerization of Functional Diblock Copolymers Possessing Central Isoprene Groups, 661C
—; Yukimasa, S.; Saito, R.: Organized-Polymerization in Micelle Formed by Diblock Macromonomers, 3073C
Isoda, S. See Kawase, N., 1713P
Ito, H. See Ueda, M., 949C, 1895C
Ito, K. See Itsuno, S., 287C
Ito, S. See Okada, M., 1135C
Itoh, F. See Ishiwatari, T., 1293P
Itsuno, S.
—; Chao, D.; Ito, K.: Hydrosilylation Polymerization. I. A New Approach to the Preparation of Macromonomers Containing Silicon Atoms, 287C
Iwabuchi, S. See Sato, K., 763C
Iwahara, T.
—; Kusakabe, M.; Chiba, M.; Yonezawa, K.: Synthesis of Novel Organic Oligomers Containing Si—H Bonds, 2617C
Iwasawa, I. See Suto, S., 1599C
Iwata, K.
—; Ohtsuki, T.: On Catenate Network Formation by End-Linking Reactions, 441P
Izu, P.
—; Muñoz, M. E.; Peña, J. J.; Santamaría, A.: Capillary and Slit-Die Flow of Two Liquid-Crystalline Polymers. The Effect of Pressure on Viscosity, 347P

James, S. G.
—; Donald, A. M.; Miles, I. S.; Mallagh, L.; MacDonald, W. A.: Measurement of the Interfacial Tension Between Polyethersulfone and a Thermotropic Liquid-Crystalline Copolyester, 221P

Jamois, D.
—; Tessier, M.; Maréchal, E.: Preparation of Amphiphilic Polyisobutylenes-b-polyethylenamines by Mannich Reaction. I. Synthesis and Characterization of α-Phenololigoisobutylenes, 1923C
—; Tessier, M.; Maréchal, E.: Preparation of Amphiphilic Polyisobutylenes-b-polyethylenamines by Mannich Reaction. II. Study of Mannich Reaction on Model Systems, 1941C
—; Tessier, M.; Maréchal, E.: Preparation of Amphiphilic Polyisobutylenes-b-polyethylenamines by Mannich Reaction. III. Synthesis of Polyisobutylenes-b-polyethylenamines, 1959C
Janarthanan, V.
—; Kressler, J.; Karasz, F. E.; Macknight, W. J.: Intramolecular Interactions in Poly(styrene-co-acrylonitrile)/Poly(ε-caprolactone) Blends, 1013P
—; Stein, R. S.; Garrett, P. D.: Effect of Oligomers and Acrylonitrile Content on the Interfacial Adhesion Between PC and SAN, 1995P
Jang, M.
—; Liu, J.: Synthesis and Polymerization of 4′-Nitro-4-biphenoxyethyne, 3155C
Janiak, C.
—; Rieger, B.; Voelkel, R.; Braun, H.-G.: Polymeric Aluminoxanes: A Possible Cocatalytic Support Material for Ziegler–Natta-Type Metallocene Catalysts, 2959C
Jannasch, P.
—; Wesslén, B.: Synthesis of Poly(styrene-graft-ethylene oxide) by Ethoxylation of Amide Group Containing Styrene Copolymers, 1519C
Jayanna, H. S.
—; Subramanyam, S. V.: Thermal Expansion of Irradiated Polyethylene from 10 to 340 K, 1095P
Jeang, L. See Millich, F., 1667C
Jeczalik, J.
A Study of Condensation of Trithiane Hexaoxide with Formaldehyde, 1161C
Jedlinski, Z. See Bera, S., 731C
Jeng, K.-T. See Lin, M.-S., 3317C
Jennings, R. C. K. See Beamson, G., 1205P
Jensen, L. C. See Dickinson, J. T., 1441P
Jeong, H. M. See Ahn, T. O., 435C
Jérôme, R. See Barakat, I., 505C; Charlier, P., 129C; Degée, Ph., 275C
Jhon, M. S. See Jung, J., 3377C; Kang, S. K., 1243C; Song, J. D., 1687C
Jiang, B. See Yan, R. J., 1089P
Jin, J. See Wu, X., 455P
Jin, J.-I.
—; Kang, C.-S.; Chang, J.-H.: Thermotropic Copolyesters Having Ordered Comonomer Sequences and Flexible Spacers, 259C
—; Yu, S.-H.; Shim, H.-K.: Synthesis and Electrical Conductivity of Poly(1,4-phenylenevinylene-co-2-nitro-1,4-phenylenevinylene), 87P
Jin, Q.
—; Yamashita, T.; Horie, K.; Yokota, R.; Mita, I.: Polyimides with Alicyclic Diamines. I. Syntheses and Thermal Properties, 2345C
Jin, S.-H.
—; Cho, H.-N.; Choi, S.-K.: Cyclopolymerization of Dipropargyl Isopropylidene Malonate and Characterization of the Product, 69C
Jo, K. D. See Crivello, J. V., 1473C, 1483C, 2143C
Johansson, M.
—; Malmström, E.; Hult, A.: Synthesis, Characterization, and Curing of Hyperbranched Allyl Ether–Maleate Functional Ester Resins, 619C
Johari, G. P. See Alig, I., 299P; Cassettari, M., 199P; Pathmanathan, K., 265P
John, G.
—; Pillai, C. K. S.: Synthesis and Characterization of a Self-Crosslinkable Polymer from Cardanol: Autooxidation of Poly(cardanyl Acrylate) to Crosslinked Film, 1069C
Johnson, C.
—; Wunder, S. L.: FT-Raman Investigation of the Thermal Curing of PMDA/ODA Polyamic Acids, 677P
Jones, A. A. See Bandis, A., 447P; Dong, Z. P., 1213P
Jones, K. W. See Ferrero, M. A., 2507C
Jones, P. J. V. See Clayden, N. J., 2835C
Jones, R. A.
—; Salmon, G. A.; Ward, I. M.: Radiation-Induced Crosslinking of Polyethylene in the Presence of Acetylene: A Gel Fraction, UV-Visible, and ESR Spectroscopy Study, 807P
Joseph, K. A.
—; Srinivasan, M.: Poly(thioetherketone)s and Sulphones: A Direct Polycondensation Method, 3485C
Joubert, F. See Grenier-Loustalot, M.-F., 2839C, 3049C
Jun, M.-J. See Cho, Y., 3397C
Jung, J.
—; Kim, H. D.; Ree, T.; Jhon, M. S.: The Conformational Effect of Form I Helical Poly(L-proline) and Form II Helical Poly(L-proline) to the Complex Formation with Helical Poly(L-glutamic acid) through Hydrogen Bonding, 3377C
Jung, J. C.
—; Park, S.-B.: Model Studies on the Structure of Poly(amide oxime)s and Their Cyclodehydration Reactions Leading to Poly(1,2,4-oxadiazole)s, 3351C

Kaiser, A. B. See Subramaniam, C. K., 1425P
Kaito, A.
—; Kyotani, M.; Nakayama, K.: Orientation Distribution of Liquid-Crystalline Polyester Sheets Studied by Polarized Infrared Spectroscopy, 1099P
Kakimoto, M.-A. See Liou, G.-S., 2499C, 3265C, 3273C; Nakata, S., 3425C; Oishi, Y., 293C, 933C, 1111C; Yamashita, M., 1513C
Kamachi, M. See Morishima, Y., 373C, 789C
Kameyama, A.
—; Yamamoto, Y.; Nishikubo, T.: Polyaddition of Bisoxetane with Diacyl Chlorides Using Quaternary Ammonium Salts: A Novel Synthesis of Polymers Carrying Pendant Chloromethyl Group, 1639C
Kameyama, A. See Nishikubo, T., 91C, 939C, 3013C

Kamigaito, M.
—; Sawamoto, M.; Higashimura, T.: Living Cationic Polymerization of Vinyl Ethers by Electrophile/Lewis Acid Initiating Systems. XII. Phosphoric and Phosphinic Acids/Zinc Chloride Initiating Systems for Isobutyl Vinyl Ether, 2987C
Kamigaito, O. See Kojima, Y., 983C, 1755C; Yano, K., 2493C
Kamitani, K. See Sanui, K., 597C
Kamiya, Y. See Naito, Y., 693P
Kampert, W. G. See Sauer, B. B., 1851P
Kanaoka, S.
—; Sueoka, M.; Sawamoto, M.; Higashimura, T.: Star-Shaped Polymers by Living Cationic Polymerization. VII. Amphiphilic Graft Polymers of Vinyl Ethers with Hydroxyl Groups: Synthesis and Host–Guest Interaction, 2513C
Kanazawa, A.
—; Ikeda, T.; Endo, T.: Antibacterial Activity of Polymeric Sulfonium Salts, 2873C
—; Ikeda, T.; Endo, T.: Novel Polycationic Biocides: Synthesis and Antibacterial Activity of Polymeric Phosphonium Salts, 335C
—; Ikeda, T.; Endo, T.: Polymeric Phosphonium Salts as a Novel Class of Cationic Biocides. II. Effects of Counter Anion and Molecular Weight on Antibacterial Activity of Polymeric Phosphonium Salts, 1441C
—; Ikeda, T.; Endo, T.: Polymeric Phosphonium Salts as a Novel Class of Cationic Biocides. III. Immobilization of Phosphonium Salts by Surface Photografting and Antibacterial Activity of the Surface-Treated Polymer Films, 1467C
—; Ikeda, T.; Endo, T.: Polymeric Phosphonium Salts as a Novel Class of Cationic Biocides. IV. Synthesis and Antibacterial Activity of Polymers with Phosphonium Salts in the Main Chain, 3031C
—; Ikeda, T.; Endo, T.: Polymeric Phosphonium Salts as a Novel Class of Cationic Biocides. V. Synthesis and Antibacterial Activity of Polyesters Releasing Phosphonium Biocides, 3003C
Kandakov, A. V.
—; Ginzburg, B. M.: Extension of Miyazawa's Equations to the Case of an Arbitrary Number of Junction Atoms in a Molecular Helix, 249P
Kaneshige, M. See Kimura, K., 2809C
Kang, C.-S. See Jin, J.-I., 259C
Kang, E. T. See Neoh, K. G., 395P
Kang, S. K.
—; Jhon, M. S.: The Conformational Stability of Tactic Poly(2-hydroxyethyl Methacrylate) in Aqueous Salt Solutions, 1243C
Kani, R. See Nakano, Y., 3361C
Kania, L. See Lambert, J. B., 1697C
Kanoe, T. See Yonezawa, N., 667C
Kao, S.-C. See Karol, F. J., 2541C
Kaputskii, F. N. See Gert, E. V., 567P
Karalis, T. See Chang, W. L., 493C
Karasz, F. E. See Janarthanan, V., 1013P; Schleeh, T., 1859C
Karcha, R. J.
—; Porter, R. S.: Miscible Blends of Modified Poly(aryl ether ketones) with Aromatic Polyimides, 821P
Karol, F. J.
—; Kao, S.-C.; Cann, K. J.: Comonomer Effects with High-Activity Titanium- and Vanadium-Based Catalysts for Ethylene Polymerization, 2541C
Kasperski, K. L. See Van Dyke, J. D., 1807C
Katayama, K.-I. See Masada, I., 843P
Kato, Y. See Sakaguchi, Y., 1029C
Katritzky, A. R.
—; Zhu, D.-W.; Schanze, K. S.: Synthesis of Substituted Poly(1-vinylpyrene)s and Investigation of Their Fluorescent Properties, 2187C
Kawabata, M. See Fouassier, J.-P., 2245C
Kawaguchi, A. See Masada, I., 843P
Kawase, N.
—; Kurata, H.; Kubono, K.; Isoda, S.; Kobayashi, T.: Study of Structure and Polymerization of Epitaxially Grown Thin Films by High-Resolution Electron Microscopy, 1713P
Kawashima, T. See Nishikubo, T., 1659C
Kawasumi, M. See Kojima, Y., 983C, 1755C
Kawata, M. See Nakata, S., 3425C
Kawatsuki, N.
—; Dörr, M.; Schmidt, H.-W.: Synthesis and Characterization of Aromatic Polyesters with Dicyanovinyl Substituents, 1013C
Kayser, D. See Clouet, G., 3387C
Keller, A. See Narh, K. A., 231P; Rastogi, S., 125P
Keller, U. See Giesa, R., 141C
Kennedy, A. P. See Babb, D. A., 3465C
Kennedy, J. P. See Lubnin, A. V., 2825C
Kennedy, M. A. See Mandelkern, L., 491P
Kesting, W.
—; Bahners, T.; Schollmeyer, E.: The Effect of Vacuum-Ultraviolet Laser Wavelengths on the Surface Treatment of Polyolefinic Polymers, 887P
Khan, M. N. I.
—; Fackler, J. P., Jr.; Chum, S. P.; Paquet, A.: Synthesis of a Stable, Foamable, Gold-Containing Organic Carboxylate Polymer, 2353C
Kharas, G. B.
—; Ajbani, H.: Radical Alternating Copolymerization of Vinyl Ethers, 2295C
Khoury, F. See Briber, R. M., 1253P
Khullar, M. See Kumar, D., 707C, 2739C
Kihara, N.
—; Endo, T.: Synthesis and Properties of Poly(hydroxyurethane)s, 2765C
Kihara, N. See Park, J., 1083C
Kim, H. D. See Jung, J., 3377C
Kim, H. K.
—; Matyjaszewski, K.: Degradation of Poly(methylphenylsilylene) and Poly(di-*n*-Hexylsilylene), 299C
Kim, J. See Pratt, L., 1759C
Kim, J. H. See Ahn, T. O., 435C
Kim, K. J.
—; Reynolds, N. M.; Hsu, S. L.: Spectroscopic Studies on the Effect of Field Strength upon the Curie Transition of a VDF/TrFE Copolymer, 1555P
Kim, M. G.
—; Amos, L. W.; Barnes, E. E.: Investigation of a Resorcinol-

Formaldehyde Resin by ^{13}C-NMR Spectroscopy and Intrinsic Viscosity Measurement, 1871C
Kim, S. C. See Ahn, S.-H., 1627P
Kim, S. H.
—; Pearce, E. M.; Kwei, T. K.: The Synthesis of a Precursor of Polybenzimidazole (PBI) and Blends with Polyamic Acid (PAA), 3167C
Kim, S. S.
—; Yavrouian, A. H.; Liang, R. H.: Segmental Mobility and Free-Volume Decay of Poly(phenyl methacrylate). An EPR Study, 495P
Kim, W. G.
—; Lee, J. Y.; Park, K. Y.: Curing Reaction of *o*-Cresol Novolac Epoxy Resin According to Hardener Change, 633C
Kim, Y. J. See Takagishi, T., 365C
Kim, Y.-K.
—; Rasmussen, P. G.: Synthesis and Physical Properties of *N*-Substituted Polyimides Based on Imidazole, 2583C
Kimura, K.
—; Kaneshige, M.; Tokuhisa, H.; Yokoyama, M.: Ionic-Conductivity Switching of Vinyl Malachite Green Leuconitrile Copolymers Based on Photoinduced Carrier Generation, 2809C
Kimura, T.
—; Azuma, J.-I.; Gray, D. G.: High-Resolution Solid-State ^{13}C NMR Study of Ethylcellulose Films, 671P
Kinoshita, H. See Shirai, M., 451C
Kirchheim, R.
Partial Molar Volume of Small Molecules in Glassy Polymers, 1373P
Kirkitelos, P. C. See Phillies, G. D. J., 1785P
Kita, H. See Tanaka, K., 1127P
Kitano, Y. See Sasanuma, Y., 1179P
Kitipichai, P.
—; La Peruta, R.; Korenowski, G. M.; Wnek, G. E.: In-Situ Poling and Synthesis of NLO Chromophore-Bearing Polyurethanes for Second Harmonic Generation, 1365C
Klop, E. A. See Lommerts, B. J., 1319P
Knani, D.
—; Gutman, A. L.; Kohn, D. H.: Enzymatic Polyesterification in Organic Media. Enzyme-Catalyzed Synthesis of Linear Polyesters. I. Condensation Polymerization of Linear Hydroxyesters. II. Ring-Opening Polymerization of ϵ-Caprolactone, 1221C
—; Kohn, D. H.: Enzymatic Polyesterification in Organic Media. II. Enzyme-Catalyzed Synthesis of Lateral-Substituted Aliphatic Polyesters and Copolyesters, 2887C
Ko, C.-C. See Kyu, T., 1641P
Kobatake, E. See Wang, L., 2855C
Kobatake, S. See Yamada, B., 1551C, 3433C
Kobayashi, A. See Higashi, F., 1301C
Kobayashi, S.
—; Uyama, H.; Lee, S. W.; Matsumoto, Y.: Preparation of Micron-Size Monodisperse Polymer Particles by Dispersion Copolymerization of Styrene with Poly(2-oxazoline) Macromonomer, 3133C
Kobayashi, S. See Uyama, H., 123C
Kobayashi, T. See Kawase, N., 1713P
Kochi, M. See Hasegawa, M., 1617P
Kodaira, T.
—; Okumura, M.; Urushisaki, M.; Isa, K.: Cyclopolymerization. XIX. Effect of *N*-Substituents on Cyclopolymerizability of *N*-Allylmethacrylamides, 169C
Kodama, K. See Yamashita, S., 2437C
Kohjiya, S. See Yamashita, S., 2437C
Kohn, D. H. See Knani, D., 1221C, 2887C
Koivumäki, J. See Seppälä, J. V., 3447C
Koizumi, T.
—; Nojima, Y.; Endo, T.: Radical Ring-Opening Polymerization of 2-Phenyl-3-vinyloxirane Derivatives Having a Methyl Group on the Vinyl Function, 3489C
Koizumi, T. See Hamazu, F., 1023C
Kojima, Y.
—; Usuki, A.; Kawasumi, M.; Okada, A.; Kurauchi, T.; Kamigaito, O.: One-Pot Synthesis of Nylon 6-Clay Hybrid, 1755C
—; Usuki, A.; Kawasumi, M.; Okada, A.; Kurauchi, T.; Kamigaito, O.: Synthesis of Nylon 6–Clay Hybrid by Montmorillonite Intercalated with ϵ-Caprolactam, 983C
Komarova, L. See Kricheldorf, H. R., 279C
Konas, M. See Liu, Q., 1709C
Konno, M. See Wang, Z.-Y., 461P
Kono, K. See Takagishi, T., 365C
Korenowski, G. M. See Kitipichai, P., 1365C
Koros, W. J. See Pessan, L. A., 1245P; Pinnau, I., 419P
Kothandaraman, H.
—; Thangavel, R.: Studies on Toluenediisocyanate Blocked by Benzophenone Oximes, 2653C
Kouzai, H.
—; Masuda, T.; Higashimura, T.: Chain Transfer Reaction in the Polymerization of Substituted Acetylenes. II. Chain Transfer Reaction to Trimethylvinylsilane in the Polymerization of Disubstituted Acetylenes by $MoCl_5$-*n*-Bu_4Sn, 1887C
Kowalski, D. J. See Fong, D. W., 1625C
Kratochvil, P.
—; Work, W. J.: International Union of Pure and Applied Chemistry, Macromolecular Chemistry Division (IV), Commission on Macromolecular Nomenclature (IV.1): List of Valid Recommendations on Macromolecular Nomenclature, 2881C
Kratochvíla, J. See Salajka, Z., 1493C
Krbecek, H.
—; Krüger, J. K.; Pietralla, M.: Poisson Ratios and Upper Bounds of Intrinsic Birefringence from Brillouin Scattering of Oriented Polymers, 1477P
Kressler, J. See Janarthanan, V., 1013P
Kricheldorf, H. R.
—; Bruhn, C.; Russanov, A.; Komarova, L.: LC-Polyimides. IX. Poly(ester-Imide)s of *N*-(4′-Carboxyphenyl)trimellitimide Containing Carborane 1,7-Dicarboxylic Acid, or Isophthalic Acid, 279C
—; Döring, V.; Schwarz, G.: New Polymer Syntheses. LXVI.

Copolyester of 4-Hydroxybenzoic Acid and 3-(4′-Hydroxyphenoxy)benzoic Acid or 4-(3′-Hydroxyphenoxy)benzoic Acid, 3021C
—; Meier-Haack, J.: New Polymer Syntheses. LXX. Synthesis of Multiblock Copolybiurets from Poly(ethylene-Glycol) and Silylated Diamines, 1327C
Krigbaum, W. R. See Takahashi, Y., 1135P
Krishnan, P.
—; Le, H.; Lee, S. H.; Gelerinter, E.: Further EPR Studies of Molecular Motions in Polymer/Plasticizer Mixtures, 1885P
Kříž, J.
—; Puffr, R.: NMR Study of the Propagation Center in Cationic Polymerization of N-Benzoyl-8-Octanelactam. I. The Structure of Model Living Oligomers, 1705P
—; Puffr, R.: NMR Study of the Structure of Poly (N-benzoyl-8-Octanelactam), 789P
Krüger, J. K.
—; Prechtl, M.; Wittmann, J. C.; Meyer, S.; Legrand, J. F.; D'Asseza, G.: Structure and Properties of Semicrystalline Polymers via High-Frequency Acoustic and X-Ray Measurements. I. Ferroelectric P(VDF/TrFE) Copolymer, 505P
Krüger, J. K. See Krbecek, H., 1477P
Kruglova, V. See Annenkov, V. V., 1903C
Kubono, K. See Kawase, N., 1713P
Kubota, H.
—; Nambu, Y.; Endo, T.: Convenient and Quantitative Esterification of Poly(γ-glutamic acid) Produced by Microorganism, 2877C
Kubota, H. See Tsubokawa, N., 3193C
Kukharskii, YU. M. See Bondar, V. I., 1273P
Kulagina, T. P.
—; Litvinov, V. M.; Summanen, K. T.: NMR Free Induction Decay in Crosslinked Polydimethylsiloxane Networks. Theoretical Analysis, 241P
Kumar, A. See Yates, B. W., 1837P
Kumar, D.
—; Gupta, A. D.; Khullar, M.: Fire- and Heat-Resistant Matrix Resins Based on Ethynyl-Substituted Aromatic Cyclotriphosphazenes, 707C
—; Gupta, A. D.; Khullar, M.: Heat-Resistant Thermosetting Polymers Based on a Novel Tetrakis-aminophenoxycyclotriphosphazene, 2739C
—; Razdan, U.; Gupta, A. D.: Heat-Resistant Polymers from Melt-Processable Bisimido-Bisphthalonitriles, 797C
—; Razdan, U.; Gupta, A. D.: Thermally Polymerizable Bisaryloxy-bisimido-bisphthalonitriles Containing Dimethylsilane, Hexafluoroisopropylidene, Ether, and Keto Groups: Synthesis, Characterization, and NMR Study, 2319C
Kumar, J. See Takahashi, T., 165P
Kumar, S. See Venkatasubramanian, N., 1965P
Kumazawa, H.
—; Wang, J.-S.; Sada, E.: Gas Transport through Homogeneous and Asymmetric Polyethersulfone Membranes, 881P
Kunugi, T.
—; Suzuki, A.; Chida, K.: Increase in Dynamic Modulus of Nylon 6 Fiber in Repeated Heating and Cooling Cycles under Sinusoidal Deformation, 803P
Kuo, J.-F. See Chien, G.-P. C., 2423C; Hsu, W.-C., 267C, 3213C; Wu, C.-J., 3405C
Kuo, P.-L.
—; Chen, C.-J.: Functional Polymers for Colloidal Applications. V. Novel Behavior of Polymeric Emulsifiers in Emulsion Polymerization, 99C
Kurata, H. See Kawase, N., 1713P
Kurauchi, T. See Kojima, Y., 983C, 1755C
Kurauchi, T. See Yano, K., 2493C
Kurihara, A. See Enomoto, S., 77P
Kurita, K.
—; Tomita, K.; Ishii, S.; Nishimura, S.-I.; Shimoda, K.: β-Chitin as a Convenient Starting Material for Acetolysis for Efficient Preparation of *N*-Acetylchitooligosaccharides, 2393C
—; Tomita, K.; Tada, T.; Ishii, S.; Nishimura, S.-I.; Shimoda, K.: Squid Chitin as a Potential Alternative Chitin Source: Deacetylation Behavior and Characteristic Properties, 485C
Kusakabe, M. See Iwahara, T., 2617C
Küsefoğlu, S. H. See Avci, D., 2941C
Kuwahara, K. See Ishizu, K., 661C
Kwei, T. K.
Review of *Introduction to Physical Polymer Science*, 1097C
Review of *Relaxation Phenomona in Polymers*, 1643C
Kwei, T. K. See Hu, M., 553C; Kim, S. H., 3167C
Kyotani, M. See Kaito, A., 1099P
Kyu, T.
—; Ko, C.-C.; Lim, D.-S.; Smith, S. D.; Noda, I.: Miscibility Studies on Blends of Polycarbonate with Syndiotactic Polymethyl Methacrylate, 1641P

La Mantia, F. P.
—; Valenza, A.; Città, V.; Pedretti, U.; Roggero, A.: Melt Spinning and Mechanical Properties of Semirigid Liquid-Crystal Copolyesters, 933P
La Peruta, R. See Kitipichai, P., 1365C
Lacabanne, C. See Teyssedre, G., 2027P
Lacaze, E.
—; Uvdal, K.; Bodö, P.; Garbarz, J.; Salaneck, W. R.; Schott, M.: Scanning Tunneling Microscopy of Single Polyalkylthiophene Molecules Adsorbed on Graphite, 111P
Lacoste, J.
—; Vaillant, D.; Carlsson, D. J.: Gamma-, Photo-, and Thermally-Initiated Oxidation of Isotactic Polypropylene, 715C
Lafrance, C.-P.
—; Debigaré, J.; Prud'Homme, R. E.: Study of Crystalline Orientation in Drawn Ultra-High-Molecular Weight Polyethylene Films, 255P
Lai, W.-W. See Li, C.-H., 27C

Lambert, J. B.
—; Kania, L.; Schulz, W. J., Jr.: Redistribution of Cyclosiloxanes to Favor Formation of Decamethylcyclopentasiloxane, 1697C
Langer, R. See Göpferich, A., 2445C
Langford, S. C. See Dickinson, J. T., 1441P; Zimmerman, K. A., 1229P
Langsam, M.
—; Burgoyne, W. F.: Effects of Diamine Monomer Structure on the Gas Permeability of Polyimides. I. Bridged Diamines, 909C
Langsam, M. See Meier, I. K., 83C
Lanzetta, N.
—; Malinconico, M.; Martuscelli, E.; Volpe, M. G.: A New Class of Aromatic Polyetheraroylhydrazides. I. Synthesis and Chemical-Physical Characterization, 1315C
—; Malinconico, M.; Martuscelli, E.; Volpe, M. G.: Erratum: A New Class of Aromatic Polyetheraroylhydrazides. I. Synthesis and Chemical-Physical Characterization, 2415C
Lau, A. N. K.
—; Moore, S. S.; Vo, L. P.: Thermal Crosslinking of Polyimides and Polysulfone Using 3,3-Dimethyl-1-phenyltriazene Compounds, 1093C
Lau, W. W. Y.
—; Lee, C. S.; Lee, S. Y.; Goh, S. H.: Polymerization Behavior of 1,2,2,6,6-Pentamethyl-4-piperidinyl *m*-Isopropenyl-α,α-dimethylbenzyl Carbamate, 1499C
Lautens, M.
—; Abd-El-Aziz, A. S.; Crudden, C. M.: Synthesis and Characterization of the Ring-Opened Copolymers of Deltacyclene, 5-Siloxydeltacyclene, and Norbornene, 569C
Lavrenko, P. N.
—; Okatova, O. V.: Thermal Flexibility of Aromatic Polyamide Chains in Solution from Viscometric Analysis, 633P
Lawson, D. R. See Feldheim, D. L., 953P
Le, H. See Krishnan, P., 1885P
Le Xuan, H.
—; Decker, C.: Photocrosslinking of Acrylated Natural Rubber, 769C
Lee, C. S. See Lau, W. W. Y., 1499C
Lee, C. Y.-C. See Dotrong, M., 723C; Wang, C. S., 1799P
Lee, D. S. See Ahn, S.-H., 1627P
Lee, H. B. See Yuk, S. H., 487P
Lee, H. S. See Okamoto, Y., 2573C
Lee, J. C. See Ahn, T. O., 435C
Lee, J. Y. See Kim, W. G., 633C
Lee, K.-W. See Lim, B. S., 545P
Lee, S. H. See Krishnan, P., 1885P
Lee, S. W. See Kobayashi, S., 3133C
Lee, S. Y. See Lau, W. W. Y., 1499C
Lee, S.-H. See Hasch, B. M., 429P
Lee, Y. See Storey, R. F., 35C
Lee, Y.-D. See Chang, K.-Y., 2775C
Lee, Y.-N. See Higashi, F., 1331C, 1453C
Legrand, J. F. See Krüger, J. K., 505P
Legras, R. See Marechal, Ph., 2057C
Lenz, R. W. See Bhowmik, P. K., 2115C; Garay, R. O., 1001C; Rao, A. K., 283C; Torres-Filho, A., 959P
Léonard, J.
Lattice Treatment of Thermodynamic Properties of Ring and Linear Polymer Mixtures, 1495P
Leszczyńska, I. See Szczepaniak, B., 3223C
Leung, L. M.
—; Chan, W. H.; Leung, S. K.: One-Step Polymerization of Polythrithiocarbonate Using Phase-Transfer Catalyst, 1799C
Leung, S. K. See Leung, L. M., 1799C
Li, B.-G.
—; Brooks, B. W.: Prediction of the Average Number of Radicals per Particle for Emulsion Polymerization, 2397C
Li, C.-H.
—; Cheng, H.-P.; Chang, T.-C.; Chu, T.-Y.: Studies on the Thermotropic Liquid-Crystalline Polymer. IX. Synthesis and Properties of Crosslinkable Copoly(amide-Ester)s Containing Conjugated Double Bonds, 1125C
—; Hsu, K.-Y.; Chang, T.-C.: Studies on the Thermotropic Liquid-Crystalline Polymer. VIII. Synthesis and Properties of Fully Aromatic Poly(ester)s and Poly(amide-Ester)s Containing *p*-Phenylene Diacrylic Group, 1119C
—; Lai, W.-W.; Hsu, K. Y.; Chang, T.-C.: Studies on the Thermotropic Liquid Crystalline Polymer. VII. Synthesis and Properties of Photocrosslinkable Poly(ether-Ester) Containing Cinnamic Group, 27C
Li, C.-H. See Chang, T.-C., 1423C; Hsu, K.-Y., 971C
Li, K.
—; Stöver, H. D. H.: Highly Crosslinked Micron-Range Polymer Microspheres by Dispersion Polymerization of Divinylbenzene, 2473C
—; Stöver, H. D. H.: Synthesis of Monodisperse Poly(divinylbenzene) Microspheres, 3257C
Li, S.-B. See Liu, F.-T., 3245C
Li, W.
—; Prud'Homme, R. E.: A Study of Phase Separation of Crystalline and Miscible Polymer Blends. Poly(ϵ-caprolactone)/Poly(styrene-co-Acrylonitrile), 719P
Li, X. S.
—; Boyce, M. C.: On the Measurement of Structural Relaxation in Polymers Using Positron Annihilation Lifetime Spectroscopy, 869P
Li, X. S. See Hasan, O. A., 185P
Li, Y.
—; Liu, J.; Yang, H.; Ma, D.; Chu, B.: Multiphase Structure of Segmented Polyurethanes: Its Relation with Spherulite Structure, 853P
Liang, G. L.
—; Noid, D. W.; Sumpter, B. G.; Wunderlich, B.: Molecular Dynamics Simulations of the Hexagonal Structure of Crystals with Long Methylene Sequences, 1909P
Liang, L.
—; Ying, S.: Charge-Mosaic Membrane from Gamma-Irradiated Poly(styrene-butadiene-4-Vinylpyridine) Triblock Copolymer, 1075P
Liang, R. H. See Kim, S. S., 495P
Liao, C. X. See Wang, L., 1789C

Liaw, D.-J.
Copolymerization of Carbon Monoxide with 1,3-Cyclopentadiene by Palladium Complexes, 309C
Liaw, D.-J.
—; Lin, C.-L.: Effect of Lewis Acid on the Polymerization of *tert*-Butylacetylene Initiated by the New Tungsten Carbene Complex: Geometric Structure Control with High Cis Content, 3151C
Lim, B. S.
—; Nowick, A. S.; Lee, K.-W.; Viehbeck, A.: Sorption of Water and Organic Solutes in Polyimide Films and Its Effects on Dielectric Properties, 545P
Lim, D.-S. See Kyu, T., 1641P
Lim, J.-C.
—; Suzuki, M.; Saegusa, T.: Novel Polyaddition Catalyzed by Transition Metals. II. Synthesis of Polysulfones Using Polyaddition of Arenedisulfonyl Chlorides to Diethynyl Compounds Catalyzed by Cuprous Chloride, 3093C
Lin, C.-L. See Liaw, D.-J., 3151C
Lin, J.-H. See Yang, C.-P., 2153C, 2995C
Lin, L.-T. W.
—; Bromps, W.; Ching, T. Y.: Polymerization of 7-Phenyl-2,6-dimethylquionone Methide and Its Derivatives, 3239C
Lin, M.-S.
—; Jeng, K.-T.; Huang, K.-Y.; Shih, Y.-F.: Optically Clear Simultaneous Interpenetrating Polymer Networks Based on Poly(ethylene glycol) Diacrylate and Epoxy. II. Kinetic Study, 3317C
—; Yeh, C.-C.: Synthesis, Characterization, and Kinetic Study of Compatible SIN's Based on Diallyl Phthalate and Epoxy Resin, 2093C
Lin, S. See Diao, J., 2287C
Lindsay, G. A. See Stenger-Smith, J. D., 2899C
Lindt, J. T. See Hu, G. H., 691C
Liou, G.-S.
—; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Aromatic Polyamides from 2,2′-Bis(*p*-carboxyphenoxy)biphenyl or 2,2′-Bis(*p*-carboxyphenoxy)-1,1′-binaphthyl and Aromatic Diamines, 3265C
—; Maruyama, M.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Aromatic Polyamides from 2,2′-Bis(*p*-aminophenoxy)biphenyl or 2,2′-Bis(*p*-aminophenoxy)-1,1′-Binaphthyl and Aromatic Dicarboxylic Acids, 2499C
—; Maruyama, M.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Aromatic Polyimides from 2,2′-Bis(*p*-aminophenoxy)biphenyl or 2,2′-Bis(*p*-aminophenoxy)-1,1′-binaphthyl and Aromatic Tetracarboxylic Dianhydrides, 3273C
Litmanovich, A. D. See Ermakov, I. V., 395C
Litt, M. H.
—; Whang, W.-T.; Yen, K.-T.; Qian, X.-J.: Crosslinked Liquid Crystal Polymers from Liquid Crystal Monomers: Synthesis and Mechanical Properties, 183C
Litvinov, V. M. See Kulagina, T. P., 241P
Liu, F.-T.
—; Yu, X.-D.; Li, S.-B.: Structural Characterization of Ethyl Cellulose and Its Use for Preparing Polymers with Viologen Moieties, 3245C
Liu, J.
—; Rybnikar, F.; East, A. J.; Geil, P. H.: Poly(4,4′-Oxybibenzoate): Polymerization, Morphology, Transitions, and Crystal Structures, 1923P
Liu, J. See Jang, M., 3155C; Li, Y., 853P
Liu, M.
—; Cheng, R.; Wu, J.; Ma, C.: Graft Copolymerization of Methyl Acrylate onto Potato Starch Initiated by Ceric Ammonium Nitrate, 3181C
Liu, Q.
—; Konas, M.; Davis, R. M.; Riffle, J. S.: Preparation and Properties of Poly(alkyl vinyl ether-2-ethyl-2-oxazoline) Diblock Copolymers, 1709C
Liu, Q.-G. See Zhang, S.-S., 2313C
Liu, T. M.
—; Xie, H. Q.; O'Callaghan, K. J.; Rudin, A.; Baker, W. E.: Structure-Property Relationships in a Reactively Coupled Ductile Matrix/Brittle Dispersed Phase Blend, 1347P
Liu, X. See Seppälä, J. V., 3447C
Liu, Y. See Stern, S. A., 939P
Liu, Y.-L. See Hsiue, G.-H., 3371C
Lodge, T. P. See Won, J., 1897P
Lommerts, B. J.
—; Klop, E. A.; Aerts, J.: Structure and Melting of Perfectly Alternating Ethylene-Carbon Monoxide Copolymers, 1319P
Lotz, B. See Fillon, B., 1383P, 1395P, 1407P
Lovinger, A. J.
—; Han, B. J.; Padden, F. J., Jr.; Mirau, P. A.: Morphology and Properties of Polycaprolactone-Poly(dimethyl siloxane)-Polycaprolactone Triblock Copolymers, 115P
Lozano, A. E.
—; De Abajo, J.; De La Campa, J. G.: Polyisophthalamides with Benzoyl Pendent Groups: Synthesis, Characterization, and Evaluation of Properties, 1203C
—; De La Campa, J. G.; De Abajo, J.; Preston, J.: Polyisophthalamides with Phenylsulfonyl Pendent Groups, 1383C
Lu, X.
—; McGhie, A.; Brown, N.: The Dependence of Slow Crack Growth in a Linear Polyethylene on Test Temperature and Morphology, 767P
Lubnin, A. V.
—; Kennedy, J. P.: Living Carbocationic Polymerization of Isobutyl Vinyl Ether and the Synthesis of Poly[isobutylene-b-(isobutyl vinyl ether)], 2825C
Lucas, M.
—; Brock, P.; Hedrick, J. L.: Poly(aryl ether amide)s, 2179C
Lyman, D. J. See Wang, T.-L. D., 1983C

Ma, C. See Liu, M., 3181C
Ma, D. See Li, Y., 853P
MacDonald, W. A. See James, S. G., 221P
Macknight, W. J. See Janarthanan, V., 1013P
Macqueen, R. C.
—; Granata, R. D.: Positron

Annihilation Spectroscopy Study of Moisture Absorption in Protective Epoxy Coatings, 971P
Mahoney, D.
—; Von Meerwall, E.: Molecular Mobility in Rubbery Composites: Effect of Filler Particle Size, 1029P
Makarova, L. See Zhou, P., 2481C
Makovetskii, K. L. See Bondar, V. I., 1273P
Malinconico, M. See Lanzetta, N., 1315C, 2415C
Mallagh, L. See James, S. G., 221P
Malliaris, A. See Tsiourvas, D., 387C
Mallon, J. J.
—; Adams, P. M.: Synthesis and Characterization of Novel Epoxy Monomers and Liquid Crystal Thermosets, 2249C
Malmström, E. See Johansson, M., 619C
Malone, K. G. See Thames, S. F., 177C, 521C
Mandal, B. K. See Takahashi, T., 165P
Mandelkern, L.
—; Smith, F. L.; Failla, M.; Kennedy, M. A.; Peacock, A. J.: The Brittle-Ductile Transition in Linear Polyethylene, 491P
Mandelkern, L. See Prasad, A., 1819P
Maniar, M. See Domb, A. J., 1275C
Mansour, O. A. See El-Hamouly, S. H., 1335C
Marand, H. See Prasad, A., 1819P
Marcott, C. See Gregoriou, V. G., 1769P
Maréchal, E. See Jamois, D., 1923C, 1941C, 1959C
Marechal, Ph.
—; Legras, R.; Dekoninck, J. M.: Postcondensation and Oxidation Processes in Molten Polyamide 6, 2057C
Marin, R. A. See Gallazzi, M. C., 3339C
Mark, J. E. See Hsu, Y.-H., 481P
Marques, M. M. V.
—; Nunes, C. P.; Tait, P. J. T.; Dias, A. R.: Polymerization of Ethylene Using a High-Activity Ziegler-Natta Catalyst. I. Kinetic Studies, 209C
—; Nunes, C. P.; Tait, P. J. T.; Dias, A. R.: Polymerization of Ethylene Using a High-Activity Ziegler-Natta Catalyst. II. Molecular Weight Regulation, 219C
Marshall, K. L. See Twomey, C. J., 647P
Martin, C. R. See Feldheim, D. L., 953P
Martuscelli, E.
—; Musto, P.; Ragosta, G.; Scarinzi, G.; Bertotti, E.: Reactive Rubbers as Toughening Agents for Thermoset Polyester Resins. Molecular Analysis by FTIR and Fracture Behavior of the Resulting Blends, 619P
Martuscelli, E. See Lanzetta, N., 1315C, 2415C
Marumo, K. See Akashi, M., 1153C
Maruyama, M. See Liou, G.-S., 2499C, 3273C
Masada, I.
—; Okihara, T.; Murakami, S.; Ohara, M.; Kawaguchi, A.; Katayama, K.-I.: A Bimodal Structure of Solution-Grown Isotactic Polypropylene with Orthogonally Crossed Lamellae, 843P
Mascia, L.
—; Moggi, A.: Coionomeric Mixtures of Polyhydroxyethers and Ethylene Methacrylic Acid Copolymers. I. Effects of Cation Concentration and ABA Oligomeric Miscibilisers on Morphology and Properties, 1299P
—; Moggi, A.: Coionomeric Mixtures of Polyhydroxyethers and Ethylene Methacrylic Acid Copolymers. II. Compatibilizers for Blends of Polybutylene Terephthalate and Ethylene Butyl Acrylate Copolymers, 1309P
Masola, M. J. See Abbey, K. J., 3417C
Masuda, S.
—; Minagawa, K.; Tanaka, M.; Asahi, Y.: Polymerizable Tautomers. VIII. Radical Copolymerization of Ethyl 3-Oxo-4-Pentenoate and Ethyl 4-Methyl-3-Oxo-4-Pentenoate with 4-Vinyl Pyridine, 1323C
Masuda, T. See Kouzai, H., 1887C; Mizumoto, T., 2555C; Tsuchihara, K., 547C
Masuko, T. See Ueda, M., 853C
Mateo, J. L.
—; Bosch, P.; Catalina, F.; Sastre, R.: Photochemical Behavior of *p*-Dimethylaminobenzoylated Polystyrene as Polymerization Photoinitiator: Synthesis of Graft Copolymers, 153C
Matsuda, T. See Moghaddam, M. J., 1589C; Nakayama, Y., 977C, 3299C
Matsuda, Y. See Tsutsumi, H., 2883C
Matsumoto, A.
—; Mizuta, K.; Otsu, T.: Synthesis and Thermal Properties of Poly(cycloalkyl methacrylate)s Bearing Bridged- and Fused-Ring Structures, 2531C
—; Umehara, S.; Watanabe, H.; Otsu, T.: Poly(*N*-*n*-butylitaconimide). Preparation and Characterization, 527P
Matsumoto, A. See Otsu, T., 885C, 2523C
Matsumoto, M. See Ichino, T., 589C, 1701C
Matsumoto, Y. See Kobayashi, S., 3133C
Matsunaga, A. See Arai, K., 249C
Matsuo, S.
—; Murakami, T.; Takasawa, R.: Synthesis and Properties of New Crystalline Poly(Arylene Ether Nitriles), 3439C
Matsuura, M. See Hashimoto, K., 3141C
Mattice, W. L. See Dodge, R. W., 207P; Mendicuti, F., 213P
Matyjaszewski, K.
Criteria for Living Systems with a Special Emphasis on Living Cationic Polymerization of Alkenes, 995C
Matyjaszewski, K. See Kim, H. K., 299C
Maxwell, I. A. See Morrison, B. R., 467C
Maya, L.
Paracyanogen Reexamined, 2595C
McCormick, C. L.
—; Salazar, L. C.: Water-Soluble Copolymers. XLII. Cationic Polyelectrolytes of Acrylamide and 2-Acrylamido-2-methylpropanetrimethylammonium Chloride, 1099C
McFaddin, D. C.
—; Russell, K. E.; Wu, G.; Heyding, R. D.: Characterization of Polyethylenes by X-Ray Diffraction and ^{13}C-NMR:

Temperature Studies and the Nature of the Amorphous Halo, 175P
McGhie, A. See Lu, X., 767P
McGill, W. J. See Grobler, J. H. A., 575P
McHugh, M. A. See Hasch, B. M., 429P
McNamee, S. G. See Galli, G., 773P
Meador, M. A. See Ahn, M. K., 831P
Meath, W. J. See Yates, B. W., 1837P
Mehl, N. A.
—; Rebenfeld, L.: Computer Simulation of Crystallization Kinetics and Morphology in Fiber-Reinforced Thermoplastic Composites. I. Two-Dimensional Case, 1677P
—; Rebenfeld, L.: Computer Simulation of Crystallization Kinetics and Morphology in Fiber-Reinforced Thermoplastic Composites. II. Three-Dimensional Case, 1687P
Mehta, R. See Dotrong, M., 723C
Mei, W.-P. See Chiang, W.-Y., 1195C
Meier, I. K.
—; Langsam, M.: Photochemically Induced Oxidative Surface Modification of Polyimide Films, 83C
Meier-Haack, J. See Kricheldorf, H. R., 1327C
Meilchen, M. A. See Hasch, B. M., 429P
Mejsner, J. See Szczepaniak, B., 3223C
Melc'uk, A. See Bandis, A., 447P
Mendicuti, F.
—; Saiz, E.; Mattice, W. L.: The Ratio of Excimer to Monomer Emission in Diesters of 1-Pyrenoic Acid and Five Glycols, 213P
Mercx, F. P. M. See Damman, S. B., 1759P
Mertes, J. See Stutz, H., 1879C, 2031C
Messiha, N. N. See Tawfik, S. Y., 427C
Meyer, S. See Krüger, J. K., 505P
Mijovic, J.
Review of *Physics of Plastics*, 2668C
Mikroyannidis, J. A.
Heat-Resistant Resins Obtained from Polymer Precursors Bearing β,β'-Dicyanovinyl Terminal Groups, 1771C
Mikroyannidis, J. A. See Diakoumakos, C. D., 2333C
Miles, I. S. See James, S. G., 221P
Miller, P. See Takahashi, T., 165P
Millich, F.
—; Eick, J. D.; Chen, G. P.; Byerley, T. J.; Hellmuth, E. W.: Determination of Density Changes with Expansion Polymerization, 729P
—; Eick, J. D.; Jeang, L.; Byerley, T. J.: Design of Monomers for Nonshrinking Polymerizations, and Synthesis of Some N,S-Analogs of Spiroorthocarbonates, 1667C
Minagawa, K. See Masuda, S., 1323C
Minchenkova, N. Kh. See Sabirov, Z. M., 2419C
Minoda, M.
—; Sawamoto, M.; Higashimura, T.: Sequence-Regulated Oligomers and Polymers by Living Cationic Polymerization. III. Synthesis and Reactions of Sequence-Regulated Oligomers with a Polymerizable Group, 2789C
Minoura, N. See Taguchi, K., 339P
Mirau, P. A. See Lovinger, A. J., 115P
Mita, I. See Hasegawa, M., 1617P; Hashimoto, H., 1187P; Jin, Q., 2345C
Mitsuishi, M. See Ishiwatari, T., 1293P
Mitsuoka, T. See Torikai, A., 2785C
Mizumoto, T.
—; Masuda, T.; Higashimura, T.: Polymerization of [*o*-(Trimethylgermyl)phenyl]-acetylene and Polymer Characterization, 2555C
Mizuno, W. See Okada, M., 1135C
Mizuta, K. See Matsumoto, A., 2531C
Moggi, A. See Mascia, L., 1299P, 1309P
Moghaddam, M. J.
—; Matsuda, T.: Molecular Design of Three-Dimensional Artificial Extracellular Matrix: Photosensitive Polymers Containing Cell Adhesive Peptide, 1589C
Moghazy, S. See Hardaker, S. S., 1951P
Mohanty, D. K. See Aitken, C. L., 983P
Monakov, Y. B. See Sabirov, Z. M., 2419C
Montaudo, G.
—; Puglisi, C.; Samperi, F.: Chemical Reactions Occurring in the Thermal Treatment of Polymer Blends Investigated by Direct Pyrolysis Mass Spectrometry: Polycarbonate/Polybuthyleneterephthalate, 13C
Moore, S. S. See Lau, A. N. K., 1093C
Mopsik, F. I.
Radiation-Induced Dielectric Loss in Hydrocarbon Polymers, 1989P
Morawetz, H.
Review of *Polyelectrolytes, Science and Technology*, 2413C
Morimoto, K. See Takagishi, T., 365C
Morishima, Y.
—; Higuchi, Y.; Kamachi, M.: Effect of Counterion Condensation on the Acid-Base Equilibrium of a pH-Sensitive Merocyanine Dye Covalently Attached to Polyelectrolytes, 373C
—; Tominaga, Y.; Nomura, S.; Kamachi, M.: Syntheses and Some Fluorescence Properties of Poly(2-Methacrylamido-3-Arylpropionic Acid), 789C
Morrison, B. R.
—; Maxwell, I. A.; Napper, D. H.; Gilbert, R. G.; Ammerdorffer, J. L.; German, A. L.: Characterization of Water-Soluble Oligomers Formed during the Emulsion Polymerization of Styrene by Means of Isotachophoresis, 467C
Mortensen, K. See Samseth, J., 467P
Moser, P. See Nicolau, Y. F., 1529P
Motomi, K. See Oikawa, E., 457C
Mou, C. W. See Dong, Z. P., 1213P
Mougin, N.
—; Rempp, P.; Gnanou, Y.: Synthesis and Characterization of Polysiloxane-Polyamide Block and Graft Copolymers, 1253C
Moulton, J. See Ihn, K. J., 735P
Moussa, K.
—; Decker, C.: Light-Induced Polymerization of New Highly Reactive Acrylic Monomers, 2197C
—; Decker, C.: Semi-

Interpenetrating Polymer Networks Synthesis by Photocrosslinking of Acrylic Monomers in a Polymer Matrix, 2633C
Muñoz, M. E. See Izu, P., 347P
Murai, S. See Nakano, Y., 3361C
Murakami, S. See Masada, I., 843P
Murakami, T. See Matsuo, S., 3439C
Murthy, S. S. N.
Liquid–Liquid Transition in Polymers and Glass-Forming Liquids, 475P
Mustafa, S. A. See Pratap, G., 2387C
Musto, P. See Martuscelli, E., 619P
Mutter, R.
—; Stille, W.; Strobl, G.: Transition Regions and Surface Melting in Partially Crystalline Polyethylene: A Raman Spectroscopic Study, 99P

Nadler, M. P. See Stenger-Smith, J. D., 2899C
Nagai, A. See Nishimura, S., 135C
Naito, Y.
—; Bourbon, D.; Terada, K.; Kamiya, Y.: Permeation of High-Pressure Gases in Poly(ethylene-co-vinyl Acetate), 693P
Nakahara, H. See Inoue, K., 61C
Nakajima, K. See Higashi, F., 2929C
Nakamoto, Y. See Yamagishi, T., 675C
Nakamura, K. See Yoshida, E., 1505C
Nakamura, Y. See Arai, K., 249C
Nakano, T. See Ren, C., 2721C
Nakano, Y.
—; Murai, S.; Kani, R.; Hayase, S.: Synthesis of Novel Polysilylenes Bearing Phenol Groups Directly Bonded to Si—Si Main Chains for Preparing Langmuir–Blodgett Thin Films, 3361C
Nakata, S.
—; Kawata, M.; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of New Block Copolymers Based on Polydimethylsiloxane and Tetraphenylethylene-Containing Polyimide, 3425C
Nakata, S. See Oishi, Y., 933C, 1111C
Nakayama, K. See Kaito, A., 1099P
Nakayama, Y.
—; Matsuda, T.: Novel Surface Fixation Technology of Hydrogel Based on Photochemical Method: Heparin-Immobilized Hydrogelated Surface, 977C
—; Matsuda, T.: Surface Fixation of Poly(ethylene glycol) via Photodimerization of Cinnamate Group, 3299C
Nambu, Y. See Kubota, H., 2877C
Napper, D. H. See Morrison, B. R., 467C
Narh, K. A.
—; Keller, A.: Precipitation Effects in Polyelectrolytes on Addition of Salts, 231P
Narita, T. See Nishimura, S., 135C
Näsman, J. H. See Sundell, M. J., 2305C
Neckers, D. C. See Paczkowski, J., 841C
Neogi, P.
A Hole-Filling Theory of Anomalous Diffusion in Glassy Polymers. Effects of Microvoids, 699P
Neoh, K. G.
—; Kang, E. T.; Tan, K. L.: Protonation of Leucoemeraldine in the Solid State and in Solution, 395P
Neubecker, K. See Stutz, H., 1879C
Neuenfeld, S. See Timpe, H.-J., 1347C
Newkome, G. R.
—; Baker, G. R.; Young, J. K.; Traynham, J. G.: A Systematic Nomenclature for Cascade Polymers, 641C
Newman, M. See Rastogi, S., 125P
Nho, Y. C.
—; Garnett, J. L.; Dworjanyn, P. A.: Acid Enhancement Effects in the Radiation Grafting of Styrene to Polypropylene in the Presence of Cationic Salts, 1621C
Nicolau, Y. F.
—; Moser, P.: Study of Free Volume and Crystallinity in Polybithiophene and Poly(3-methylthiophene), 1529P
Nishi, S. See Ichino, T., 1701C
Nishikubo, T.
—; Kameyama, A.; Sasano, M.; Sawada, M.-A.: Photochemical Addition Reaction of a Polymer-Bearing Pendant Vinyl Ether with Various Thiol Compounds, 91C
—; Kameyama, A.; Yamashita, J.; Tomoi, M.; Fukuda, W.: Insoluble Polystyrene-Bound Quaternary Onium Salt Catalysts for the Synthesis of Cyclic Carbonates by the Reaction of Oxiranes with Carbon Dioxide, 939C
—; Kawashima, T.; Watanabe, S.: Synthesis of Polymers Bearing Pendant Norbornadiene Moieties by Addition Reaction of Poly(glycidyl Methacrylate-co-Methyl methacrylate)s with 2,5-Norbornadiene-2-Carboxylic Acids, 1659C
—; Takehara, E.; Kameyama, A.: Photogeneration of Polyfunctional Amines and Novel Thermal Curing Reactions of Epoxy Resin and Polyurethane Oligomer Using These Amines, 3013C
Nishikubo, T. See Ilzawa, T., 443C; Kameyama, A., 1639C
Nishimura, S.
—; Nagai, A.; Takahashi, A.; Narita, T.: Anionic Copolymerization of 2,3,4,5,6-Pentafluorostyrene and Divinylbenzene, 135C
Nishimura, S.-I. See Kurita, K., 485C, 2393C
Nishiyama, K. See Ilzawa, T., 443C
Nissan, R. A. See Stenger-Smith, J. D., 2899C
Noda, I. See Gregoriou, V. G., 1769P; Kyu, T., 1641P
Noid, D. W. See Liang, G. L., 1909P
Nojima, Y. See Koizumi, T., 3489C
Nomura, M.
—; Ikoma, J.; Fujita, K.: Kinetics and Mechanisms of Emulsion Polymerization Initiated by Oil-Soluble Initiators. IV. Kinetic Modeling of Unseeded Emulsion Polymerization of Styrene Initiated by 2,2′-Azobisisobutyronitrile, 2103C
Nomura, S. See Morishima, Y., 789C
Nouiri, M. See Ameduri, B., 2069C
Nowick, A. S. See Lim, B. S., 545P
Nozaki, T. See Chien, J. C. W., 227C

Nunes, C. P. See Marques, M. M. V., 209C, 219C

Ober, C. K. See Galli, G., 773P
O'Callaghan, K. J. See Liu, T. M., 1347P
O'Connell, E. M. See Okamoto, D. T., 1163P
Odell, J. A.
—; Ungar, G.; Feijoo, J. L.: A Rheological, Optical, and X-Ray Study of the Relaxation of Orientation of Nematic PBZT, 141P
O'Donnell, J. H. See Hill, D. J. T., 2951C
Ogata, N. See Sanui, K., 597C
Oguri, F. See Oh, S.-Y., 781C
Oh, S.-Y.
—; Ezaki, R.; Akagi, K.; Shirakawa, H.: Polymerization of Mono-Substituted Acetylenes with a Liquid Crystalline Moiety by Ziegler–Natta and Metathesis Catalysts, 2977C
—; Oguri, F.; Akagi, K.; Shirakawa, H.: Polymerization of 4-Phenyl-1-Butyne Catalyzed by Metathesis and Ziegler–Natta Catalysts, 781C
Ohara, M. See Masada, I., 843P
Ohbayashi, M. See Ishiwatari, T., 1293P
Ohshima, S. See Hasegawa, M., 1617P
Ohshita, J. See Ishikawa, M., 3281C
Ohtsuki, T. See Iwata, K., 441P
Oikawa, E.
—; Motomi, K.; Aoki, T.: Synthesis and Properties of Poly(thioether Amide)s from 2,6-Bis(acrylamido)pyridine and Dithiols, 457C
Oishi, Y.
—; Nakata, S.; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of New Block Copolymers Based on Poly(ether Sulfone) and Aramids, 1111C
—; Nakata, S.; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of New Block Copolymers Based on Poly(ether Sulfone) and Polyimides, 933C
—; Shirasaki, M.; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of Hydroxyl-Containing Aromatic Polyimides from Trimethylsilylated 2,4-Diaminophenol and Aromatic Tetracarboxylic Dianhydrides, 293C
Okada, A. See Kojima, Y., 983C, 1755C; Yano, K., 2493C
Okada, M.
—; Aoi, K.; Mizuno, W.; Ito, S.: Synthesis and Properties of New Polyesters Having Tetrahydrofuran Rings in Their Main Chains, 1135C
—; Hayakawa, T.: Synthesis and Some Properties of a Polyamide Containing *trans*-2,5-Linked Tetrahydropyran Rings in the Main Chain, 611C
Okada, M. See Hashimoto, K., 3141C
Okamoto, D. T.
—; O'Connell, E. M.; Cooper, S. L.; Root, T. W.: Solid-State ^{13}C Nuclear Magnetic Resonance Characterization of MDI-Based Polyurethanes, 1163P
Okamoto, K.-I. See Tanaka, K., 1127P
Okamoto, Y.
—; Yeh, T. F.; Lee, H. S.; Skotheim, T. A.: Design of Alkaline Metal Ion Conducting Polymer Electrolytes, 2573C
Okamoto, Y. See Ren, C., 2721C
Okatova, O. V. See Lavrenko, P. N., 633P
Okihara, T. See Masada, I., 843P
Okita, S. See Percec, V., 877C, 923C, 1087C
Okumura, M. See Kodaira, T., 169C
Orchard, G. A. J. See Taraiya, A. K., 641P
Orchard, N. A. See Sue, H.-J., 595P
Otsu, T.
—; Shiraishi, K.; Matsumoto, A.: Monomer-Isomerization Radical Polymerization of Di-*tert*-butyl Maleate and Preparation of Poly(fumaric Acid) via Pyrolysis, 885C
—; Shiraishi, K.; Matsumoto, A.: Radical Polymerization and Copolymerization Reactivities of Fumarates Bearing Different Alkyl Ester Groups, 2523C
Otsu, T. See Endo, K., 2177C; Matsumoto, A., 527P, 2531C; Yamada, B., 1551C
Ouchi, T. See Ueda, M., 853C
Oyanagi, T. See Tsubokawa, N., 1633C

Ozaki, Y. See Takahashi, Y., 1135P

Paczkowski, J.
—; Neckers, D. C.: New Fluorescence Probes for Monitoring the Kinetics of Laser-Initiated Polymerization, 841C
Padden, F. J., Jr. See Lovinger, A. J., 115P
Painter, P. C. See Coleman, M. M., 2039C
Pajunen, E. O. See Sundell, M. J., 2305C
Paleos, C. M. See Tsiourvas, D., 387C
Palmer, R. A. See Gregoriou, V. G., 1769P
Paquet, A. See Khan, M. N. I., 2353C
Park, J.
—; Kihara, N.; Ikeda, T.; Endo, T.: Photoinitiated Cationic Polymerization of 2-Isopropenyl-4-methylene-1,3-dioxolane by Benzylsulfonium Salt, 1083C
—; Yokozawa, T.; Endo, T.: Cationic Ring-Opening Polymerization of 2-Isopropenyl-4-Methylene-1,3-Dioxolane, 1141C
Park, J.-Y. See Ahn, T. O., 435C
Park, K. Y. See Kim, W. G., 633C
Park, S.-B. See Jung, J. C., 3351C
Parthiban, A.
—; Sundaram, N.: Preparation and Characterization of Co- and Homopoly(phenylene Etherimideketone)s, 1233C
Pathmanathan, K.
—; Johari, G. P.: The Effect of Increased Crystallization on the Electrical Properties of Nylon-12, 265P
Patlazhan, S. A.
Light Scattering from Swollen Textured Polymer Network Composites, 1695P
Photoelasticity of Textured Heterogeneous Polymer Materials, 17P
Statistical Approach to Light Scattering From Deformed Textured Heterogeneous Polymer Materials, 1649P
Patterson, H. H. See Saini, A. K., 2751C
Paul, D. R. See Aguilar-Vega, M., 991P, 1577P, 1599P; Aitken, C. L., 983P, 1061P
Pavlova, S. S. A.
—; Ronova, I. A.; Timofeeva, G. I.;

Dubrovina, L. V.: On the Flexibility of Cyclochain Polymers, 1725P
Pavlova, T. V. See Filimoshkin, A. G., 1911C
Peacock, A. J. See Mandelkern, L., 491P
Pearce, E. M.
Review of *Thermotropic Liquid Crystal Polymer Blends*, 2667C
Pearce, E. M. See Hu, M., 553C; Kim, S. H., 3167C
Pearson, R. See Errede, L. A., 805C
Pedretti, U. See La Mantia, F. P., 933P
Peiffer, D. G. See Gabryś, B., 1891P
Pelton, R. H. See Tam, K. C., 963C; Wu, X. Y., 957C
Peña, J. J. See Izu, P., 347P
Penczek, P.
—; Frisch, K. C.; Szczepaniak, B.; Rudnik, E.: Synthesis and Properties of Liquid Crystalline Polyurethanes, 1211C
Penczek, P. See Szczepaniak, B., 3223C, 3231C
Penelle, J.
—; Collot, J.; Rufflard, G.: Kinetic and Thermodynamic Analysis of Methyl Ethacrylate Radical Polymerization, 2407C
Peng, K. L.
—; Roland, C. M.: The Amorphous Phase in High-Speed Spun PET Fibers, 1339P
Peniche, C. See Zaldívar, D., 625C
Penlidis, A. See Burke, A. L., 3065C; Scott, P. J., 403C, 2205C
Peppas, N. A. See Wu, J. C., 1503P
Percec, V.
—; Okita, S.: Nucleophilic Substitution Reactions of 1,4-Dichlorobenzene Chromium Tricarbonyl with Mono- and Diphenoxides, 923C
—; Okita, S.: Synthesis and Ni(0)-Catalyzed Oligomerization of Isomeric 4,4‴-Dichloroquaterphenyls, 877C
—; Okita, S.: Synthesis and Ni(0)-Catalyzed Polymerization of 2,5-Bis(4-chloro-1-naphthyl)biphenyl, 1087C
Perez, S. See Viallat, A., 1567P
Pessan, L. A.
—; Koros, W. J.: Isomer Effects on Transport Properties of Polyesters Based on Bisphenol-A, 1245P
Philippova, O. E.
—; Starodoubtzev, S. G.: Interaction of Slightly Cross-Linked Gels of Poly(Diallyldimethylammonium Bromide) with Sodium Dodecyl Sulfate. Diffusion of Surfactant Ions in Gel, 1471P
Phillies, G. D. J.
—; Kirkitelos, P. C.: Higher Order Hydrodynamic Interactions in the Calculation of Polymer Transport Properties, 1785P
Phillips, G. O. See Arai, K., 249C
Pietralla, M. See Krbecek, H., 1477P
Pillai, C. K. S. See John, G., 1069C
Pinnau, I.
—; Koros, W. J.: A Qualitative Skin Layer Formation Mechanism for Membranes Made by Dry/Wet Phase Inversion, 419P
Piorkowska, E.
—; Galeski, A.: Crystallization of Isotactic Polypropylene and High-Density Polyethylene Under Negative Pressure Resulting from Uncompensated Volume Change, 1285P
Platé, N. A. See Ermakov, I. V., 395C
Poczynok, D. See Chang, P.-S., 891C
Pogodina, N. V.
Orientational-Deformational Nature of Flow Birefringence in Solutions of Rigid-Chain Polymers, 795P
Polk, M. B. See Venkatasubramanian, N., 1965P
Pomepui, B. See Poncin-Epaillard, F., 2671C
Poncin-Epaillard, F.
—; Pomepui, B.; Brosse, J.-C.: Study of Polymer Treatment with Tetrafluoromethane Plasma: Reactivity of Fluorinated Species on Model Surfaces, 2671C
Porter, R. S. See Chen, H.-L., 1845P; Karcha, R. J., 821P; Wang, L.-H., 1067P
Pourcelly, G. See Gineste, J.-L., 2969C
Powers, K. W. See Bielski, R., 755C
Prasad, A.
—; Marand, H.; Mandelkern, L.: Supermolecular Morphology of Thermoreversible Gels Formed from Homogeneous and Heterogeneous Solutions, 1819P
Pratap, G.
—; Mustafa, S. A.; Heller, J. P.: A New Bifunctional Initiator for Living Carbocationic Polymerization of Isobutylene: Synthesis of Linear Telechelic Polyisobutylene by the 1,4-Di(2-propyl-2-hydroxy)cyclohexane/BCl_3/tert-Amine Initiating Systems, 2387C
Pratt, L.
—; Chu, C.; Auer, J.; Chu, A.; Kim, J.; Zollweg, J. A.; Chu, C. C.: The Effect of Ionic Electrolytes on Hydrolytic Degradation of Biodegradable Polymers: Mechanical and Thermodynamic Properties and Molecular Modeling, 1759C
Prechtl, M. See Krüger, J. K., 505P
Preston, J. See Lozano, A. E., 1383C
Priddy, D. B. See Dais, V. A., 901C
Prud'Homme, R. E. See Charlier, P., 129C; Lafrance, C.-P., 255P; Li, W., 719P
Pryde, C. A.
FTIR Studies of Polyimides. II. Factors Affecting Quantitative Measurement, 1045C
Puffr, R. See Kříž, J., 789P, 1705P
Puglisi, C. See Montaudo, G., 13C
Pyriadi, T. M.
—; Ahmad, A. F.: Anionic Ring-Opening Polymerization of Several *N*-Substituted Diphenimides, 3199C

Qian, X.-J. See Litt, M. H., 183C

Radić, D. See Diaz-Calleja, R., 107P
Ragosta, G. See Martuscelli, E., 619P
Ramesh Babu, J.
—; Sinai-Zingde, G.; Riffle, J. S.: Synthesis of α,ω-Arylamine Functionalized Poly(dimethylsiloxane)s, 1645C
Ran, R.
Polymer-Supported Ziegler–Natta Catalyst for the

Polymerization of Isoprene, 1561C
—; Fu, D.; Shen, J.; Wang, Q.: Polymer-Supported Lewis Acid Catalysts. VII. Polystyrene-Bonded Ti(IV) Chloride Catalysts, 2915C
Rancourt, L. See Bazuin, C. G., 1431P
Randall, L. H. See Fyfe, C. A., 159C
Rao, A. K.
—; Lenz, R. W.: Effect of Nonlinear Bisphenol A Units on the Liquid Crystalline Properties of Poly(2-phenylhydroquinone Terephthalate), 283C
Rasmussen, P. G. See Kim, Y.-K., 2583C; Thurber, E. L., 351C
Rastogi, S.
—; Newman, M.; Keller, A.: Unusual Pressure-Induced Phase Behavior in Crystalline Poly-4-methyl-pentene-1, 125P
Rathke, T. D.
—; Hudson, S. M.: Determination of the Degree of *N*-Deacetylation in Chitin and Chitosan as well as Their Monomer Sugar Ratios by Near Infrared Spectroscopy, 749C
Razdan, U. See Kumar, D., 797C, 2319C
Rebelo, L. P.
—; Van Hook, W. A.: An Unusual Phase Diagram: The Polystyrene/Acetone System in its Hypercritical Region; Near Tricritical Behavior in a Pseudo-Binary Solution, 895P
Rebenfeld, L. See Mehl, N. A., 1677P, 1687P
Ree, T. See Jung, J., 3377C
Reffner, J. R. See Annis, B. K., 93P
Reimers, M. J.
—; Cibulsky, M. J.; Barbari, T. A.: Gas Sorption and Diffusion in Hydrogen-Bonded Polymers. I. Vinyl Alcohol/Vinyl Butyral Copolymers, 537P
Rein, D. H.
—; Baddour, R. F.; Cohen, R. E.: Gas Transport in Polybutadiene Treated with Aqueous Bromine, 403P
Rempel, G. L. See Scott, P. J., 403C, 2205C
Rempp, P. See Mougin, N., 1253C
Ren, C.
—; Chen, C.; Xi, F.; Nakano, T.; Okamoto, Y.: Helix-Sense-Selective Polymerization of Phenyl[bis(2-pyridyl)]methyl Methacrylate and Chiral Recognition Ability of the Polymer, 2721C
Ren, Q.
—; Zhang, H. J.; Zhang, X. K.; Huang, B. T.: Hydrogenated Polybutadiene–Polymethyl Methacrylate (HPB–PMMA) Block Copolymer. I. Synthesis of Polybutadiene–Polymethyl Methacrylate (PB–PMMA) Block Copolymer, 847C
Reynolds, N. M. See Kim, K. J., 1555P
Rhubright, D. See Chung, T. C., 2759C
Riande, E. See Díaz-Calleja, R., 711P
Riande, E. See Salom, C., 1591P
Riccardi, C. C.
—; Williams, R. J. J.: Modeling Strategy for Systems with Both Stepwise and Chainwise Chemistry Revisited. The Directionality Effect on the Build-up of the Network Structure, 389P
Rice, D. M. See Schleeh, T., 1859C
Richey, W. F. See Babb, D. A., 3465C
Rickle, G. K.
Synthesis and Gas Transport Properties of High Molecular Weight Block Copolymers of Styrene and Vinyltrimethylsilane, 113C
Rieger, B. See Janiak, C., 2959C
Riffle, J. S. See Liu, Q., 1709C; Ramesh Babu, J., 1645C
Risen, W. M., Jr. See Tsatsas, A. T., 1223P
Rodgers, P. A.
—; Sanchez, I. C.: Improvement to the Lattice-Fluid Prediction of Gas Solubilities in Polymer Liquids, 273P
Rodrigues, J. F. See Soares, S. De A., 1611P
Rodriguez, F.
Review of *Molded Thermosets-A Handbook for Plastics Engineers, Molders, and Designers*, 594C
Roggero, A. See La Mantia, F. P., 933P
Rogovina, L.
—; Zhou, P.; Frisch, H. L.: Swelling of Interpenetrating Polymer Networks, 515C
Rogovina, L. See Zhou, P., 2481C
Roland, C. M. See Peng, K. L., 1339P; Tomlin, D. W., 1331P
Roles, K. A.
—; Wunderlich, B.: Heat Capacities of Solid Copoly(Amino Acid)s, 279P
Ronova, I. A. See Pavlova, S. S. A., 1725P
Root, T. W. See Okamoto, D. T., 1163P
Rossbach, V.
—; Schmitz, F. P.; Windeln, J.: Sequential Analysis of Polyesters by Stepwise Chemical Degradation: Application to Oligo and Poly(alkylene Terephthalate)s, 741C
Rudin, A. See Liu, T. M., 1347P
Rudnik, E. See Penczek, P., 1211C; Szczepaniak, B., 3223C, 3231C
Rufflard, G. See Penelle, J., 2407C
Ruhlmann, D. See Fouassier, J.-P., 2245C
Rusig, I.
—; Dedier, J.; Filliatre, C.; Godhino, M. H.; Varichon, L.; Sixou, P.: Erratum: Effect of Degradation on Thermotropic Cholesteric Optical Properties of (2-Hydroxypropyl)cellulose (HPC) Esters, 595C
Russanov, A. See Kricheldorf, H. R., 279C
Russell, K. E. See McFaddin, D. C., 175P
Rutledge, G. C.
—; Ward, I. M.: Segmental Orientation in Aromatic Polyesters by Solid-State Nuclear Magnetic Resonance and Modeling, 513P
Rutt, J. S. See Ichino, T., 1701C
Rybnikar, F. See Liu, J., 1923P
Rye, R.
Spectroscopic Evidence for Radiation-Induced Crosslinking of Poly(tetrafluoroethylene), 357P
Ryou, J. H.
—; Ha, C. S.; Cho, W. J.: Miscibility of Poly(vinyl Methyl Ether) and Poly(styrene-co-2-Vinylnaphthalene) Blends by FT-IR Spectroscopy and T_g Measurements, 325C

Sabirov, Z. M.
—; Minchenkova, N. Kh.; Urazbaev, V. N.; Monakov, Y. B.: The Mechanism of Butadiene Polymerization with the Catalytic System $NdCl_3 \cdot 3TBP–(1C_4H_9)_2AlH$, 2419C
Sada, E. See Kumazawa, H., 881P
Saegusa, T. See Lim, J.-C., 3093C
Sahyun, M. R. V. See Bruss, J. M., 987C
Saigo, K. See Yonezawa, N., 667C
Saihata, S. See Akashi, M., 1153C
Saini, A. K.
—; Carlin, C. M.; Patterson, H. H.: Confirmation of the Presence of Imine Bonds in Thermally Cured Polyimides, 2751C
Saito, R. See Ishizu, K., 3073C
Saito, S. See Wada, N., 2647C; Wang, Z.-Y., 461P
Saiz, E. See Mendicuti, F., 213P
Sakaguchi, Y.
—; Kato, Y.: Synthesis of Polyimide and Poly(imide-Benzoxazole) in Polyphosphoric Acid, 1029C
Sakaki, T. See Deng, G., 1915C
Sakamoto, H. See Ishikawa, M., 3281C
Sakamoto, Y. See Tanaka, H., 2687C, 2693C
Salajka, Z.
—; Kratochvíla, J.; Hudec, P.; Věčorek, P.: One-Phase Supported Titanium-Based Catalysts for Polymerization of Ethylene. II. Effect of Hydrogen, 1493C
Salaneck, W. R. See Lacaze, E., 111P
Salazar, L. C. See McCormick, C. L., 1099C
Salin, I. M.
—; Seferis, J. C.: Anisotropic Effects in Thermogravimetry of Polymeric Composites, 1019P
Salmon, G. A. See Jones, R. A., 807P
Salom, C.
—; Riande, E.; Hernández-Fuentes, I.; Díaz-Calleja, R.: Dipole Moment and Dielectric Relaxation of Poly(dimethylsilazane) Oligomers, 1591P
Salva, J. M. See Coltrain, B. K., 2261C
Salvetti, G. See Cassettari, M., 199P
Samperi, F. See Montaudo, G., 13C
Samseth, J.
—; Spontak, R. J.; Mortensen, K.: The Response of Microstructure to Processing in a Series of Poly(siloxaneimide) Copolymers, 467P
Samuels, R. J. See Hardaker, S. S., 1951P
Samuelson, L. See Takahashi, T., 165P
San Román, J. See Díaz-Calleja, R., 711P; Zaldívar, D., 625C
Sanchez, I. C. See Rodgers, P. A., 273P
Sanda, F.
—; Takata, T.; Endo, T.: Vinylcyclopropanone Cyclic Acetal: A Hybrid Monomer Undergoing Radical Double Ring-Opening Polymerization, 2659C
Sankarapapavinasam, S.
Kinetics and Mechanism of Electropolymerization of *m*-Aminophenol, 1105C
Santa Cruz, C. See Baltá Calleja, F. J., 557P
Santamaría, A. See Izu, P., 347P
Sanui, K.
—; Ogata, N.; Kamitani, K.; Watanabe, M.: *In-Situ* Direct Polycondensation in Polymer Matrices. II. *In-Situ* Direct Polycondensation in Styrene–Butadiene Block Copolymers, 597C
Sartoratto, P. P. C.
—; Yoshida, I. V. P.: Electronic Absorption Spectra of Poly (dimethylsilylene-co-diphenylsilylene), 2383C
Sasano, M. See Nishikubo, T., 91C
Sasanuma, T. See Sasanuma, Y., 1179P
Sasanuma, Y.
—; Abe, A.; Sasanuma, T.; Kitano, Y.; Ishitani, A.: Small-Angle X-Ray Scattering of Distorted Lamellar Structures, 1179P
Sastre, R. See Amat-Guerri, F., 2609C; Mateo, J. L., 153C
Satake, M. See Yamada, B., 1551C
Sato, K.
—; Goto, T.; Iwabuchi, S.; Hirai, H.: Polymerization of Coordinated Monomers. XXII. *Ab Initio* Molecular Orbital Study on the Binary Radical Complexes of 2-Methoxycarbonyl Propyl Radical with Boron Trichloride and with Boron Trifluoride as a Model of Growing Radical End, 763C
Sauer, B. B.
—; Beckerbauer, R.; Wang, L.: Thermally Stimulated Current and DSC Studies of the Broadened Glass Transition in Liquid Crystalline Polymers, 1861P
—; Dipaolo, N. V.; Avakian, P.; Kampert, W. G.; Starkweather, H. W., Jr.: Broadened Glass Transition in a Liquid-Crystalline Polymer Studied By Thermally Stimulated Currents, AC Dielectric, Dynamic Mechanical, and DSC Methods, 1851P
—; Hsiao, B. S.: Broadening of the Glass Transition in Blends of Poly(Aryl Ether Ketones) and a Poly(Ether Imide) as Studied by Thermally Stimulated Currents, 917P
Sauer, B. B. See Hsiao, B. S., 901P
Sawada, K. See Fukuda, M., 2465C
Sawada, M.-A. See Nishikubo, T., 91C
Sawamoto, M. See Fukui, H., 1531C; Kamigaito, M., 2987C; Kanaoka, S., 2513C; Minoda, M., 2789C
Scarinzi, G. See Martuscelli, E., 619P
Schanze, K. S. See Katritzky, A. R., 2187C
Schärpf, O. See Gabryś, B., 1891P
Scheirs, J.
—; Bigger, S. W.; Then, E. T. H.; Billingham, N. C.: The Application of Simultaneous Chemiluminescence and Thermal Analysis for Studying the Glass Transition and Oxidative Stability of Poly(*N*-vinyl-2-pyrrolidone), 287P
Scherer, K. V., Jr. See Coleman, M. M., 2039C
Schermerhorn, E. J. See Toscano, P. J., 859C
Schild, H. G.
Application of TGA/FTIR to the Thermal Degradation Mechanism of Tetrafluoroethylene–Propylene Copolymers, 1629C
Review of *Polymer Yearbook 9*, 2414C

Thermal Degradation of Poly(methacrylic acid): Further Studies Applying TGA/FTIR, 2403C
Schleeh, T.
—; Imrie, C. T.; Rice, D. M.; Karasz, F. E.; Attard, G. S.: Ultrastructure Studies of Polystyrene-Based Side-Chain Liquid-Crystalline Copolymers Containing Charge Transfer Groups, 1859C
Schmid, A. See Twomey, C. J., 647P
Schmidt, E. See Bruss, J. M., 987C
Schmidt, H.-W. See Giesa, R., 141C; Kawatsuki, N., 1013C
Schmitz, F. P. See Rossbach, V., 741C
Schnatter, W.
Review of *Catalytic Chemistry*, 2667C
Schollmeyer, E. See Kesting, W., 887P; Wefers, L., 23P
Schott, M. See Lacaze, E., 111P
Schulz, W. J., Jr. See Lambert, J. B., 1697C
Schwarz, G. See Kricheldorf, H. R., 3021C
Scola, D. A.
Synthesis and Thermooxidative Stability of Poly[1,4-phenylene-4,4′-(2,2,2-trifluoro-1-phenylethylidene)-bisphthalimide] and Other Fluorinated Polyimides, 1997C
Synthesis, Characterization and Thermooxidative Stability of Addition Polymers from 1,4,5,8-Tetrahydro-1,4;5,8-diepoxyanthracene and Anthracene End-Capped Imide Oligomers, 2271C
Scott, P. J.
—; Penlidis, A.; Rempel, G. L.: Ethylene-Vinyl Acetate Semi-Batch Emulsion Copolymerization: Experimental Design and Preliminary Screening Experiments, 403C
—; Penlidis, A.; Rempel, G. L.: Ethylene-Vinyl Acetate Semi-Batch Emulsion Copolymerization: Use of Factorial Experiments for Improved Process Understanding, 2205C
Seferis, J. C. See Salin, I. M., 1019P
Séguéla, R. See Darras, O., 759P
Sein, A. See Ignatious, F., 239C
Selvaraj, I. I.
—; Chaklanobis, S.; Chandrasekhar, V.: Short Side-Chain Poly(oligo oxyethylene) Acrylates as Polymer Electrolytes: Synthesis and Ionic Conductivity of Poly(methoxy ethoxy ethylmethacrylate) · $LiClO_4$, 2643C
Seppälä, J. V.
—; Koivumäki, J.; Liu, X.: Co- and Terpolymerization of Ethylene with 1-Butene and 1-Decene by Using Cp_2ZrCl_2-Methylaluminoxane Catalyst, 3447C
Sergeienko, N. See Zhou, P., 2481C
Shabeer, T. K. See Balakrishnan, T., 317C
Shah, V. M.
—; Hardy, B. J.; Stern, S. A.: Solubility of Carbon Dioxide, Methane, and Propane in Silicone Polymers. Effect of Polymer Backbone Chains, 313P
Sharma, D. K. See Bruss, J. M., 987C
Sharpless, T. W.
—; Stevens, M. P.: Formation of a Polybenzyl-like Polymer under Anionic Conditions, 1075C
Shau, M.-D.
—; Chin, W.-K.: Syntheses, Structural Characterizations, and Thermal Resistances of New Epoxy-Imide Polymers, 1653C
Shen, J. See Ran, R., 2915C
Shen, S.
—; Sudol, E. D.; El-Aasser, M. S.: Control of Particle Size in Dispersion Polymerization of Methyl Methacrylate, 1393C
Shiang, W. R.
—; Woo, E. P.: Soluble Copolyimides with High Modulus and Low Moisture Absorption, 2081C
Shibusawa, T.
Diffusion of Nonionic Azo Dyes in Nylon-6, 29P
Shih, Y.-F. See Lin, M.-S., 3317C
Shim, H.-K. See Jin, J.-I., 87P
Shimazaki, H. See Higashi, F., 1301C
Shimizu, K. See Fahey, J. T., 1C
Shimoda, K. See Kurita, K., 485C, 2393C
Shindo, Y. See Hasegawa, M., 1617P
Shinkai, S. See Deng, G., 1915C
Shinozaki, D. M. See Yates, B. W., 1779P, 1837P
Shioya, M.
—; Takaku, A.: A Method for Evaluating Structural Distortion from X-Ray Scattering Patterns with Broad Peaks and Its Application to Thermally Stabilized Acrylic Fibers, 1519P
Shirai, M.
—; Kinoshita, H.; Tsunooka, M.: Photo-Thermal Properties of Poly(4-*tert*-butoxycarbonyloxystyrene) Bearing Imino Sulfonate Units, 451C
Shiraishi, K. See Otsu, T., 885C, 2523C
Shirakawa, H. See Oh, S.-Y., 781C, 2977C
Shirasaki, M. See Oishi, Y., 293C
Shishonok, M. V. See Gert, E. V., 567P
Sikkema, K. D. See Dais, V. A., 901C
Simpson, J. O.
—; Bidstrup, S. A.: Correlation Between Chain Segment and Ion Mobility in an Epoxy Resin System. A Free Volume Analysis, 609P
Sinai-Zingde, G. See Ramesh Babu, J., 1645C
Šindelář, P. See Věčorek, P., 2923C
Sinsky, M. See Dotrong, M., 723C
Sinyak, S. I. See Gert, E. V., 567P
Sixou, P. See Rusig, I., 595C
Skotheim, T. A. See Okamoto, Y., 2573C
Slutsker, L. I. See Tomlin, D. W., 1331P
Smid, J. See Ignatious, F., 239C
Smith, F. L. See Mandelkern, L., 491P
Smith, J. G., Jr.
—; Connell, J. W.; Hergenrother, P. M.: Synthesis and Properties of Poly[arylene ether (N-arylenebenzimidazole)]s, 3099C
Smith, P.
—; Goulet, L.: Effect of the Addition of Amine Diluents on the Physical Properties of Poly(methyl Methacrylate-co-Methacrylic Acid) Copolymers Obtained by

Partial Hydrolysis of PMMA, 327P
Smith, P. See Dais, V. A., 901C; Ihn, K. J., 735P
Smith, S. D. See Kyu, T., 1641P
Soares, S. De A.
—; Rodrigues, J. F.; Alario, A. F.: Study of Terbium(III)–Dextran and Terbium(III)–α-Methyl Glucoside Interactions, 1611P
Socci, E. P.
—; Farmer, B. L.; Adams, W. W.: Molecular Dynamics Simulations of a Poly(*p*-Phenylene) Oligomer, 1975P
Sohn, Y. S. See Cho, Y., 3397C
Soldera, A. See Bazuin, C. G., 1431P
Som, P. K.
—; Banerjee, A. N.: Polymerization of Methyl Methacrylate Using Isatoic Anhydride–Bromine Donor–Acceptor Complex as the Photoinitiator, 1007C
Sommer, R. See Ferrero, M. A., 2507C
Sone, A. See Ueda, M., 1895C
Song, J. D.
—; Jhon, M. S.: Interaction between Na^+ and Polymer in Aqueous Solution of Sodium Salts of Poly(2-hydroxyethyl methacrylate-co-methacrylic acid) Studied by ^{23}Na-NMR, 1687C
Spanne, P. See Ferrero, M. A., 2507C
Sperling, L. H. See Barrett, L. W., 1287C
Spontak, R. J. See Samseth, J., 467P
Spry, R. J. See Dang, T. D., 1941P
Sreenivasan, K.
Diffusion as a Probe to Assess Stretching-Induced Morphological Changes in Polyurethane, 1083P
Srinivasan, M. See Joseph, K. A., 3485C
Srinivasarao, M. See Stein, R. S., 2003P
Starkweather, H. W., Jr. See Sauer, B. B., 1851P
Starodoubtzev, S. G. See Philippova, O. E., 1471P
Stein, J. See Bontems, S. L., 2697C
Stein, R. S.
—; Srinivasarao, M.: Fifty Years of Light Scattering: A Perspective, 2003P
Stein, R. S. See Beaucage, G., 319P; Janarthanan, V., 1995P
Stenger-Smith, J. D.
—; Henry, R. A.; Hoover, J. M.; Lindsay, G. A.; Nadler, M. P.; Nissan, R. A.: Main-Chain, Syndioregic, High-Glass Transition Temperature Polymer for Nonlinear Optics: Synthesis and Characterization, 2899C
Stern, R. See Bodalia, R., 2123C
Stern, S. A.
—; Liu, Y.; Feld, W. A.: Structure/Permeability Relationships of Polyimides with Branched or Extended Diamine Moieties, 939P
Stern, S. A. See Shah, V. M., 313P
Steuer, M.
—; Hörth, M.; Ballauff, M.: Rigid Rod Polymers with Flexible Side Chains. X. Thermotropic Mesophases from Aromatic Stiff-Chain Polyamides Bearing *n*-Alkoxy Side Chains, 1609C
Stevens, M. P. See Sharpless, T. W., 1075C
Stille, W. See Mutter, R., 99P
Storey, R. F.
—; Hickey, T. P.: New Epoxy-Terminated Oligoesters: Precursors to Totally Biodegradable Networks, 1825C
—; Lee, Y.: Synthesis of Triphenylsilyl- and Triphenylmethyl-Telechelic Polyisobutylene: An Approach to the Synthesis of Multi-Ion Telechelic Ionomers, 35C
Stöver, H. D. H. See Li, K., 2473C, 3257C
Stringfellow, T. C. See Ahn, M. K., 831P
Strobl, G. See Mutter, R., 99P
Stutz, H.
—; Mertes, J.: Influence of the Structure on Thermoset Cure Kinetics, 2031C
—; Mertes, J.; Neubecker, K.: Kinetics of Thermoset Cure and Polymerization in the Glass Transition Region, 1879C
Su, W.-F. A.
Thermoplastic and Thermoset Main Chain Liquid Crystal Polymers Prepared from Biphenyl Mesogen, 3251C
Subramaniam, C. K.
—; Kaiser, A. B.; Gilberd, P. W.; Wessling, B.: Electronic Transport Properties of Polyaniline/PVC Blends, 1425P
Subramanyam, S. V. See Jayanna, H. S., 1095P
Sudol, E. D. See Urquiola, M. B., 1403C; Urretabizkaia, A., 2907C; Shen, S., 1393C
Sue, H.-J.
—; Garcia-Meitin, E. I.; Orchard, N. A.: Toughening of Epoxies via Craze-Like Damage, 595P
Sueoka, M. See Kanaoka, S., 2513C
Sugimura, T. See Hasegawa, M., 1617P
Sugita, S. See Akashi, M., 1153C
Sugiyama, J.-I.
—; Yokozawa, T.; Endo, T.: Synthesis and Radical Polymerization of Styrene Derivative Containing 4-Methylene-1,3-dioxolane Moiety, 2173C
Sugiyama, J.-I. See Ueda, M., 853C, 949C
Suh, D.-H. See Crivello, J. V., 1847C
Summanen, K. T. See Kulagina, T. P., 241P
Sumpter, B. G. See Liang, G. L., 1909P
Sun, F.
—; Grainger, D. W.: Ultrathin Self-Assembled Polymeric Films on Solid Surfaces. I. Synthesis and Characterization of Acrylate Copolymers Containing Alkyl Disulfide Side Chains, 1729C
Sun, S.-J.
—; Chang, T.-C.: Studies on the Thermotropic Liquid Crystalline Polycarbonates. II. Synthesis and Properties of Fully Aromatic Liquid Crystalline Polycarbonates, 2237C
—; Chang, T.-C.: Studies on the Thermotropic Liquid Crystalline Polycarbonates. III. Synthesis and Properties of Fully Aromatic Liquid Crystalline Polycarbonates, 2711C
Sundaram, N. See Parthiban, A., 1233C
Sundell, M. J.
—; Pajunen, E. O.; Hormi, O. O. E.; Näsman, J. H.: Crosslinked Polystyrene with Improved Mechanical Properties, 2305C
Suto, S.
—; Iwasawa, I.: Liquid Crystal-Forming Aqueous Hydroxypropyl Cellulose Solutions: Effects of

Surfactants on the Turbidity and Shear Viscosity, 1599C
Suzuki, A. See Kunugi, T., 803P
Suzuki, M. See Lim, J.-C., 3093C
Szczepaniak, B.
—; Frisch, K. C.; Penczek, P.; Mejsner, J.; Leszczyńska, I.; Rudnik, E.: Effect of the Poly(oxytetramethylene)diol Spacer Length on Some Properties of Liquid Crystalline Polyurethanes, 3223C
—; Frisch, K. C.; Penczek, P.; Rudnik, E.; Cholińska, M.: Influence of Molecular Weight on Some Properties of Liquid Crystalline Polyurethanes, 3231C
Szczepaniak, B. See Penczek, P., 1211C

Tada, T. See Kurita, K., 485C
Taguchi, K.
—; Yano, S.; Hiratani, K.; Minoura, N.: Oxygen Permeability of Surfactant/Polymer Composite Films with Multibilayer and Inverted Hexagonal Structure, 339P
Tait, P. J. T. See Marques, M. M. V., 209C, 219C
Takagishi, T.
—; Kim, Y. J.; Hosokawa, T.; Morimoto, K.; Kono, K.: Amphiphilic Copolymers with Increased Affinity for Substrates, 365C
Takahashi, A. See Nishimura, S., 135C
Takahashi, T.
—; Miller, P.; Chen, Y. M.; Samuelson, L.; Galotti, D.; Mandal, B. K.; Kumar, J.; Tripathy, S. K.: Langmuir-Blodgett Films of Polymethacrylates with Side Chains Containing Functionalized Aromatic Schiff's Bases, 165P
Takahashi, Y.
—; Ozaki, Y.; Takase, M.; Krigbaum, W. R.: Crystal Structure of Poly(*p*-Benzamide), 1135P
Takaku, A. See Shioya, M., 1519P
Takasawa, R. See Matsuo, S., 3439C
Takase, M. See Takahashi, Y., 1135P
Takata, T. See Ariga, T., 581C; Atobe, I., 1543C; Hamazu, F., 1023C; Sanda, F., 2659C; Yoshida, E., 1505C
Takebayashi, Y. See Fujimoto, K., 1035C
Takehara, E. See Nishikubo, T., 3013C
Takigami, S. See Arai, K., 249C
Takimoto, Y. See Fouassier, J.-P., 2245C
Tam, K. C.
—; Wu, X. Y.; Pelton, R. H.: Poly(*N*-Isopropylacrylamide). II. Effect of Polymer Concentration, Temperature, and Surfactant on the Viscosity of Aqueous Solutions, 963C
Tam, K. C. See Wu, X. Y., 957C
Tampellini, E. See Cinquina, P., 1809P
Tan, K. L. See Neoh, K. G., 395P
Tanabe, T. See Fukawa, I., 535C
Tanaka, H.
—; Sakamoto, Y.: Polyelectrolyte Titration Using Fluorescent Indicator. I. Direct Titration of Anionic and Cationic Polyelectrolytes with $10^{-4}N$ Standard Solutions, 2687C
—; Sakamoto, Y.: Polyelectrolyte Titration Using Fluorescent Indicator. II. Analysis of Cationic Starches and Flocculants, 2693C
Tanaka, K.
—; Kita, H.; Okamoto, K.-I.: Sorption of Carbon Dioxide in Fluorinated Polyimides, 1127P
Tanaka, M. See Masuda, S., 1323C
Tanigaki, T. See Inoue, K., 61C
Taraiya, A. K.
—; Orchard, G. A. J.; Ward, I. M.: The Effect of Amorphous Orientation on the Oxygen Permeability of Polypropylene Films, 641P
Tawfik, S. Y.
—; Messiha, N. N.; El-Hamouly, S. H.: Effect of Substitution on the Reactivity of Some New *p*-Phenylacrylamide Derivatives with Organotin Monomers, 427C
Tcharkhtchi, A.
—; Audouin, L.; Verdu, J.: Chemiluminescence of Anhydride-Cured Epoxy Networks: Influence of the Anhydride Structure, 683C
Teitge, A. See Cakmak, M., 371P
Terada, K. See Naito, Y., 693P
Teramoto, T. See Ueda, M., 853C
Terentieva, G. A. See Filimoshkin, A. G., 1911C
Tesirogi, T.
Polyimide from 2,5-Bis(4-Aminostyryl)pyrazine, 585C
Tesoro, G.
Review of *Advances in Polyimide Science and Technology*, 3501C
Review of *Plastics Recycling*, 3163C
Review of *Polyimides and Other High Temperature Polymers*, 593C
Tessier, M. See Jamois, D., 1923C, 1941C, 1959C
Teyssedre, G.
—; Bernes, A.; Lacabanne, C.: Influence of the Crystalline Phase on the Molecular Mobility of PVDF, 2027P
Teyssie, D. See Yu, J. M., 2373C
Teyssié, P. See Blacher, S., 655P; Charlier, P., 129C
Teyssié, Ph. See Barakat, I., 505C; Degée, Ph., 275C; Demoustier-Champagne, S., 2009C
Thames, S. F.
—; Malone, K. G.: A Study of Polyesters Synthesized from an Arylsilane and Its Carbon Analog, 521C
—; Malone, K. G.: A Study of Polyurethanes Synthesized from an Arylsilane, Bis(4,4′-Phenylisocyanato)dimethylsilane, and Its Carbon Analog, 2,2-Bis(4,4′-Phenylisocyanato)propane, 177C
Thangavel, R. See Kothandaraman, H., 2653C
Then, E. T. H. See Scheirs, J., 287P
Thierry, A. See Fillon, B., 1383P, 1395P, 1407P
Thomas, E. L. See Albalak, R. J., 37P
Thurber, E. L.
—; Rasmussen, P. G.: Approaches to Novel AB Heteroaromatic Polyamides Based on Cyanoimidazoles, 351C
Tidjani, A.
—; Arnaud, R.: Gamma-Oxidation of Linear Low Density Polyethylenes: Ethylene–Butene and Ethylene–Hexene Copolymers, 603C
Timm, D. A.
—; Hsieh, Y.-L.: The Microstructure and Macrostructure of Sulfonated Poly(ethylene Terethphalate) Fibers, 1873P
Timofeeva, G. I. See Pavlova,

S. S. A., 1725P
Timpe, H.-J.
—; Neuenfeld, S.: Polymerization of Styrene by Photoexcited Safranine T without Additives, 1347C
Tipping, A. See Herbert, I. R., 1459P
Tobita, H.
Molecular Weight Distribution in Free Radical Polymerization with Long-Chain Branching, 1363P
Todd, D. B.
Review of *Mixing in Polymer Processing*, 1343C
Tokiwa, Y. See Hiraguri, Y., 3159C
Tokuhisa, H. See Kimura, K., 2809C
Tombari, E. See Cassettari, M., 199P
Tominaga, Y. See Morishima, Y., 789C
Tomita, K. See Kurita, K., 485C, 2393C
Tomlin, D. W.
—; Roland, C. M.; Slutsker, L. I.: Transverse Heterogeneity in PET Fibers, 1331P
Tomlinson, R. C. See Dotrong, M., 723C
Tomoi, M. See Nishikubo, T., 939C
Torgashov, V. I. See Gert, E. V., 567P
Torikai, A.
—; Mitsuoka, T.; Fueki, K.: Wavelength Sensitivity of the Photoinduced Reaction in Polycarbonate, 2785C
Torres-Filho, A.
—; Lenz, R. W.: Electrical, Thermal, and Photo Properties of Poly(Phenylene Vinylene) Precursors: I. Laser-Induced Elimination Reactions in Precursor Polymer Films, 959P
Toscano, P. J.
—; Waechter, J.; Schermerhorn, E. J.; Zhou, P.; Frisch, H. L.: High-Resolution Solid-State ^{19}F-NMR Spectroscopy of the Sorption and Diffusion of Fluorine-Containing Aromatic Molecules in Polymeric Media, 859C
Toyota, H. See Ueda, M., 853C, 1895C
Traynham, J. G. See Newkome, G. R., 641C
Tripathy, S. K. See Takahashi, T., 165P
Troitskaya, L. S. See Troitskii, B. B., 75C
Troitskii, B. B.
—; Troitskaya, L. S.: Mathematical Models of the Initial Stage of the Thermal Degradation of Poly(vinyl Chloride). II. The Thermal Degradation of Poly(vinyl Chloride) with Effective Removal of HCl, 75C
Trumbo, D. L. See Abbey, K. J., 3417C
Tsatsas, A. T.
—; Risen, W. M., Jr.: Studies on Solution Cast Perfluorocarbonsulfonic Acid Ionomers, 1223P
Tseng, H.-H. See Chen, Y., 1719C
Tsiourvas, D.
—; Paleos, C. M.; Malliaris, A.: Aggregational Behavior in Water, of Some Polyamphiphiles Derived from Reactive Polymers, 387C
Tsonis, C. P. See Hwang, J. S., 1417C
Tsubokawa, N.
—; Inagaki, M.; Endo, T.: Graft Polymerization of Methyl Methacrylate Initiated by Pendant Azo Groups Introduced onto γ-Poly(glutamic Acid), 563C
—; Inagaki, M.; Kubota, H.; Endo, T.: γ-Poly(glutamic acid) as an Initiator of Cationic Polymerization of *N*-vinylcarbazole and *N*-vinyl-2-pyrrolidone, 3193C
—; Oyanagi, T.: Surface Grafting of Polymers onto Aramid Powder: Reaction of Chlorotriazinyl Groups on the Powder Surface with Functional Polymers Having Terminal Hydroxyl or Amino Groups, 1633C
—; Yoshihara, T.: Grafting of Polyesters from Carbon Whisker Surface: Copolymerization of Epoxides with Cyclic Acid Anhydrides Initiated by COOK Groups Introduced onto the Surface, 2459C
Tsuchihara, K.
—; Masuda, T.; Higashimura, T.: Polymerization of Si-Containing Acetylenes. XIV. Polymerization of Diphenylacetylenes with Bulky Silyl Groups and Polymer Properties, 547C
Tsujimoto, M. See Endo, K., 2177C
Tsunooka, M. See Shirai, M., 451C
Tsutsumi, H.
—; Hamamoto, S.; Matsuda, Y.: Conductivity of Crosslinked Poly(*N*-vinylpyrrolidone) Gel Film Containing Surfactant as Electrolyte Salt, 2883C
Twomey, C. J.
—; Chen, S. H.; Blanton, T.; Schmid, A.; Marshall, K. L.: Solid Polymers Doped with Rare Earth Metal Salts. II. Thermal Behavior and Morphology of the Neodymium Acetate–Poly(Ethylene Oxide) System, 647P
Tzou, D. L.
—; Huang, T. H.; Desai, P.; Abhiraman, A. S.: Rotor-Synchronized Two-Dimensional ^{13}C CP/MAS NMR Studies of the Orientational Order of Polymers. I. High-Performance Ultrahigh Molecular Weight Polyethylene Fibers, 1005P

Ueda, M.
—; Honda, M.; Sugiyama, J.-I.; Ito, H.: Radical Polymerization of 3-Methylene-5,5′-dimethyl-2-pyrrolidinone: A Cyclic Analog of *N*-Substituted Methacrylamide, 949C
—; Toyota, H.; Ouchi, T.; Sugiyama, J.-I.; Yonetake, K.; Masuko, T.; Teramoto, T.: Synthesis and Characterization of Aromatic Poly(ether Sulfone)s Containing Pendant Sodium Sulfonate Groups, 853C
—; Toyota, H.; Sone, A.; Ito, H.: Radical Polymerization of 4-Methylene-4*H*-1,3-benzodioxin-2-ones: Cyclic α-Substituted Styrenes, 1895C
Umehara, S. See Matsumoto, A., 527P
Ungar, G. See Odell, J. A., 141P
Urazbaev, V. N. See Sabirov, Z. M., 2419C
Urquiola, M. B.
—; Sudol, E. D.; Dimonie, V. L.; El-Aasser, M. S.: Emulsion Polymerization of Vinyl Acetate Using a

Polymerizable Surfactant. III. Mathematical Model, 1403C
Urretabizkaia, A.
—; Sudol, E. D.; El-Aasser, M. S.; Asua, J. M.: Calorimetric Monitoring of Emulsion Copolymerization Reactions, 2907C
Urushisaki, M. See Kodaira, T., 169C
Usanmaz, A. See Yilmaz, O., 3205C
Ushiki, H. See Hashimoto, H., 1187P
Usuki, A. See Kojima, Y., 983C, 1755C; Yano, K., 2493C
Uvdal, K. See Lacaze, E., 111P
Uyama, H.
—; Honda, Y.; Kobayashi, S.: Synthesis and Emulsion Copolymerization of Amphiphilic Poly(2-Oxazoline) Macromonomer Possessing a Vinyl Ester Group, 123C
Uyama, H. See Kobayashi, S., 3133C

Vaillant, D. See Lacoste, J., 715C
Valenza, A. See La Mantia, F. P., 933P
Van Bogart, J. W. C. See Errede, L. A., 805C
van Broekhoven, J. A. M.
—; Doyle, M. J.; Drent, E.: Comment on "Palladium Catalyzed Ethylene—Carbon Monoxide Alternating Copolymerization", 2879C
Van Dyke, J. D.
—; Kasperski, K. L.: Thermogravimetric Study of Polyacrylamide with Evolved Gas Analysis, 1807C
Van Hook, W. A. See Rebelo, L. P., 895P
Van Nieuwenhuize, O. See Gaymans, R. J., 575C
Varichon, L. See Rusig, I., 595C
Věčorek, P.
—; Šindelář, P.; Černošková, E.; Holeček, J.: One-Phase Supported Titanium-Based Catalysts for Polymerization of Ethylene. III. ESR Spectra of the Ternary System SiO_2—R_3Al—$TiCl_4$, 2923C
Věčorek, P. See Salajka, Z., 1493C
Veličković, J. See Vrhovac, L., 45C
Venkatasubramanian, N.
—; Polk, M. B.; Kumar, S.; Gelbaum, L. T.: Structural Investigations on Lewis Acid Mediated Solubilization of Poly(*p*-Phenylenebenzobisthiazole) in an Aprotic Solvent, 1965P
Verdu, J. See Tcharkhtchi, A., 683C
Veronesi, S. See Cassettari, M., 199P
Viallat, A.
—; Perez, S.: NMR Approach to Properties of Polymeric Membranes. Kinetics of Membrane Formation, 1567P
Viehbeck, A. See Lim, B. S., 545P
Vilgis, T. A. See Benmouna, M., 587P
Villeneuve, S. See Bazuin, C. G., 1431P
Vo, L. P. See Lau, A. N. K., 1093C
Voelkel, R. See Janiak, C., 2959C
Volpe, M. G. See Lanzetta, N., 1315C, 2415C
Von Meerwall, E. See Mahoney, D., 1029P
Vrentas, C. M. See Vrentas, J. S., 69P
Vrentas, J. S.
—; Vrentas, C. M.: Evaluation of Free-Volume Theories for Solvent Self-Diffusion in Polymer-Solvent Systems, 69P
Vrhovac, L.
—; Djurasović, N.; Veličković, J.: Kinetics of Radical Polymerization of Dimethylphenyl Methacrylates, 45C

Wada, N.
—; Yagi, Y.; Inomata, H.; Saito, S.: Swelling Behavior of *N*-isopropylacrylamide-Based Amphoteric Gels, 2647C
Waechter, J. See Toscano, P. J., 859C
Wagener, K. B.
—; Engle, L. P.: Thermally Reversible Polymer Linkages. II. Linear Addition Polymers, 865C
Wang, A. See Belfield, K. D., 3493C
Wang, C. H.
—; Guan, H. W.: Second Harmonic Generation and Optical Anisotropy of a Spin-Cast Polymer Film, 1983P
Wang, C. S.
—; Burkett, J.; Lee, C. Y.-C.; Arnold, F. E.: Structure and Electrical Conductivity of Ion-Implanted Rigid-Rod and Ladder Polymers, 1799P
Wang, C.-C.
—; Hsiue, G.-H.: Functionalization of Polyethylene Surface Using Plasma-Induced Graft Copolymerization of Acrylic Acid, 3327C
—; Hsiue, G.-H.: Immobilization of Poly(ethylene oxide) on Polyethylene Using a Plasma-Induced Graft Copolymerization Process, 2601C
—; Hsiue, G.-H.: Oxidation of Polyethylene Surface by Glow Discharge and Subsequent Graft Copolymerization of Acrylic Acid, 1307C
Wang, F. See Yu, B., 2681C
Wang, H. C. See Bielski, R., 755C
Wang, J.-S. See Kumazawa, H., 881P
Wang, L.
—; Kobatake, E.; Ikariyama, Y.; Aizawa, M.: Regioselective Oxidative Polymerization of 1,5-Dihydroxynaphthalene Catalyzed by Bilirubin Oxidase in a Water–Organic Solvent Mixed Solution, 2855C
—; Liao, C. X.; Weber, W. P.: Addition of Chlorofluorocarbene to Poly(1-methyl-1-phenyl-1-sila-*cis*-pent-3-ene) and Poly(1,1-dimethyl-1-sila-*cis*-pent-3-ene): Characterization of Chlorofluorocyclopropanated Polymer Microstructures by ^{1}H-, ^{13}C-, ^{19}F-, and ^{29}Si-NMR Spectroscopy, 1789C
Wang, L. See Sauer, B. B., 1861P
Wang, L.-H.
—; Porter, R. S.: Miscibility of a Polyarylate with a Liquid Crystalline Copolyester, 1067P
Wang, M. See Chen, H., 1165C
Wang, M.-L.
—; Yu, C.-C.: Effects of the Polymer-Support on the Synthesis of 2,4-Dibromophenyl Allyl Ether in a Triphase Catalysis, 1171C
Wang, Q. See Ran, R., 2915C
Wang, T.-L. D.
—; Lyman, D. J.: Morphology of Block Copolyurethanes. IV. Effect of Synthetic Procedure on Chain Structure, 1983C

Wang, W. See Hu, G.-H., 3453C
Wang, Y. See Yu, B., 2681C
Wang, Z.-Y.
—; Konno, M.; Saito, S.: Kinetics of Phase Separation in Polymer Blends. Calculations Based on Nonlinear Theory, 461P
Ward, I. M. See Jones, R. A., 807P; Rutledge, G. C., 513P; Taraiya, A. K., 641P; Webb, J. A., 743P
Watabiki, M. See Higashi, F., 2929C
Watanabe, H. See Matsumoto, A., 527P
Watanabe, M. See Sanui, K., 597C
Watanabe, S. See Nishikubo, T., 1659C
Webb, J. A.
—; Bower, D. I.; Ward, I. M.; Cardew, P. T.: The Effect of Drawing on the Transport of Gases through Polyethylene, 743P
Weber, W. P. See Wang, L., 1789C
Webster, G. R., Jr. See Chang, P.-S., 891C
Wefers, L.
—; Schollmeyer, E.: Surface Characterization of Laser-Treated Poly(ethylene Terephthalate) by Optical Profilometry and Scanning Tunneling Microscopy, 23P
Review of *Reaction Polymers*, 1097C
Weil, E. D.
Review of *Reactive Extrusion*, 1343C
Wen, W.-Y. See Bandis, A., 447P; Dong, Z. P., 1213P
Wesslén, B. See Jannasch, P., 1519C
Wessling, B. See Subramaniam, C. K., 1425P
Whang, W.-T. See Litt, M. H., 183C
White, J. L. See Cakmak, M., 371P
White, J. W. See Dai, L., 3P
Wibulluckssanakul, S. See Hashimoto, K., 3141C
Wilkes, G. L. See Davé, V., 1145P
Williams, R. J. J. See Riccardi, C. C., 389P
Willson, C. G. See Fahey, J. T., 1C
Wimberger-Friedl, R.
—; De Bruin, J. G.: Birefringence in Polycarbonate: Molecular Orientation Induced by Cooling Stresses. I. Free Quenching, 1041P
—; De Bruin, J. G.: Birefringence in Polycarbonate: Molecular Orientation Induced by Cooling Stresses. II. Effects of Sectioning, 1051P
Windeln, J. See Rossbach, V., 741C
Witchey-Lakshmanan, L. C.
—; Hopfenberg, H. B.; Chern, R. T.: Dilation of Poly[1-(trimethylsilyl)-1-Propyne] During Sorption of *n*-Nonane, 1545P
Wittmann, J. C. See Fillon, B., 1383P, 1395P, 1407P; Krüger, J. K., 505P
Wnek, G. E. See Kitipichai, P., 1365C
Wolarz, E.
—; Bauman, D.: Study of Orientational Order in a Nematic Polysiloxane by Utilizing the "Guest–Host" Effect, 383P
Wold, E.
—; Bremer, J.; Hunderi, O.: Optical Analysis of Dichroism Measurements in Polymer Science, 579P
Won, J.
—; Lodge, T. P.: Tracer Diffusion of Star-Branched Polystyrenes in Poly(Vinyl Methyl Ether) Gels, 1897P
Woo, E. See Wu, C.-J., 3405C
Woo, E. P. See Shiang, W. R., 2081C
Woods, D. R. See Wu, X. Y., 957C
Work, W. J. See Kratochvil, P., 2881C
Wu, C.-J.
—; Chen, C.-Y.; Woo, E.; Kuo, J.-F.: A Kinetic Study on Grafting of Maleic Anhydride onto a Thermoplastic Elastomer, 3405C
Wu, G.
—; Zhou, Z.; Chu, B.: Water-Induced Micellar Structures of Block Copoly(oxyethylene-oxypropylene-oxyethylene) in *o*-Xylene, 2035P
Wu, G. See McFaddin, D. C., 175P
Wu, J. See Liu, M., 3181C
Wu, J. C.
—; Peppas, N. A.: Modeling of Penetrant Diffusion in Glassy Polymers with An Integral Sorption Deborah Number, 1503P
Wu, Q. See Diao, J., 2287C
Wu, W. See Amis, E. J., 2049P; Xu, G., 229P
Wu, X.
—; Jin, J.; Zhang, L.; Xu, J.: Configuration-Dependent Properties of the Poly(dimethylsilmethylene) Chain in the Third-Order Interaction Approximation, 455P
Wu, X. Y.
—; Pelton, R. H.; Tam, K. C.; Woods, D. R.; Hamielec, A. E.: Poly(*N*-Isopropylacrylamide). I. Interactions with Sodium Dodecyl Sulfate Measured by Conductivity, 957C
Wu, X. Y. See Tam, K. C., 963C
Wunder, S. L. See Johnson, C., 677P
Wunderlich, B. See Annis, B. K., 93P; Liang, G. L., 1909P; Roles, K. A., 279P

Xi, F. See Ren, C., 2721C
Xi, T. G. See Choy, C. L., 365P
Xie, H. Q. See Liu, T. M., 1347P
Xixiong, Z.
Analysis of Mechanical Behavior in Cold-Drawing Deformation of Polymers, 1667P
Xu, G.
—; Wu, W.; Xu, M.; Zhou, Q.: Banded Texture in Oriented Films of a Side-Chain Liquid-Crystalline Polymer, 229P
Xu, J. See Wu, X., 455P
Xu, M. See Xu, G., 229P
Xu, Q. See Frisch, H. L., 1339C
Xue, Y.
—; Frisch, H. L.: Interpenetrating Polymer Networks Based on Poly(chloroprene) and Poly(carbonate-urethane), 2165C
Xue, Y. See Frisch, H. L., 2869C

Yagi, Y. See Wada, N., 2647C
Yamada, B.
—; Kobatake, S.; Aoki, S.: Polymerization of 2-(Substituted methyl)acrylate Bearing ω-Methoxyoligoethyleneoxy Groups as Side Chains to New Low T_g Polymer, 3433C
—; Kobatake, S.; Satake, M.; Otsu, T.: Introduction of 2-Methoxycarbonylallyl End Group by Copolymerization of Methyl α-(Phenoxymethyl)acrylate Accompanying with Addition-Fragmentation Reaction, 1551C
Yamagishi, T.
—; Enoki, M.; Inui, M.; Furukawa,

H.; Nakamoto, Y.; Ishida, S.: Linear All-*ortho* Oligomers of Phenol-Formaldehyde Resins. I. Preparations, Characterizations, and Solution Properties, 675C
Yamamoto, Y. See Kameyama, A., 1639C
Yamanaka, T.
Optimization of Asymmetric Permeation in Heterogeneous Composite Membranes, 875P
Yamashita, J. See Nishikubo, T., 939C
Yamashita, M.
—; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of New Aromatic Polyamides from Bis(4-aminophenyl)-phenylphosphine and Aromatic Dicarboxylic Acids, 1513C
Yamashita, S.
—; Kodama, K.; Ikeda, Y.; Kohjiya, S.: Chemical Modification of Butyl Rubber. I. Synthesis and Properties of Poly(ethylene oxide)-Grafted Butyl Rubber, 2437C
Yamashita, T. See Hashimoto, H., 1187P; Jin, Q., 2345C
Yampol'skii, YU. P. See Bondar, V. I., 1273P
Yan, R. J.
—; Jiang, B.: Melting Behavior of Drawn Polypropylene, 1089P
Yang, C. Q.
Infrared Spectroscopy Studies of the Cyclic Anhydride as the Intermediate for the Ester Crosslinking of Cotton Cellulose by Polycarboxylic Acids. I. Identification of the Cyclic Anhydride Intermediate, 1187C
Yang, C.-P.
—; Chen, W.-T.: New Poly(amide-Imide)s Syntheses. VII. Preparation and Properties of Poly(amide-Imide)s Derived from 1,5-Bis(4-aminophenoxy)naphthalene, Trimellitic Anhydride, and Various Aromatic Diamines, 3081C
—; Chen, W.-T.: Synthesis and Properties of New Polyimides Derived from 1,5-Bis(4-Aminophenoxy)Naphthalene and Aromatic Tetracarboxylic Dianhydrides, 2799C
—; Chen, W.-T.: Synthesis and Properties of Novel Aromatic Polyamides Derived from 1,5-Bis(4-aminophenoxy)naphthalene and Aromatic Dicarboxylic Acids, 1571C
—; Hsiao, S.-H.; Lin, J.-H.: New Poly(amide-imide) Syntheses. V. Preparation and Properties of Poly(amide-imide)s Based on the Diimide–diacid Condensed from 2,2-Bis[4-(4-aminophenoxy)phenyl]-propane and Trimellitic Anhydride, 2995C
—; Lin, J.-H.: Syntheses and Properties of Aromatic Polyamides and Polyimides Derived from 9,9-Bis[4-(p-aminophenoxy)phenyl]-fluorene, 2153C
Yang, D. B.
Kinetic Studies of Photopolymerization Using Real Time FT-IR Spectroscopy, 199C
Yang, H.
—; Farrington, G. C.: Poly(ethylene oxide) Electrolytes Containing Mixed Salts, 157P
—; Hay, A. S.: Fluorine Substitutent Effects on Poly(2,6-diphenylphenylene ether), 2015C
—; Hay, A. S.: Synthesis and Characterization of Poly(2,6-diarylphenylene oxide)s, 1261C
—; Hay, A. S.: The Remarkable Effect of Fluorine Substitutents on the Properties of Poly(2,6-diphenyl-1,4-phenylene ether) and Poly(aryl ether)s, 1907C
Yang, H. See Li, Y., 853P
Yang, J.-M. See Hsiue, G.-H., 1457C
Yang, L.-L. See Zhang, S.-S., 2313C
Yang, S. See Chen, H., 1165C
Yang, X. See Coleman, M. M., 2039C
Yano, K.
—; Usuki, A.; Okada, A.; Kurauchi, T.; Kamigaito, O.: Synthesis and Properties of Polyimide–Clay Hybrid, 2493C
Yano, S. See Taguchi, K., 339P
Yashima, E. See Akashi, M., 1153C
Yashin, V. V. See Ermakov, I. V., 395C
Yates, B. W.
—; Shinozaki, D. M.: Radiation Degradation of Poly(methyl Methacrylate) in the Soft X-Ray Region, 1779P
—; Shinozaki, D. M.; Kumar, A.; Meath, W. J.: The Absorption Coefficient Spectrum and Radiation Degradation of Poly(butene-1 Sulfone) in the Soft X-Ray Region, 1837P
Yavrouian, A. H. See Kim, S. S., 495P
Yeh, C.-C. See Lin, M.-S., 2093C
Yeh, T. F. See Okamoto, Y., 2573C
Yen, K.-T. See Litt, M. H., 183C
Yi, Y. X.
—; Zoller, P.: An Experimental and Theoretical Study of the PVT Equation of State of Butadiene and Isoprene Elastomers to 200°C and 200 MPa, 779P
Yilmaz, O.
—; Usanmaz, A.; Alyürük, K.: Polymerization of Monoisocyanates by the Pruitt–Baggett Adduct, 3205C
Ying, S. See Liang, L., 1075P
Yokota, R. See Hasegawa, M., 1617P; Jin, Q., 2345C
Yokoyama, M. See Kimura, K., 2809C
Yokozawa, T. See Park, J., 1141C; Sugiyama, J.-I., 2173C
Yonetake, K. See Ueda, M., 853C
Yoneyama, M. See Arai, K., 249C
Yonezawa, K. See Iwahara, T., 2617C
Yonezawa, N.
—; Kanoe, T.; Saigo, K.; Hasegawa, M.: Thermal Degradation Behavior of Polyamides Having 2- and 4-Hydroxycinnamic Acid Dimer Components, 667C
Yoshida, E.
—; Nakamura, K.; Takata, T.; Endo, T.: Oxoaminium Salts as Initiators for Cationic Polymerization of Vinyl Monomers, 1505C
Yoshida, I. V. P. See Sartoratto, P. P. C., 2383C
Yoshihara, T. See Tsubokawa, N., 2459C
Yoshino, K. See Fukuda, M., 2465C
Young, J. K. See Newkome, G. R., 641C
Yu, B.
—; Ding, M.; Wang, Y.; Wang, F.: Synthesis and Propeller–Propeller Transition of Optically Active Poly(diphenyl-o-tolylmethyl methacrylate), 2681C

Yu, C.-C. See Wang, M.-L., 1171C
Yu, J. M.
—; Teyssie, D.; Boileau, S.: Hydrosilylation of Allyl Carbamates by Poly(methylhydrosiloxane) and Related Side-Reactions, 2373C
Yu, S.-H. See Jin, J.-I., 87P
Yu, X.-D. See Liu, F.-T., 3245C
Yuk, S. H.
—; Lee, H. B.: Electric-Current-Sensitive Polymers. Reversible Bending of Rod-Shaped Acrylamide Gel in NaCl Solution, 487P
Yukimasa, S. See Ishizu, K., 3073C

Zachmann, H. G. See Cakmak, M., 371P
Zaldívar, D.
—; Peniche, C.; Bulay, A.; San Román, J.: Free Radical Copolymerization of Furfuryl Acrylate and 2-Hydroxyethyl-Methacrylate, 625C
Zander, R. A. See Abbey, K. J., 3417C
Zerbi, G. See Gallazzi, M. C., 3339C
Zhang, H. See Coleman, M. M., 2039C
Zhang, H. J. See Ren, Q., 847C
Zhang, L. See Wu, X., 455P
Zhang, S.-S.
—; Liu, Q.-G.; Yang, L.-L.: Synthesis and Polymerization of Oligo(oxyethylene) Macromonomer Bearing Sodium Sulfonate, 2313C
Zhang, W. X.
—; Higashi, F.: Thermotropic Copolyamides from Polyethyleneglycol Bis(4-carboxyphenyl)ethers with Different Oxyethylene Units, 2935C
Zhang, W. X. See Higashi, F., 2929C
Zhang, X. K. See Ren, Q., 847C
Zhang, Y. See Chang, P.-S., 891C
Zhdanov, A. See Zhou, P., 2481C
Zhou, P.
—; Frisch, H. L.: The Effect of Ageing on the Phase Morphology of Simultaneous Interpenetrating Polymer Networks and Their Metastable Isomers, 3479C
—; Frisch, H. L.; Rogovina, L.; Makarova, L.; Zhdanov, A.; Sergeienko, N.: Interpenetrating Polymer Networks of Poly(dimethyl siloxane-urethane) and Poly(methyl methacrylate), 2481C
Zhou, P. See Frisch, H. L., 1967C; Rogovina, L., 515C; Toscano, P. J., 859C
Zhou, Q. See Xu, G., 229P
Zhou, Z. See Wu, G., 2035P
Zhu, D.-W. See Katritzky, A. R., 2187C
Zimmerman, K. A.
—; Langford, S. C.; Dickinson, J. T.; Dion, R. P.: Electron and Photon Emission Accompanying Deformation and Fracture of Polycarbonate, 1229P
Zoller, P. See Yi, Y. X., 779P
Zollweg, J. A. See Pratt, L., 1759C
Zumbrum, M. A. See Bontems, S. L., 2697C